

Trainings ▾

Specifications

Oil Pressure

At Idle (minimum allowable at 93°C [200°F] oil temperature)	103 kPa [15 psi]
At No-Load Governed Speed	155 to 324 kPa [22.5 to 47 psi]

Pressure Drop Across Oil Filter

Maximum Allowable	172 kPa [25 psi]
-------------------	--------------------

Oil Pan Drain


Fitting Size	M27x2 STOR
--------------	------------

The lubricating oil change fill volume is the amount of oil added if the lubricating oil pan has been fully drained for a service event, then refilled for operation. Lubricating oil fill volumes are unique to the installed dipstick of the engine being serviced.

If the lubricating oil change fill volume is **not** known:


- Contact a Cummins® Distributor/Dealer.
- Determine the capacity of the lubricating oil pan option for the engine being serviced by using QuickServe™ Online (QSOL) and the engine serial number.

Fill the lubricating oil pan to the smallest lubricating oil pan capacity listed for the engine being serviced. Then add 0.95 liters [1 U.S. qt] of lubricating oil at a time until the lubricating oil reaches the high mark on the lubricating oil dipstick. Record the number of liters/quarts or lubricating oil added, so the lubricating oil capacity is known the next time the lubricating oil is drained.




Steel Rear Sump Style			
Lubricating Oil Pan Capacity		Lubricating Oil Filter Capacity	Total Lubricating Oil Capacity
Low	Maximum		
37.9 liters [10.0 U.S. gal]	49.2 liters [13.0 U.S. gal]	2.6 liters [0.69 U.S. gal]	54.85 liters [14.49 U.S. gal]


Steel Rear Sump Style			
Lubricating Oil Pan Capacity		Lubricating Oil Filter Capacity	Total Lubricating Oil Capacity
Low	Maximum		
37.85 liters [10.0 U.S. gal]	45.42 liters [12.0 U.S. gal]	2.6 liters [0.69 U.S. gal]	51.07 liters [13.49 U.S. gal]



Steel Front Sump Style			
Lubricating Oil Pan Capacity		Lubricating Oil Filter Capacity	Total Lubricating Oil Capacity
Low	Maximum		
34.1 liters [9.0 U.S. gal]	41.64 liters [11.0 U.S. gal]	2.6 liters [0.69 U.S. gal]	47.28 liters [12.49 U.S. gal]



Steel Front Sump Style			
Lubricating Oil Pan Capacity		Lubricating Oil Filter Capacity	Total Lubricating Oil Capacity
Low	Maximum		
37.9 liters [10.0 U.S. gal]	45.4 liters [12.0 U.S. gal]	2.6 liters [0.69 U.S. gal]	51.07 liters [13.49 U.S. gal]



Aluminum Rear Center Sump Style			
Lubricating Oil Pan Capacity		Lubricating Oil Filter Capacity	Total Lubricating Oil Capacity
Low	Maximum		
36 liters [9.5 U.S. gal]	43.5 liters [11.5 U.S. gal]	2.6 liters [0.69 U.S. gal]	49.17 liters [12.99 U.S. gal]



Aluminum Rear Sump Style			
Lubricating Oil Pan Capacity		Lubricating Oil Filter Capacity	Total Lubricating Oil Capacity
Low	Maximum		
43.5 liters [11.5 U.S. gal]	47.3 liters [12.5 U.S. gal]	2.6 liters [0.69 U.S. gal]	52.96 liters [13.99 U.S. gal]

