


Trainings ▾

Engine Dataplate

Use the information from the engine dataplate when discussing service or the source of parts for your engine.

 Cummins Inc. Columbus, Indiana 47202-3006 Made in U.S.A.	Engine		C.I.D./ L.	CPL	Engine Serial No.
	Cert. I.D.		505 8.3	2172	45983742
Warnings: Injury may result and warranty is voided if fuel rate rpm or altitudes exceed published maximum values for this model and application.	Timing-TDC		23.5 DEGREES		
	Value with cold		0.012 ^{Int.}	0.024 ^{Ext.}	Family
Date of Mfg.	Firing order		1 5 3 6 2 4		
	Low Idle (rpm)		600	E.C.S.	Cust. Spec.
20000508	3393177	Rated HP (Metric)		450 at 2600 rpm	341703
		Fuel rated at HP		196 mm ³ /stroke	45983742
		Model Name		6CTA8.3-MS	



Note : This marine diesel engine conforms to the NOx requirements of the International Maritime Organization (IMO), MARPOL 73/78, Annex VI, Regulation 3 as applicable.

Use the information from the engine dataplate when discussing service or the source of parts for your engine.

Cummins Inc. Columbus, Indiana 47202-3006 Made in U.S.A.		Engine	C.I.D./ L.	CPL	Engine Serial No.
		Cert. I.D.	505 8.3	2172	45983742
		Timing-TDC	23.5 DEGREES		
		Value with cold	0.012 ^{Int.}	0.024 ^{Ext.}	Family
		Firing order	1 5 3 6 2 4		
		Low Idle (rpm)	600	E.C.S.	Cust. Spec.
		Date of Mfg.	20000508	3393177	341703
		Rated HP (Metric)	450 at 2600 rpm		
		Fuel rated at HP	196 mm ³ /stroke		
		Model Name	6CTA8.3-MS		

1. Cubic inch displacement and liter displacement


2. Control Parts List Number
3. Engine serial number
4. Emission family identification
5. Customer specification - base engine part number
6. Rated horsepower at rpm
7. Fuel rated at horsepower
8. Model name
9. Emission control system (currently **not** used on marine)
10. Firing order
11. Valve lash cold
12. Timing - top dead center
13. Low idle (rpm)
14. Date of manufacturing
15. Warning tag
16. Engine certification identification (currently **not** used on marine).

Cummins® Engine Nomenclature

B5.9

The model name provides the following engine data:


- B = Engine series
- 5.9 = Displacement in liters.



B3.9


The model name provides the following engine data:

- B = Engine series
- 3.9 = Displacement in liters.



6CTA8.3M2 Marine Applications

- 6 = number of cylinders
- C = engine series
- T = turbocharged
- A = aftercooled
- 8.3 = displacement in liters




- M = marine
- 3 = design phase

Fuel Injection Pump Dataplate


Bosch™ In-line

The injection pump dataplate for the Bosch® in-line pump is located on the side of the injection pump. The data plate provides information for fuel pump calibration.




CAV Rotary

The injection pump dataplate for the Lucas DPA pump is located on the side of the injection pump. The dataplate provides information for fuel pump calibration.



Stanadyne Rotary

The injection pump dataplate for the Stanadyne DB4 is located on the side of the injection pump. The dataplate provides information for the fuel pump calibration.




Denso In-line

The Denso fuel injection pump dataplate contains the following information:

- (A) Fuel injection pump part number
- (B) Denso serial number
- (C) Cummins part number

- (D) Fuel injection pump bar code.



The Cummins part number for the fuel pump-governor combination is located on the governor dataplate.

