

## Trainings ▾

### Cylinder Block


#### Tool Number

2892501

#### 2200 lb/1000 kg Nylon Lifting Sling

30 mm × 2 meters EWL polyester duplex webbing sling to EN1492-1 with becket eyes each end and 1 meter long webbing wear sleeve. Safe working load 1000 kg straight lift.

©Cummins Inc



ks8toge


**Tool Number**

3163087

**Lubriplate™**

Lubriplate™ 105 assembly lubricant, 10 ounce tube.

©Cummins Inc



07c00280


## Tool Number

3164604

## Piston Ring Compression Band and Pliers

Use the band, Part Number 5298583, to go around the piston rings and compress the band with pliers, Part Number 5298504, during installation of pistons in the cylinder block.

©Cummins Inc



01p00161

## Tool Number

3375066

## Teflon® Pipe Sealant

Used for pipe fittings. 1.69 ounce tube. Loctite® 592 is the brand name.

©Cummins Inc



22x00008

**Tool Number**

3375068

**High-Strength Thread Locking Compound**

High-strength, permanent red liquid thread locking compound good for use on bolts up to 1 inch. 50 ml bottle. Brand name is Loctite® 271.




**Tool Number**

3375193

**Stationary Engine Rebuild Stand**

5000 pound capacity stationary engine rebuild stand. Works with multiple engines with use of appropriate adapter plate.

©Cummins Inc

**3375193**


**Tool Number**

3375194

**Rolling Engine Rebuild Stand**

5000 pound capacity wheeled engine rebuild stand. Works with multiple engines with use of appropriate adapter plate.

©Cummins Inc



3375194

**Tool Number**

3375432

**Non-Magnetic Crack Detection Kit**

Includes crack detection cleaner, Part Number 3375433, crack detection developer, Part Number 3375434, and crack detection penetrant, Part Number 3375435. This is a Non-Magnetic Crack Detection Test Kit to detect cracks in engine components as required. This product is a long-proven product for detecting cracks that can not be detected by the naked eye. It also projects the severity of a crack if one is suspected.




**Tool Number**

3376619

**Dial Bore Gauge Kit**

Used to measure bore diameters of 3 to 8 inches. Dial face is dimensioned in inches and millimeters.





**Tool Number**

3376638

**Guide Pins**

Used to aid the installation of the vibration damper. Requires two guide pins.

©Cummins Inc



3822784


**Tool Number**

3823818

**Main Bearing Rollout Tool**

Used to remove and install main bearings with crankshaft installed.

©Cummins Inc



3823818


**Tool Number**

4918219

**Precision Straightedge**

Used to check cylinder blocks and cylinder heads for flatness.

©Cummins Inc



22d00222


**Tool Number**

4919092

**Barring Tool**

Used to engage the flywheel ring gear to rotate the crankshaft.

©Cummins Inc



3824591


**Tool Number**

5298585

**Piston Ring Expander**

Used to remove and install piston rings on pistons.

©Cummins Inc



01p00159


**Tool Number**

5298634

**Connecting Rod Guide Pins (Two)**

Used to guide the connecting rod into the engine during piston installation and removal.

©Cummins Inc



cx8togg


**Tool Number**

5299194

**Gauge Block**

Used to measure cylinder protrusion on the cylinder block and gear housing protrusion below the cylinder block.

©Cummins Inc



01 p00160

**Tool Number**

5394867

**Guide Pin**

Used to install flywheel with shim. Two are required.

©Cummins Inc



22-00180


**Tool Number**

5395203

**Front Crankshaft Seal Installation Tool**

Used to install front crankshaft seal. Contains pilot, Part Number 5299869, and driver, Part Number 5298597.

©Cummins Inc



01p00158


**Tool Number**

5395204

**Oil Seal Installer (Rear)**

Used to install the rear crankshaft seal. Contains pilot, Part Number 5299478.

©Cummins Inc



01p00162


## Tool Number

5572715

## Rollover Stand Adapter Plate Kit

This kit is used to mount the engines onto the mobile and stationary engine rollover stands for out of chassis maintenance work.

©Cummins Inc



01 p00163




**Tool Number**

5572725

**Timing Pin Kit**

Used for static timing of the engine. Contains camshaft timing pin, Part Number 5572724, and crankshaft timing pin, Part Number 5572723.




**Tool Number**

5572844

**Camshaft Timing Pin**


The timing pin is used during valve gap adjustment to locate the camshaft at the required position.

**Tool Number**

5572914

**Cylinder Liner Puller Kit**

Used for liner removal and installation.



**Last Modified: 08-Dec-2023**