



Technical Service Bulletin

Technical Service Bulletin: tsb100092

Released Date: 04-Feb-2004

Wet Flywheel Housing Crankshaft Oil Seal

Wet Flywheel Housing Crankshaft Oil Seal

Warranty Statement

The information in this document has no effect on present warranty coverage or repair practices, nor does it authorize TRP or Campaign actions.

Contents

This Technical Service Bulletin announces a wet flywheel housing crankshaft oil seal, Part Number 3681527 (see Fig. 1). Use the thick wear sleeve and wet flywheel housing oil seal installation and removal kit, Part Number 3163826, to install and remove the wet flywheel housing crankshaft oil seal. Both the new oil seal and kit are for use on Signature, ISX, and QSX15 Series engines in applications with wet flywheel housings.

The thick wear sleeve and wet flywheel housing oil seal installation and removal kit **must** be used to install the new rear crankshaft oil seal and thick wear sleeve.


The thick wear sleeve and wet flywheel housing oil seal installation and removal kit includes the thick wear sleeve and wet flywheel housing oil seal installation and removal procedure (Bulletin 3377856).

The wet flywheel housing crankshaft oil seal and wear sleeve is one assembly. It **must not** be taken apart. **No** oil is to be used during the installation procedure.

If the crankshaft flange is scored, repair the surface. Refer to Alternative Repair Manual, Bulletin 3379035.


Release Date

The wet flywheel housing crankshaft oil seal, Part Number 3681527, and the thick wear sleeve and wet flywheel housing oil seal installation and removal kit, Part Number 3163826, both became available in January 2000.



01c00322

Fig. 1, Wet Flywheel Housing Crankshaft Oil Seal



22c00158

Table 1, Thick Wear Sleeve and Wet Flywheel Housing Oil Seal Installation and Removal Kit, Part Number 3163826

Item Number	Part Number	Description	Quantity
-------------	-------------	-------------	----------

1	3163827	Thick wear sleeve and wet flywheel housing oil seal mandrel	1
2	3163706	Puller jaws	3
3	S-217	Hexagon nut (7/16- 14)	3
4	3000082	Flat washer (7/16 x 7/8)	3
5	3163057	Forcing screw	1
6	3163828	Number 10-2 sheet metal screw	3
7	3163089	Pilot drill	1
Not shown	3377856	Service Tool Instruction	1

Last Modified: 04-Feb-2004
