

# Manual Change History ( 4021617) C Command Elite and C Command Elite Plus Panel System Marine Master Repair Manual

|                         |                                                                      |
|-------------------------|----------------------------------------------------------------------|
| <b>Date</b>             | Not Available                                                        |
| <b>Section</b>          | Front                                                                |
| <b>Procedure Number</b> | 4021617-toc<br>(/qs3/pubsys2/xml/en/manual/4021617/4021617-toc.html) |
| <b>Procedure Title</b>  | Table of Contents                                                    |
| <b>Update Reason</b>    |                                                                      |

|                         |                                                                   |
|-------------------------|-------------------------------------------------------------------|
| <b>Date</b>             | 12-Mar-2002                                                       |
| <b>Section</b>          | Section i - Introduction                                          |
| <b>Procedure Number</b> | 99-204-004<br>(/qs3/pubsys2/xml/en/procedures/99/99-204-004.html) |
| <b>Procedure Title</b>  | Symbols                                                           |
| <b>Update Reason</b>    |                                                                   |

|                         |                                                                   |
|-------------------------|-------------------------------------------------------------------|
| <b>Date</b>             | 12-Mar-2002                                                       |
| <b>Section</b>          | Section i - Introduction                                          |
| <b>Procedure Number</b> | 99-204-005<br>(/qs3/pubsys2/xml/en/procedures/99/99-204-005.html) |
| <b>Procedure Title</b>  | Illustrations                                                     |
| <b>Update Reason</b>    |                                                                   |

|                         |                                                                   |
|-------------------------|-------------------------------------------------------------------|
| <b>Date</b>             | 03-Apr-2003                                                       |
| <b>Section</b>          | Section 19 - Electronic Engine Controls                           |
| <b>Procedure Number</b> | 99-019-206<br>(/qs3/pubsys2/xml/en/procedures/99/99-019-206.html) |
| <b>Procedure Title</b>  | Deutsch DTM and DTP Connector Series                              |
| <b>Update Reason</b>    |                                                                   |

|                         |                                                                   |
|-------------------------|-------------------------------------------------------------------|
| <b>Date</b>             | 03-Mar-2004                                                       |
| <b>Section</b>          | Section V - Specifications                                        |
| <b>Procedure Number</b> | 99-018-010<br>(/qs3/pubsys2/xml/en/procedures/99/99-018-010.html) |
| <b>Procedure Title</b>  | Fraction, Decimal, Millimeter Conversions                         |
| <b>Update Reason</b>    |                                                                   |
| <b>Date</b>             | 03-Mar-2004                                                       |
| <b>Section</b>          | Section V - Specifications                                        |
| <b>Procedure Number</b> | 99-018-011<br>(/qs3/pubsys2/xml/en/procedures/99/99-018-011.html) |
| <b>Procedure Title</b>  | Newton-Meter to Foot-Pound Conversions                            |
| <b>Update Reason</b>    |                                                                   |
| <b>Date</b>             | 03-Mar-2004                                                       |
| <b>Section</b>          | Section V - Specifications                                        |
| <b>Procedure Number</b> | 99-018-013<br>(/qs3/pubsys2/xml/en/procedures/99/99-018-013.html) |
| <b>Procedure Title</b>  | Tap-Drill Chart - U.S. Customary and Metric                       |
| <b>Update Reason</b>    |                                                                   |
| <b>Date</b>             | 03-Mar-2004                                                       |
| <b>Section</b>          | Section V - Specifications                                        |
| <b>Procedure Number</b> | 99-018-014<br>(/qs3/pubsys2/xml/en/procedures/99/99-018-014.html) |
| <b>Procedure Title</b>  | Weights and Measures - Conversion Factors                         |
| <b>Update Reason</b>    |                                                                   |
| <b>Date</b>             | 27-Jun-2006                                                       |
| <b>Section</b>          | Section L - Service Location                                      |
| <b>Procedure Number</b> | 99-205-002<br>(/qs3/pubsys2/xml/en/procedures/99/99-205-002.html) |
| <b>Procedure Title</b>  | Service Literature Ordering Location                              |
| <b>Update Reason</b>    |                                                                   |

|                         |                                                                                  |
|-------------------------|----------------------------------------------------------------------------------|
| <b>Date</b>             | 17-Jan-2007                                                                      |
| <b>Section</b>          | Front                                                                            |
| <b>Procedure Number</b> | marpanel-frwd<br>(/qs3/pubsys2/xml/en/manual/preface/marpanel-frwd.html)         |
| <b>Procedure Title</b>  | Foreword                                                                         |
| <b>Update Reason</b>    |                                                                                  |
| <b>Date</b>             | 01-Mar-2007                                                                      |
| <b>Section</b>          | Section F - Familiarization                                                      |
| <b>Procedure Number</b> | 116-100-002<br>(/qs3/pubsys2/xml/en/procedures/116/116-100-002.html)             |
| <b>Procedure Title</b>  | Engine Diagrams                                                                  |
| <b>Update Reason</b>    |                                                                                  |
| <b>Date</b>             | 02-Mar-2007                                                                      |
| <b>Section</b>          | Front                                                                            |
| <b>Procedure Number</b> | 4021617-titlepage<br>(/qs3/pubsys2/xml/en/manual/4021617/4021617-titlepage.html) |
| <b>Procedure Title</b>  | Titlepage                                                                        |
| <b>Update Reason</b>    |                                                                                  |
| <b>Date</b>             | 02-Mar-2007                                                                      |
| <b>Section</b>          | Section E - Engine and System Identification                                     |
| <b>Procedure Number</b> | 116-206-001<br>(/qs3/pubsys2/xml/en/procedures/116/116-206-001.html)             |
| <b>Procedure Title</b>  | System Identification                                                            |
| <b>Update Reason</b>    |                                                                                  |
| <b>Date</b>             | 02-Mar-2007                                                                      |
| <b>Section</b>          | Section F - Familiarization                                                      |
| <b>Procedure Number</b> | 116-209-001<br>(/qs3/pubsys2/xml/en/procedures/116/116-209-001.html)             |
| <b>Procedure Title</b>  | System Description                                                               |
| <b>Update Reason</b>    |                                                                                  |

|                         |                                                                        |
|-------------------------|------------------------------------------------------------------------|
| <b>Date</b>             | 02-Mar-2007                                                            |
| <b>Section</b>          | Section TT - Troubleshooting Symptoms (New Format)                     |
| <b>Procedure Number</b> | 116-t02-1021<br>(/qs3/pubsys2/xml/en/procedures/116/116-t02-1021.html) |
| <b>Procedure Title</b>  | Droop Adjust Signal Malfunctions                                       |
| <b>Update Reason</b>    |                                                                        |
| <b>Date</b>             | 02-Mar-2007                                                            |
| <b>Section</b>          | Section TT - Troubleshooting Symptoms (New Format)                     |
| <b>Procedure Number</b> | 116-t02-1022<br>(/qs3/pubsys2/xml/en/procedures/116/116-t02-1022.html) |
| <b>Procedure Title</b>  | Load Adjust Signal Malfunctions                                        |
| <b>Update Reason</b>    |                                                                        |
| <b>Date</b>             | 02-Mar-2007                                                            |
| <b>Section</b>          | Section TT - Troubleshooting Symptoms (New Format)                     |
| <b>Procedure Number</b> | 116-t02-1023<br>(/qs3/pubsys2/xml/en/procedures/116/116-t02-1023.html) |
| <b>Procedure Title</b>  | Frequency Bias Signal Malfunctions                                     |
| <b>Update Reason</b>    |                                                                        |
| <b>Date</b>             | 02-Mar-2007                                                            |
| <b>Section</b>          | Section TT - Troubleshooting Symptoms (New Format)                     |
| <b>Procedure Number</b> | 116-t02-1025<br>(/qs3/pubsys2/xml/en/procedures/116/116-t02-1025.html) |
| <b>Procedure Title</b>  | Engine Only Operates in Droop Mode                                     |
| <b>Update Reason</b>    |                                                                        |

|                         |                                                                        |
|-------------------------|------------------------------------------------------------------------|
| <b>Date</b>             | 02-Mar-2007                                                            |
| <b>Section</b>          | Section TT - Troubleshooting Symptoms (New Format)                     |
| <b>Procedure Number</b> | 116-t02-1026<br>(/qs3/pubsys2/xml/en/procedures/116/116-t02-1026.html) |
| <b>Procedure Title</b>  | Engine Only Operates in Idle Mode                                      |
| <b>Update Reason</b>    |                                                                        |
| <b>Date</b>             | 02-Mar-2007                                                            |
| <b>Section</b>          | Section TT - Troubleshooting Symptoms (New Format)                     |
| <b>Procedure Number</b> | 116-t02-1027<br>(/qs3/pubsys2/xml/en/procedures/116/116-t02-1027.html) |
| <b>Procedure Title</b>  | Engine Only Operates in Rated Mode                                     |
| <b>Update Reason</b>    |                                                                        |
| <b>Date</b>             | 02-Mar-2007                                                            |
| <b>Section</b>          | Section TT - Troubleshooting Symptoms (New Format)                     |
| <b>Procedure Number</b> | 116-t02-1058<br>(/qs3/pubsys2/xml/en/procedures/116/116-t02-1058.html) |
| <b>Procedure Title</b>  | Pre-High Engine Temperature Lamp Driver Malfunction                    |
| <b>Update Reason</b>    |                                                                        |
| <b>Date</b>             | 02-Mar-2007                                                            |
| <b>Section</b>          | Section TT - Troubleshooting Symptoms (New Format)                     |
| <b>Procedure Number</b> | 116-t02-1059<br>(/qs3/pubsys2/xml/en/procedures/116/116-t02-1059.html) |
| <b>Procedure Title</b>  | High Engine Temperature (HET) Shutdown Lamp Driver Malfunction         |
| <b>Update Reason</b>    |                                                                        |

|                         |                                                                        |
|-------------------------|------------------------------------------------------------------------|
| <b>Date</b>             | 02-Mar-2007                                                            |
| <b>Section</b>          | Section TT - Troubleshooting Symptoms (New Format)                     |
| <b>Procedure Number</b> | 116-t02-1060<br>(/qs3/pubsys2/xml/en/procedures/116/116-t02-1060.html) |
| <b>Procedure Title</b>  | Pre-Low Oil Pressure Warning Signal Lamp Driver Malfunction            |
| <b>Update Reason</b>    |                                                                        |

|                         |                                                                        |
|-------------------------|------------------------------------------------------------------------|
| <b>Date</b>             | 02-Mar-2007                                                            |
| <b>Section</b>          | Section TT - Troubleshooting Symptoms (New Format)                     |
| <b>Procedure Number</b> | 116-t02-1061<br>(/qs3/pubsys2/xml/en/procedures/116/116-t02-1061.html) |
| <b>Procedure Title</b>  | Low Oil Pressure (LOP) Shutdown Lamp Driver Malfunction                |
| <b>Update Reason</b>    |                                                                        |

|                         |                                                                        |
|-------------------------|------------------------------------------------------------------------|
| <b>Date</b>             | 02-Mar-2007                                                            |
| <b>Section</b>          | Section TT - Troubleshooting Symptoms (New Format)                     |
| <b>Procedure Number</b> | 116-t02-1062<br>(/qs3/pubsys2/xml/en/procedures/116/116-t02-1062.html) |
| <b>Procedure Title</b>  | Auxiliary Input/Output 2 Signal Malfunction                            |
| <b>Update Reason</b>    |                                                                        |

|                         |                                                                        |
|-------------------------|------------------------------------------------------------------------|
| <b>Date</b>             | 02-Mar-2007                                                            |
| <b>Section</b>          | Section TT - Troubleshooting Symptoms (New Format)                     |
| <b>Procedure Number</b> | 116-t02-1063<br>(/qs3/pubsys2/xml/en/procedures/116/116-t02-1063.html) |
| <b>Procedure Title</b>  | Auxiliary Input/Output 3 Signal Malfunction                            |
| <b>Update Reason</b>    |                                                                        |

|                         |                                                                        |
|-------------------------|------------------------------------------------------------------------|
| <b>Date</b>             | 02-Mar-2007                                                            |
| <b>Section</b>          | Section TT - Troubleshooting Symptoms (New Format)                     |
| <b>Procedure Number</b> | 116-t02-1064<br>(/qs3/pubsys2/xml/en/procedures/116/116-t02-1064.html) |
| <b>Procedure Title</b>  | ECM Torque Curve Select Signal Malfunction                             |
| <b>Update Reason</b>    |                                                                        |

|                         |                                                                        |
|-------------------------|------------------------------------------------------------------------|
| <b>Date</b>             | 02-Mar-2007                                                            |
| <b>Section</b>          | Section TT - Troubleshooting Symptoms (New Format)                     |
| <b>Procedure Number</b> | 116-t02-1065<br>(/qs3/pubsys2/xml/en/procedures/116/116-t02-1065.html) |
| <b>Procedure Title</b>  | Intermediate Speed Control 2 Signal Malfunction                        |
| <b>Update Reason</b>    |                                                                        |

|                         |                                                                        |
|-------------------------|------------------------------------------------------------------------|
| <b>Date</b>             | 02-Mar-2007                                                            |
| <b>Section</b>          | Section TT - Troubleshooting Symptoms (New Format)                     |
| <b>Procedure Number</b> | 116-t02-1066<br>(/qs3/pubsys2/xml/en/procedures/116/116-t02-1066.html) |
| <b>Procedure Title</b>  | ECM Oil Pressure Gauge Output Signal Malfunction                       |
| <b>Update Reason</b>    |                                                                        |

|                         |                                                                        |
|-------------------------|------------------------------------------------------------------------|
| <b>Date</b>             | 02-Mar-2007                                                            |
| <b>Section</b>          | Section TT - Troubleshooting Symptoms (New Format)                     |
| <b>Procedure Number</b> | 116-t02-1067<br>(/qs3/pubsys2/xml/en/procedures/116/116-t02-1067.html) |
| <b>Procedure Title</b>  | ECM Coolant Temperature Gauge Output Signal Malfunction                |
| <b>Update Reason</b>    |                                                                        |

|                         |                                                                                                                                    |
|-------------------------|------------------------------------------------------------------------------------------------------------------------------------|
| <b>Date</b>             | 02-Mar-2007                                                                                                                        |
| <b>Section</b>          | Section TT - Troubleshooting Symptoms (New Format)                                                                                 |
| <b>Procedure Number</b> | 116-t02-1068<br>(/qs3/pubsys2/xml/en/procedures/116/116-t02-1068.html)                                                             |
| <b>Procedure Title</b>  | ECM Tachometer Output Signal Malfunction                                                                                           |
| <b>Update Reason</b>    |                                                                                                                                    |
| <b>Date</b>             | 02-Mar-2007                                                                                                                        |
| <b>Section</b>          | Section TT - Troubleshooting Symptoms (New Format)                                                                                 |
| <b>Procedure Number</b> | 116-t02-1069<br>(/qs3/pubsys2/xml/en/procedures/116/116-t02-1069.html)                                                             |
| <b>Procedure Title</b>  | ECM Droop Select Signal Malfunction                                                                                                |
| <b>Update Reason</b>    |                                                                                                                                    |
| <b>Date</b>             | 02-Mar-2007                                                                                                                        |
| <b>Section</b>          | Section V - Specifications                                                                                                         |
| <b>Procedure Number</b> | 4021605<br>(/qs3/pubsys2/xml/en/procedures//4021605.html)                                                                          |
| <b>Procedure Title</b>  | QSK19 CM850 Modular Common Rail System Marine Auxiliary with C Command Elite and C Command Elite Plus Panel System Wiring Diagram  |
| <b>Update Reason</b>    |                                                                                                                                    |
| <b>Date</b>             | 02-Mar-2007                                                                                                                        |
| <b>Section</b>          | Section V - Specifications                                                                                                         |
| <b>Procedure Number</b> | 4021606<br>(/qs3/pubsys2/xml/en/procedures//4021606.html)                                                                          |
| <b>Procedure Title</b>  | QSK19 CM850 Modular Common Rail System Marine Propulsion with C Command Elite and C Command Elite Plus Panel System Wiring Diagram |
| <b>Update Reason</b>    |                                                                                                                                    |



|                         |                                                                                                                                    |
|-------------------------|------------------------------------------------------------------------------------------------------------------------------------|
| <b>Date</b>             | 02-Mar-2007                                                                                                                        |
| <b>Section</b>          | Section V - Specifications                                                                                                         |
| <b>Procedure Number</b> | 4021611<br>(/qs3/pubsys2/xml/en/procedures//4021611.html)                                                                          |
| <b>Procedure Title</b>  | QSK38 CM850 Modular Common Rail System Marine Propulsion with C Command Elite and C Command Elite Plus Panel System Wiring Diagram |
| <b>Update Reason</b>    |                                                                                                                                    |
| <b>Date</b>             | 02-Mar-2007                                                                                                                        |
| <b>Section</b>          | Section V - Specifications                                                                                                         |
| <b>Procedure Number</b> | 4021609<br>(/qs3/pubsys2/xml/en/procedures//4021609.html)                                                                          |
| <b>Procedure Title</b>  | QSK38 CM850 Modular Common Rail System Marine Propulsion with C Command Elite and C Command Elite Plus Panel System Wiring Diagram |
| <b>Update Reason</b>    |                                                                                                                                    |
| <b>Date</b>             | 02-Mar-2007                                                                                                                        |
| <b>Section</b>          | Section V - Specifications                                                                                                         |
| <b>Procedure Number</b> | 4021616<br>(/qs3/pubsys2/xml/en/procedures//4021616.html)                                                                          |
| <b>Procedure Title</b>  | QSK50 CM850 Modular Common Rail System Marine Propulsion with C Command Elite and C Command Elite Plus Panel System Wiring Diagram |
| <b>Update Reason</b>    |                                                                                                                                    |

|                         |                                                                                                                                   |
|-------------------------|-----------------------------------------------------------------------------------------------------------------------------------|
| <b>Date</b>             | 02-Mar-2007                                                                                                                       |
| <b>Section</b>          | Section V - Specifications                                                                                                        |
| <b>Procedure Number</b> | 4021614<br>(/qs3/pubsys2/xml/en/procedures//4021614.html)                                                                         |
| <b>Procedure Title</b>  | QSK50 CM850 Modular Common Rail System Marine Auxiliary with C Command Elite and C Command Elite Plus Panel System Wiring Diagram |
| <b>Update Reason</b>    |                                                                                                                                   |
| <b>Date</b>             | 02-Mar-2007                                                                                                                       |
| <b>Section</b>          | Back                                                                                                                              |
| <b>Procedure Number</b> | 4021617-backcover<br>(/qs3/pubsys2/xml/en/manual/4021617/4021617-backcover.html)                                                  |
| <b>Procedure Title</b>  | Backcover                                                                                                                         |
| <b>Update Reason</b>    |                                                                                                                                   |
| <b>Date</b>             | 16-Apr-2007                                                                                                                       |
| <b>Section</b>          | Section F - Familiarization                                                                                                       |
| <b>Procedure Number</b> | 116-209-011<br>(/qs3/pubsys2/xml/en/procedures/116/116-209-011.html)                                                              |
| <b>Procedure Title</b>  | Gauges                                                                                                                            |
| <b>Update Reason</b>    |                                                                                                                                   |
| <b>Date</b>             | 16-Apr-2007                                                                                                                       |
| <b>Section</b>          | Section 15 - Instruments and Controls                                                                                             |
| <b>Procedure Number</b> | 116-022-001_15<br>(/qs3/pubsys2/xml/en/procedures/116/116-022-001_15.html)                                                        |
| <b>Procedure Title</b>  | Service Tools                                                                                                                     |
| <b>Update Reason</b>    |                                                                                                                                   |

|                         |                                                                      |
|-------------------------|----------------------------------------------------------------------|
| <b>Date</b>             | 16-Apr-2007                                                          |
| <b>Section</b>          | Section 19 - Electronic Engine Controls                              |
| <b>Procedure Number</b> | 116-019-016<br>(/qs3/pubsys2/xml/en/procedures/116/116-019-016.html) |
| <b>Procedure Title</b>  | Coolant Pressure Sensor                                              |
| <b>Update Reason</b>    |                                                                      |
| <b>Date</b>             | 16-Apr-2007                                                          |
| <b>Section</b>          | Section 19 - Electronic Engine Controls                              |
| <b>Procedure Number</b> | 116-019-042<br>(/qs3/pubsys2/xml/en/procedures/116/116-019-042.html) |
| <b>Procedure Title</b>  | Engine Speed Sensor (ESS)                                            |
| <b>Update Reason</b>    |                                                                      |
| <b>Date</b>             | 16-Apr-2007                                                          |
| <b>Section</b>          | Section 19 - Electronic Engine Controls                              |
| <b>Procedure Number</b> | 116-019-043<br>(/qs3/pubsys2/xml/en/procedures/116/116-019-043.html) |
| <b>Procedure Title</b>  | Engine Wiring Harness                                                |
| <b>Update Reason</b>    |                                                                      |
| <b>Date</b>             | 16-Apr-2007                                                          |
| <b>Section</b>          | Section 19 - Electronic Engine Controls                              |
| <b>Procedure Number</b> | 116-019-067<br>(/qs3/pubsys2/xml/en/procedures/116/116-019-067.html) |
| <b>Procedure Title</b>  | Engine Oil Temperature Sensor                                        |
| <b>Update Reason</b>    |                                                                      |
| <b>Date</b>             | 16-Apr-2007                                                          |
| <b>Section</b>          | Section 19 - Electronic Engine Controls                              |
| <b>Procedure Number</b> | 116-019-126<br>(/qs3/pubsys2/xml/en/procedures/116/116-019-126.html) |
| <b>Procedure Title</b>  | Pre-Filter Oil Pressure Sensor                                       |
| <b>Update Reason</b>    |                                                                      |

|                         |                                                                      |
|-------------------------|----------------------------------------------------------------------|
| <b>Date</b>             | 16-Apr-2007                                                          |
| <b>Section</b>          | Section 19 - Electronic Engine Controls                              |
| <b>Procedure Number</b> | 116-019-142<br>(/qs3/pubsys2/xml/en/procedures/116/116-019-142.html) |
| <b>Procedure Title</b>  | Oil Pressure Switch                                                  |
| <b>Update Reason</b>    |                                                                      |
| <b>Date</b>             | 16-Apr-2007                                                          |
| <b>Section</b>          | Section 19 - Electronic Engine Controls                              |
| <b>Procedure Number</b> | 116-019-150<br>(/qs3/pubsys2/xml/en/procedures/116/116-019-150.html) |
| <b>Procedure Title</b>  | Fuel Leakage Indicator Switch                                        |
| <b>Update Reason</b>    |                                                                      |
| <b>Date</b>             | 16-Apr-2007                                                          |
| <b>Section</b>          | Section 19 - Electronic Engine Controls                              |
| <b>Procedure Number</b> | 116-019-452<br>(/qs3/pubsys2/xml/en/procedures/116/116-019-452.html) |
| <b>Procedure Title</b>  | Sea Water Pressure Sensor                                            |
| <b>Update Reason</b>    |                                                                      |
| <b>Date</b>             | 16-Apr-2007                                                          |
| <b>Section</b>          | Section 19 - Electronic Engine Controls                              |
| <b>Procedure Number</b> | 116-019-453<br>(/qs3/pubsys2/xml/en/procedures/116/116-019-453.html) |
| <b>Procedure Title</b>  | Coolant Temperature Switch                                           |
| <b>Update Reason</b>    |                                                                      |
| <b>Date</b>             | 16-Apr-2007                                                          |
| <b>Section</b>          | Section 19 - Electronic Engine Controls                              |
| <b>Procedure Number</b> | 116-019-454<br>(/qs3/pubsys2/xml/en/procedures/116/116-019-454.html) |
| <b>Procedure Title</b>  | Coolant Pressure Switch                                              |
| <b>Update Reason</b>    |                                                                      |

|                         |                                                                                                |
|-------------------------|------------------------------------------------------------------------------------------------|
| <b>Date</b>             | 21-Aug-2007                                                                                    |
| <b>Section</b>          | Section L - Service Location                                                                   |
| <b>Procedure Number</b> | 116-205-001-mrm-marpanel<br>(/qs3/pubsys2/xml/en/procedures/116/116-205-001-mrm-marpanel.html) |
| <b>Procedure Title</b>  | Additional Service Literature                                                                  |
| <b>Update Reason</b>    |                                                                                                |
| <b>Date</b>             | 28-Jan-2008                                                                                    |
| <b>Section</b>          | Section 19 - Electronic Engine Controls                                                        |
| <b>Procedure Number</b> | 99-019-360<br>(/qs3/pubsys2/xml/en/procedures/99/99-019-360.html)                              |
| <b>Procedure Title</b>  | Resistance Measurement Using a Multimeter                                                      |
| <b>Update Reason</b>    |                                                                                                |
| <b>Date</b>             | 20-Mar-2008                                                                                    |
| <b>Section</b>          | Section TT - Troubleshooting Symptoms (New Format)                                             |
| <b>Procedure Number</b> | 116-t02-1073<br>(/qs3/pubsys2/xml/en/procedures/116/116-t02-1073.html)                         |
| <b>Procedure Title</b>  | Engine Does Not Shut Down With High Speed<br>Range Low Lubricating Oil Pressure                |
| <b>Update Reason</b>    |                                                                                                |
| <b>Date</b>             | 20-Mar-2008                                                                                    |
| <b>Section</b>          | Section TT - Troubleshooting Symptoms (New Format)                                             |
| <b>Procedure Number</b> | 116-t02-1074<br>(/qs3/pubsys2/xml/en/procedures/116/116-t02-1074.html)                         |
| <b>Procedure Title</b>  | Engine Does Not Shut Down With High Coolant<br>Temperature                                     |
| <b>Update Reason</b>    |                                                                                                |

|                         |                                                                                 |
|-------------------------|---------------------------------------------------------------------------------|
| <b>Date</b>             | 20-Mar-2008                                                                     |
| <b>Section</b>          | Section TT - Troubleshooting Symptoms (New Format)                              |
| <b>Procedure Number</b> | 116-t02-1076<br>(/qs3/pubsys2/xml/en/procedures/116/116-t02-1076.html)          |
| <b>Procedure Title</b>  | Engine Does Not Shut Down When Vessel Shutdown 1 Signal Active on Shutdown Unit |
| <b>Update Reason</b>    |                                                                                 |

|                         |                                                                                 |
|-------------------------|---------------------------------------------------------------------------------|
| <b>Date</b>             | 20-Mar-2008                                                                     |
| <b>Section</b>          | Section TT - Troubleshooting Symptoms (New Format)                              |
| <b>Procedure Number</b> | 116-t02-1077<br>(/qs3/pubsys2/xml/en/procedures/116/116-t02-1077.html)          |
| <b>Procedure Title</b>  | Engine Does Not Shut Down When Vessel Shutdown 2 Signal Active on Shutdown Unit |
| <b>Update Reason</b>    |                                                                                 |

|                         |                                                                                 |
|-------------------------|---------------------------------------------------------------------------------|
| <b>Date</b>             | 20-Mar-2008                                                                     |
| <b>Section</b>          | Section TT - Troubleshooting Symptoms (New Format)                              |
| <b>Procedure Number</b> | 116-t02-1078<br>(/qs3/pubsys2/xml/en/procedures/116/116-t02-1078.html)          |
| <b>Procedure Title</b>  | Engine Does Not Shut Down When Vessel Shutdown 3 Signal Active on Shutdown Unit |
| <b>Update Reason</b>    |                                                                                 |

|                         |                                                                        |
|-------------------------|------------------------------------------------------------------------|
| <b>Date</b>             | 20-Mar-2008                                                            |
| <b>Section</b>          | Section TT - Troubleshooting Symptoms (New Format)                     |
| <b>Procedure Number</b> | 116-t02-1081<br>(/qs3/pubsys2/xml/en/procedures/116/116-t02-1081.html) |
| <b>Procedure Title</b>  | Incorrect Indication of Engine Shut Down at Shutdown Unit              |
| <b>Update Reason</b>    |                                                                        |

|                         |                                                                        |
|-------------------------|------------------------------------------------------------------------|
| <b>Date</b>             | 04-Apr-2008                                                            |
| <b>Section</b>          | Section TT - Troubleshooting Symptoms (New Format)                     |
| <b>Procedure Number</b> | 116-t02-1082<br>(/qs3/pubsys2/xml/en/procedures/116/116-t02-1082.html) |
| <b>Procedure Title</b>  | Engine Shutdown Unit Does Not Indicate Engine Shut Down                |
| <b>Update Reason</b>    |                                                                        |

|                         |                                                                        |
|-------------------------|------------------------------------------------------------------------|
| <b>Date</b>             | 04-Apr-2008                                                            |
| <b>Section</b>          | Section TT - Troubleshooting Symptoms (New Format)                     |
| <b>Procedure Number</b> | 116-t02-1083<br>(/qs3/pubsys2/xml/en/procedures/116/116-t02-1083.html) |
| <b>Procedure Title</b>  | Engine Shutdown Unit Does Not Indicate Sensor/Line Malfunction         |
| <b>Update Reason</b>    |                                                                        |

|                         |                                                                        |
|-------------------------|------------------------------------------------------------------------|
| <b>Date</b>             | 04-Apr-2008                                                            |
| <b>Section</b>          | Section TT - Troubleshooting Symptoms (New Format)                     |
| <b>Procedure Number</b> | 116-t02-1084<br>(/qs3/pubsys2/xml/en/procedures/116/116-t02-1084.html) |
| <b>Procedure Title</b>  | Incorrect Indication of Sensor/Line Malfunction at Shutdown Unit       |
| <b>Update Reason</b>    |                                                                        |

|                         |                                                                        |
|-------------------------|------------------------------------------------------------------------|
| <b>Date</b>             | 04-Apr-2008                                                            |
| <b>Section</b>          | Section TT - Troubleshooting Symptoms (New Format)                     |
| <b>Procedure Number</b> | 116-t02-1085<br>(/qs3/pubsys2/xml/en/procedures/116/116-t02-1085.html) |
| <b>Procedure Title</b>  | No Indication of Power Supply Okay at Shutdown Unit                    |
| <b>Update Reason</b>    |                                                                        |

|                         |                                                                        |
|-------------------------|------------------------------------------------------------------------|
| <b>Date</b>             | 04-Apr-2008                                                            |
| <b>Section</b>          | Section TT - Troubleshooting Symptoms (New Format)                     |
| <b>Procedure Number</b> | 116-t02-1086<br>(/qs3/pubsys2/xml/en/procedures/116/116-t02-1086.html) |
| <b>Procedure Title</b>  | No Indication of Power Supply Fault at Shutdown Unit                   |
| <b>Update Reason</b>    |                                                                        |

|                         |                                                                        |
|-------------------------|------------------------------------------------------------------------|
| <b>Date</b>             | 04-Apr-2008                                                            |
| <b>Section</b>          | Section TT - Troubleshooting Symptoms (New Format)                     |
| <b>Procedure Number</b> | 116-t02-1087<br>(/qs3/pubsys2/xml/en/procedures/116/116-t02-1087.html) |
| <b>Procedure Title</b>  | Incorrect Indication of Power Supply Fault at Engine Shutdown Unit     |
| <b>Update Reason</b>    |                                                                        |

|                         |                                                                        |
|-------------------------|------------------------------------------------------------------------|
| <b>Date</b>             | 04-Apr-2008                                                            |
| <b>Section</b>          | Section TT - Troubleshooting Symptoms (New Format)                     |
| <b>Procedure Number</b> | 116-t02-1088<br>(/qs3/pubsys2/xml/en/procedures/116/116-t02-1088.html) |
| <b>Procedure Title</b>  | Shutdown Unit Can Not Be Reset                                         |
| <b>Update Reason</b>    |                                                                        |

|                         |                                                                        |
|-------------------------|------------------------------------------------------------------------|
| <b>Date</b>             | 04-Apr-2008                                                            |
| <b>Section</b>          | Section TT - Troubleshooting Symptoms (New Format)                     |
| <b>Procedure Number</b> | 116-t02-1089<br>(/qs3/pubsys2/xml/en/procedures/116/116-t02-1089.html) |
| <b>Procedure Title</b>  | Shutdown Unit Resets Unexpectedly                                      |
| <b>Update Reason</b>    |                                                                        |



|                         |                                                                        |
|-------------------------|------------------------------------------------------------------------|
| <b>Date</b>             | 04-Apr-2008                                                            |
| <b>Section</b>          | Section TT - Troubleshooting Symptoms (New Format)                     |
| <b>Procedure Number</b> | 116-t02-1090<br>(/qs3/pubsys2/xml/en/procedures/116/116-t02-1090.html) |
| <b>Procedure Title</b>  | Shutdown Unit Does Not Indicate Shut Down Cause                        |
| <b>Update Reason</b>    |                                                                        |

|                         |                                                                        |
|-------------------------|------------------------------------------------------------------------|
| <b>Date</b>             | 04-Apr-2008                                                            |
| <b>Section</b>          | Section TT - Troubleshooting Symptoms (New Format)                     |
| <b>Procedure Number</b> | 116-t02-1091<br>(/qs3/pubsys2/xml/en/procedures/116/116-t02-1091.html) |
| <b>Procedure Title</b>  | Shutdown Unit Indicates Incorrect Shut Down Cause                      |
| <b>Update Reason</b>    |                                                                        |

|                         |                                                                        |
|-------------------------|------------------------------------------------------------------------|
| <b>Date</b>             | 04-Apr-2008                                                            |
| <b>Section</b>          | Section TT - Troubleshooting Symptoms (New Format)                     |
| <b>Procedure Number</b> | 116-t02-1092<br>(/qs3/pubsys2/xml/en/procedures/116/116-t02-1092.html) |
| <b>Procedure Title</b>  | Shutdown Unit Indicates Shut Down Cause When Shut Down Did Not Occur   |
| <b>Update Reason</b>    |                                                                        |

|                         |                                                                        |
|-------------------------|------------------------------------------------------------------------|
| <b>Date</b>             | 04-Apr-2008                                                            |
| <b>Section</b>          | Section TT - Troubleshooting Symptoms (New Format)                     |
| <b>Procedure Number</b> | 116-t02-1093<br>(/qs3/pubsys2/xml/en/procedures/116/116-t02-1093.html) |
| <b>Procedure Title</b>  | Engine Protection Override Switch Does Not Inhibit Shutdown            |
| <b>Update Reason</b>    |                                                                        |

|                         |                                                                        |
|-------------------------|------------------------------------------------------------------------|
| <b>Date</b>             | 04-Apr-2008                                                            |
| <b>Section</b>          | Section TT - Troubleshooting Symptoms (New Format)                     |
| <b>Procedure Number</b> | 116-t02-1094<br>(/qs3/pubsys2/xml/en/procedures/116/116-t02-1094.html) |
| <b>Procedure Title</b>  | Engine Protection Override Switch Inhibits Shutdown When Not Requested |
| <b>Update Reason</b>    |                                                                        |

|                         |                                                                        |
|-------------------------|------------------------------------------------------------------------|
| <b>Date</b>             | 04-Apr-2008                                                            |
| <b>Section</b>          | Section TT - Troubleshooting Symptoms (New Format)                     |
| <b>Procedure Number</b> | 116-t02-1097<br>(/qs3/pubsys2/xml/en/procedures/116/116-t02-1097.html) |
| <b>Procedure Title</b>  | Shutdown Unit Relay Does Not Indicate Fault When Fault is Active       |
| <b>Update Reason</b>    |                                                                        |

|                         |                                                                        |
|-------------------------|------------------------------------------------------------------------|
| <b>Date</b>             | 04-Apr-2008                                                            |
| <b>Section</b>          | Section TT - Troubleshooting Symptoms (New Format)                     |
| <b>Procedure Number</b> | 116-t02-1098<br>(/qs3/pubsys2/xml/en/procedures/116/116-t02-1098.html) |
| <b>Procedure Title</b>  | Shutdown Unit Does Not Indicate Fault When Fault is Active             |
| <b>Update Reason</b>    |                                                                        |

|                         |                                                                        |
|-------------------------|------------------------------------------------------------------------|
| <b>Date</b>             | 04-Apr-2008                                                            |
| <b>Section</b>          | Section TT - Troubleshooting Symptoms (New Format)                     |
| <b>Procedure Number</b> | 116-t02-1099<br>(/qs3/pubsys2/xml/en/procedures/116/116-t02-1099.html) |
| <b>Procedure Title</b>  | Incorrect Speed Pickup Signal Used at Shutdown Unit                    |
| <b>Update Reason</b>    |                                                                        |

|                         |                                                                        |
|-------------------------|------------------------------------------------------------------------|
| <b>Date</b>             | 04-Apr-2008                                                            |
| <b>Section</b>          | Section TT - Troubleshooting Symptoms (New Format)                     |
| <b>Procedure Number</b> | 116-t02-1100<br>(/qs3/pubsys2/xml/en/procedures/116/116-t02-1100.html) |
| <b>Procedure Title</b>  | Shutdown Unit Indicates Incorrect Speed Pickup Fault                   |
| <b>Update Reason</b>    |                                                                        |

|                         |                                                                         |
|-------------------------|-------------------------------------------------------------------------|
| <b>Date</b>             | 04-Apr-2008                                                             |
| <b>Section</b>          | Section TT - Troubleshooting Symptoms (New Format)                      |
| <b>Procedure Number</b> | 116-t02-1101<br>(/qs3/pubsys2/xml/en/procedures/116/116-t02-1101.html)  |
| <b>Procedure Title</b>  | Shutdown Unit Does Not Indicate Speed Pickup Fault When Fault is Active |
| <b>Update Reason</b>    |                                                                         |

|                         |                                                                        |
|-------------------------|------------------------------------------------------------------------|
| <b>Date</b>             | 04-Apr-2008                                                            |
| <b>Section</b>          | Section TT - Troubleshooting Symptoms (New Format)                     |
| <b>Procedure Number</b> | 116-t02-1102<br>(/qs3/pubsys2/xml/en/procedures/116/116-t02-1102.html) |
| <b>Procedure Title</b>  | False Overspeed Shut Down Signal at Shutdown Unit                      |
| <b>Update Reason</b>    |                                                                        |

|                         |                                                                        |
|-------------------------|------------------------------------------------------------------------|
| <b>Date</b>             | 04-Apr-2008                                                            |
| <b>Section</b>          | Section TT - Troubleshooting Symptoms (New Format)                     |
| <b>Procedure Number</b> | 116-t02-1103<br>(/qs3/pubsys2/xml/en/procedures/116/116-t02-1103.html) |
| <b>Procedure Title</b>  | No Engine Running Signal at Shutdown Unit                              |
| <b>Update Reason</b>    |                                                                        |

|                         |                                                                        |
|-------------------------|------------------------------------------------------------------------|
| <b>Date</b>             | 15-Apr-2008                                                            |
| <b>Section</b>          | Section TT - Troubleshooting Symptoms (New Format)                     |
| <b>Procedure Number</b> | 116-t02-1104<br>(/qs3/pubsys2/xml/en/procedures/116/116-t02-1104.html) |
| <b>Procedure Title</b>  | Shutdown Unit Will Not Enter Overspeed Test Mode                       |
| <b>Update Reason</b>    |                                                                        |

|                         |                                                                        |
|-------------------------|------------------------------------------------------------------------|
| <b>Date</b>             | 15-Apr-2008                                                            |
| <b>Section</b>          | Section TT - Troubleshooting Symptoms (New Format)                     |
| <b>Procedure Number</b> | 116-t02-1105<br>(/qs3/pubsys2/xml/en/procedures/116/116-t02-1105.html) |
| <b>Procedure Title</b>  | Shutdown Unit Enters Overspeed Test Mode Un-requested                  |
| <b>Update Reason</b>    |                                                                        |

|                         |                                                                        |
|-------------------------|------------------------------------------------------------------------|
| <b>Date</b>             | 15-Apr-2008                                                            |
| <b>Section</b>          | Section TT - Troubleshooting Symptoms (New Format)                     |
| <b>Procedure Number</b> | 116-t02-1106<br>(/qs3/pubsys2/xml/en/procedures/116/116-t02-1106.html) |
| <b>Procedure Title</b>  | Shutdown Unit Locked in Overspeed Test Mode                            |
| <b>Update Reason</b>    |                                                                        |

|                         |                                                                        |
|-------------------------|------------------------------------------------------------------------|
| <b>Date</b>             | 15-Apr-2008                                                            |
| <b>Section</b>          | Section TT - Troubleshooting Symptoms (New Format)                     |
| <b>Procedure Number</b> | 116-t02-1107<br>(/qs3/pubsys2/xml/en/procedures/116/116-t02-1107.html) |
| <b>Procedure Title</b>  | No Data Link Transmission from Shutdown Unit to Diesel Control Unit    |
| <b>Update Reason</b>    |                                                                        |

|                         |                                                                            |
|-------------------------|----------------------------------------------------------------------------|
| <b>Date</b>             | 15-Apr-2008                                                                |
| <b>Section</b>          | Section TT - Troubleshooting Symptoms (New Format)                         |
| <b>Procedure Number</b> | 116-t02-1108<br>(/qs3/pubsys2/xml/en/procedures/116/116-t02-1108.html)     |
| <b>Procedure Title</b>  | Incorrect Data Link Transmission from Shutdown Unit to Diesel Control Unit |
| <b>Update Reason</b>    |                                                                            |

|                         |                                                                        |
|-------------------------|------------------------------------------------------------------------|
| <b>Date</b>             | 15-Apr-2008                                                            |
| <b>Section</b>          | Section TT - Troubleshooting Symptoms (New Format)                     |
| <b>Procedure Number</b> | 116-t02-1109<br>(/qs3/pubsys2/xml/en/procedures/116/116-t02-1109.html) |
| <b>Procedure Title</b>  | Shutdown Unit Buzzer Does Not Activate with Fault                      |
| <b>Update Reason</b>    |                                                                        |

|                         |                                                                        |
|-------------------------|------------------------------------------------------------------------|
| <b>Date</b>             | 15-Apr-2008                                                            |
| <b>Section</b>          | Section TT - Troubleshooting Symptoms (New Format)                     |
| <b>Procedure Number</b> | 116-t02-1110<br>(/qs3/pubsys2/xml/en/procedures/116/116-t02-1110.html) |
| <b>Procedure Title</b>  | Shutdown Unit Buzzer Activates Without Fault                           |
| <b>Update Reason</b>    |                                                                        |

|                         |                                                                        |
|-------------------------|------------------------------------------------------------------------|
| <b>Date</b>             | 15-Apr-2008                                                            |
| <b>Section</b>          | Section TT - Troubleshooting Symptoms (New Format)                     |
| <b>Procedure Number</b> | 116-t02-1111<br>(/qs3/pubsys2/xml/en/procedures/116/116-t02-1111.html) |
| <b>Procedure Title</b>  | Shutdown Unit Configuration Changes Not Recorded                       |
| <b>Update Reason</b>    |                                                                        |

|                         |                                                                        |
|-------------------------|------------------------------------------------------------------------|
| <b>Date</b>             | 15-Apr-2008                                                            |
| <b>Section</b>          | Section TT - Troubleshooting Symptoms (New Format)                     |
| <b>Procedure Number</b> | 116-t02-1112<br>(/qs3/pubsys2/xml/en/procedures/116/116-t02-1112.html) |
| <b>Procedure Title</b>  | Shutdown Unit Configuration Recorded Incorrectly                       |
| <b>Update Reason</b>    |                                                                        |

|                         |                                                                        |
|-------------------------|------------------------------------------------------------------------|
| <b>Date</b>             | 15-Apr-2008                                                            |
| <b>Section</b>          | Section TT - Troubleshooting Symptoms (New Format)                     |
| <b>Procedure Number</b> | 116-t02-1113<br>(/qs3/pubsys2/xml/en/procedures/116/116-t02-1113.html) |
| <b>Procedure Title</b>  | No Data Link Transmission From Diesel Control Unit to Vessel           |
| <b>Update Reason</b>    |                                                                        |

|                         |                                                                        |
|-------------------------|------------------------------------------------------------------------|
| <b>Date</b>             | 22-May-2008                                                            |
| <b>Section</b>          | Section TT - Troubleshooting Symptoms (New Format)                     |
| <b>Procedure Number</b> | 116-t02-1015<br>(/qs3/pubsys2/xml/en/procedures/116/116-t02-1015.html) |
| <b>Procedure Title</b>  | Incorrect Fault Indication                                             |
| <b>Update Reason</b>    |                                                                        |

|                         |                                                                        |
|-------------------------|------------------------------------------------------------------------|
| <b>Date</b>             | 22-May-2008                                                            |
| <b>Section</b>          | Section TT - Troubleshooting Symptoms (New Format)                     |
| <b>Procedure Number</b> | 116-t02-1038<br>(/qs3/pubsys2/xml/en/procedures/116/116-t02-1038.html) |
| <b>Procedure Title</b>  | Remote Panel Silence Function Not Working                              |
| <b>Update Reason</b>    |                                                                        |

|                         |                                                                        |
|-------------------------|------------------------------------------------------------------------|
| <b>Date</b>             | 22-May-2008                                                            |
| <b>Section</b>          | Section TT - Troubleshooting Symptoms (New Format)                     |
| <b>Procedure Number</b> | 116-t02-1040<br>(/qs3/pubsys2/xml/en/procedures/116/116-t02-1040.html) |
| <b>Procedure Title</b>  | No SAE J1939 Communication Remote Panel                                |
| <b>Update Reason</b>    |                                                                        |

|                         |                                                                        |
|-------------------------|------------------------------------------------------------------------|
| <b>Date</b>             | 22-May-2008                                                            |
| <b>Section</b>          | Section TT - Troubleshooting Symptoms (New Format)                     |
| <b>Procedure Number</b> | 116-t02-1047<br>(/qs3/pubsys2/xml/en/procedures/116/116-t02-1047.html) |
| <b>Procedure Title</b>  | Engine Will Not Crank From Diesel Control Unit or Remote Panel         |
| <b>Update Reason</b>    |                                                                        |

|                         |                                                                        |
|-------------------------|------------------------------------------------------------------------|
| <b>Date</b>             | 22-May-2008                                                            |
| <b>Section</b>          | Section TT - Troubleshooting Symptoms (New Format)                     |
| <b>Procedure Number</b> | 116-t02-1048<br>(/qs3/pubsys2/xml/en/procedures/116/116-t02-1048.html) |
| <b>Procedure Title</b>  | Engine Will Not Stop From Diesel Control Unit or Remote Panel          |
| <b>Update Reason</b>    |                                                                        |

|                         |                                                                        |
|-------------------------|------------------------------------------------------------------------|
| <b>Date</b>             | 22-May-2008                                                            |
| <b>Section</b>          | Section TT - Troubleshooting Symptoms (New Format)                     |
| <b>Procedure Number</b> | 116-t02-1050<br>(/qs3/pubsys2/xml/en/procedures/116/116-t02-1050.html) |
| <b>Procedure Title</b>  | Diesel Control Unit Local/Remote Switch Does Not Switch to Local       |
| <b>Update Reason</b>    |                                                                        |

|                         |                                                                        |
|-------------------------|------------------------------------------------------------------------|
| <b>Date</b>             | 22-May-2008                                                            |
| <b>Section</b>          | Section TT - Troubleshooting Symptoms (New Format)                     |
| <b>Procedure Number</b> | 116-t02-1053<br>(/qs3/pubsys2/xml/en/procedures/116/116-t02-1053.html) |
| <b>Procedure Title</b>  | Diesel Control Unit Silence Function Not Working                       |
| <b>Update Reason</b>    |                                                                        |

|                         |                                                                        |
|-------------------------|------------------------------------------------------------------------|
| <b>Date</b>             | 22-May-2008                                                            |
| <b>Section</b>          | Section TT - Troubleshooting Symptoms (New Format)                     |
| <b>Procedure Number</b> | 116-t02-1055<br>(/qs3/pubsys2/xml/en/procedures/116/116-t02-1055.html) |
| <b>Procedure Title</b>  | Multiple Unit Synchronization Engine Identification Not Correct        |
| <b>Update Reason</b>    |                                                                        |

|                         |                                                                        |
|-------------------------|------------------------------------------------------------------------|
| <b>Date</b>             | 22-May-2008                                                            |
| <b>Section</b>          | Section TT - Troubleshooting Symptoms (New Format)                     |
| <b>Procedure Number</b> | 116-t02-1070<br>(/qs3/pubsys2/xml/en/procedures/116/116-t02-1070.html) |
| <b>Procedure Title</b>  | ECM Alternate Idle Signal Active When Not Requested                    |
| <b>Update Reason</b>    |                                                                        |

|                         |                                                                        |
|-------------------------|------------------------------------------------------------------------|
| <b>Date</b>             | 22-May-2008                                                            |
| <b>Section</b>          | Section TT - Troubleshooting Symptoms (New Format)                     |
| <b>Procedure Number</b> | 116-t02-1114<br>(/qs3/pubsys2/xml/en/procedures/116/116-t02-1114.html) |
| <b>Procedure Title</b>  | Incorrect Data Link Transmission From Diesel Control Unit to Vessel    |
| <b>Update Reason</b>    |                                                                        |



|                         |                                                                                |
|-------------------------|--------------------------------------------------------------------------------|
| <b>Date</b>             | 22-May-2008                                                                    |
| <b>Section</b>          | Section TT - Troubleshooting Symptoms (New Format)                             |
| <b>Procedure Number</b> | 116-t02-1115<br>(/qs3/pubsys2/xml/en/procedures/116/116-t02-1115.html)         |
| <b>Procedure Title</b>  | No Data Link Transmission From Remote Input/Output Unit to Diesel Control Unit |
| <b>Update Reason</b>    |                                                                                |

|                         |                                                                                       |
|-------------------------|---------------------------------------------------------------------------------------|
| <b>Date</b>             | 22-May-2008                                                                           |
| <b>Section</b>          | Section TT - Troubleshooting Symptoms (New Format)                                    |
| <b>Procedure Number</b> | 116-t02-1116<br>(/qs3/pubsys2/xml/en/procedures/116/116-t02-1116.html)                |
| <b>Procedure Title</b>  | Incorrect Data Link Transmission From Remote Input/Output Unit to Diesel Control Unit |
| <b>Update Reason</b>    |                                                                                       |

|                         |                                                                        |
|-------------------------|------------------------------------------------------------------------|
| <b>Date</b>             | 22-May-2008                                                            |
| <b>Section</b>          | Section TT - Troubleshooting Symptoms (New Format)                     |
| <b>Procedure Number</b> | 116-t02-1117<br>(/qs3/pubsys2/xml/en/procedures/116/116-t02-1117.html) |
| <b>Procedure Title</b>  | Fuel Leakage Switch Signal Malfunction                                 |
| <b>Update Reason</b>    |                                                                        |

|                         |                                                                        |
|-------------------------|------------------------------------------------------------------------|
| <b>Date</b>             | 22-May-2008                                                            |
| <b>Section</b>          | Section TT - Troubleshooting Symptoms (New Format)                     |
| <b>Procedure Number</b> | 116-t02-1118<br>(/qs3/pubsys2/xml/en/procedures/116/116-t02-1118.html) |
| <b>Procedure Title</b>  | Intake Manifold 1 Signal Malfunction                                   |
| <b>Update Reason</b>    |                                                                        |

|                         |                                                                        |
|-------------------------|------------------------------------------------------------------------|
| <b>Date</b>             | 22-May-2008                                                            |
| <b>Section</b>          | Section TT - Troubleshooting Symptoms (New Format)                     |
| <b>Procedure Number</b> | 116-t02-1119<br>(/qs3/pubsys2/xml/en/procedures/116/116-t02-1119.html) |
| <b>Procedure Title</b>  | Intake Manifold 2 Signal Malfunction                                   |
| <b>Update Reason</b>    |                                                                        |
| <b>Date</b>             | 22-May-2008                                                            |
| <b>Section</b>          | Section TT - Troubleshooting Symptoms (New Format)                     |
| <b>Procedure Number</b> | 116-t02-1120<br>(/qs3/pubsys2/xml/en/procedures/116/116-t02-1120.html) |
| <b>Procedure Title</b>  | Intake Manifold 3 Signal Malfunction                                   |
| <b>Update Reason</b>    |                                                                        |
| <b>Date</b>             | 22-May-2008                                                            |
| <b>Section</b>          | Section TT - Troubleshooting Symptoms (New Format)                     |
| <b>Procedure Number</b> | 116-t02-1121<br>(/qs3/pubsys2/xml/en/procedures/116/116-t02-1121.html) |
| <b>Procedure Title</b>  | Spare Temperature Signal Malfunction                                   |
| <b>Update Reason</b>    |                                                                        |
| <b>Date</b>             | 22-May-2008                                                            |
| <b>Section</b>          | Section TT - Troubleshooting Symptoms (New Format)                     |
| <b>Procedure Number</b> | 116-t02-1122<br>(/qs3/pubsys2/xml/en/procedures/116/116-t02-1122.html) |
| <b>Procedure Title</b>  | Coolant Pressure Signal Malfunction                                    |
| <b>Update Reason</b>    |                                                                        |

|                         |                                                                        |
|-------------------------|------------------------------------------------------------------------|
| <b>Date</b>             | 22-May-2008                                                            |
| <b>Section</b>          | Section TT - Troubleshooting Symptoms (New Format)                     |
| <b>Procedure Number</b> | 116-t02-1123<br>(/qs3/pubsys2/xml/en/procedures/116/116-t02-1123.html) |
| <b>Procedure Title</b>  | Sea Water Pressure Signal Malfunction                                  |
| <b>Update Reason</b>    |                                                                        |
| <b>Date</b>             | 22-May-2008                                                            |
| <b>Section</b>          | Section TT - Troubleshooting Symptoms (New Format)                     |
| <b>Procedure Number</b> | 116-t02-1124<br>(/qs3/pubsys2/xml/en/procedures/116/116-t02-1124.html) |
| <b>Procedure Title</b>  | Pre-Oil Filter Pressure Signal Malfunction                             |
| <b>Update Reason</b>    |                                                                        |
| <b>Date</b>             | 22-May-2008                                                            |
| <b>Section</b>          | Section TT - Troubleshooting Symptoms (New Format)                     |
| <b>Procedure Number</b> | 116-t02-1125<br>(/qs3/pubsys2/xml/en/procedures/116/116-t02-1125.html) |
| <b>Procedure Title</b>  | Spare Pressure Signal Malfunction                                      |
| <b>Update Reason</b>    |                                                                        |
| <b>Date</b>             | 22-May-2008                                                            |
| <b>Section</b>          | Section TT - Troubleshooting Symptoms (New Format)                     |
| <b>Procedure Number</b> | 116-t02-1126<br>(/qs3/pubsys2/xml/en/procedures/116/116-t02-1126.html) |
| <b>Procedure Title</b>  | Lubricating Oil Inlet Temperature Signal for LLYOD's Malfunction       |
| <b>Update Reason</b>    |                                                                        |

|                         |                                                                        |
|-------------------------|------------------------------------------------------------------------|
| <b>Date</b>             | 22-May-2008                                                            |
| <b>Section</b>          | Section TT - Troubleshooting Symptoms (New Format)                     |
| <b>Procedure Number</b> | 116-t02-1127<br>(/qs3/pubsys2/xml/en/procedures/116/116-t02-1127.html) |
| <b>Procedure Title</b>  | Cylinder Water Outlet Temperature Signal for LLYOD's Malfunction       |
| <b>Update Reason</b>    |                                                                        |
| <b>Date</b>             | 22-May-2008                                                            |
| <b>Section</b>          | Section TT - Troubleshooting Symptoms (New Format)                     |
| <b>Procedure Number</b> | 116-t02-1128<br>(/qs3/pubsys2/xml/en/procedures/116/116-t02-1128.html) |
| <b>Procedure Title</b>  | Charge Air Receiver Temperature Signal for LLYOD's Malfunction         |
| <b>Update Reason</b>    |                                                                        |
| <b>Date</b>             | 22-May-2008                                                            |
| <b>Section</b>          | Section TT - Troubleshooting Symptoms (New Format)                     |
| <b>Procedure Number</b> | 116-t02-1129<br>(/qs3/pubsys2/xml/en/procedures/116/116-t02-1129.html) |
| <b>Procedure Title</b>  | Secondary Fuel Filter Outlet Pressure Signal for LLYOD's Malfunction   |
| <b>Update Reason</b>    |                                                                        |
| <b>Date</b>             | 22-May-2008                                                            |
| <b>Section</b>          | Section TT - Troubleshooting Symptoms (New Format)                     |
| <b>Procedure Number</b> | 116-t02-1130<br>(/qs3/pubsys2/xml/en/procedures/116/116-t02-1130.html) |
| <b>Procedure Title</b>  | Lubricating Oil Pressure Signal for LLYOD's Malfunction                |
| <b>Update Reason</b>    |                                                                        |

|                         |                                                                        |
|-------------------------|------------------------------------------------------------------------|
| <b>Date</b>             | 22-May-2008                                                            |
| <b>Section</b>          | Section TT - Troubleshooting Symptoms (New Format)                     |
| <b>Procedure Number</b> | 116-t02-1131<br>(/qs3/pubsys2/xml/en/procedures/116/116-t02-1131.html) |
| <b>Procedure Title</b>  | Lubricating Oil Filter Inlet Pressure Signal for LLYOD's Malfunction   |
| <b>Update Reason</b>    |                                                                        |
| <b>Date</b>             | 22-May-2008                                                            |
| <b>Section</b>          | Section TT - Troubleshooting Symptoms (New Format)                     |
| <b>Procedure Number</b> | 116-t02-1132<br>(/qs3/pubsys2/xml/en/procedures/116/116-t02-1132.html) |
| <b>Procedure Title</b>  | Lubricating Oil Filter Outlet Pressure Signal for LLYOD's Malfunction  |
| <b>Update Reason</b>    |                                                                        |
| <b>Date</b>             | 22-May-2008                                                            |
| <b>Section</b>          | Section TT - Troubleshooting Symptoms (New Format)                     |
| <b>Procedure Number</b> | 116-t02-1133<br>(/qs3/pubsys2/xml/en/procedures/116/116-t02-1133.html) |
| <b>Procedure Title</b>  | Cylinder Water Inlet Pressure Signal for LLYOD's Malfunction           |
| <b>Update Reason</b>    |                                                                        |
| <b>Date</b>             | 29-May-2008                                                            |
| <b>Section</b>          | Section TT - Troubleshooting Symptoms (New Format)                     |
| <b>Procedure Number</b> | 116-t02-1004<br>(/qs3/pubsys2/xml/en/procedures/116/116-t02-1004.html) |
| <b>Procedure Title</b>  | Un-Requested Engine Start                                              |
| <b>Update Reason</b>    |                                                                        |

|                         |                                                                        |
|-------------------------|------------------------------------------------------------------------|
| <b>Date</b>             | 29-May-2008                                                            |
| <b>Section</b>          | Section TT - Troubleshooting Symptoms (New Format)                     |
| <b>Procedure Number</b> | 116-t02-1005<br>(/qs3/pubsys2/xml/en/procedures/116/116-t02-1005.html) |
| <b>Procedure Title</b>  | Engine Starts Without Prelubrication                                   |
| <b>Update Reason</b>    |                                                                        |
| <b>Date</b>             | 29-May-2008                                                            |
| <b>Section</b>          | Section TT - Troubleshooting Symptoms (New Format)                     |
| <b>Procedure Number</b> | 116-t02-1006<br>(/qs3/pubsys2/xml/en/procedures/116/116-t02-1006.html) |
| <b>Procedure Title</b>  | Prelubrication Does Not Disengage                                      |
| <b>Update Reason</b>    |                                                                        |
| <b>Date</b>             | 29-May-2008                                                            |
| <b>Section</b>          | Section TT - Troubleshooting Symptoms (New Format)                     |
| <b>Procedure Number</b> | 116-t02-1008<br>(/qs3/pubsys2/xml/en/procedures/116/116-t02-1008.html) |
| <b>Procedure Title</b>  | Un-Requested Engine Stop                                               |
| <b>Update Reason</b>    |                                                                        |
| <b>Date</b>             | 29-May-2008                                                            |
| <b>Section</b>          | Section TT - Troubleshooting Symptoms (New Format)                     |
| <b>Procedure Number</b> | 116-t02-1012<br>(/qs3/pubsys2/xml/en/procedures/116/116-t02-1012.html) |
| <b>Procedure Title</b>  | ECM Fault Indication Not Indicated                                     |
| <b>Update Reason</b>    |                                                                        |

|                         |                                                                                      |
|-------------------------|--------------------------------------------------------------------------------------|
| <b>Date</b>             | 29-May-2008                                                                          |
| <b>Section</b>          | Section TT - Troubleshooting Symptoms (New Format)                                   |
| <b>Procedure Number</b> | 116-t02-1019<br>(/qs3/pubsys2/xml/en/procedures/116/116-t02-1019.html)               |
| <b>Procedure Title</b>  | System Will Not Start After Shutdown                                                 |
| <b>Update Reason</b>    |                                                                                      |
| <b>Date</b>             | 29-May-2008                                                                          |
| <b>Section</b>          | Section TT - Troubleshooting Symptoms (New Format)                                   |
| <b>Procedure Number</b> | 116-t02-1049<br>(/qs3/pubsys2/xml/en/procedures/116/116-t02-1049.html)               |
| <b>Procedure Title</b>  | Customer Interface Box Logic Unit Alarm Indication Not Received When Alarm Activated |
| <b>Update Reason</b>    |                                                                                      |
| <b>Date</b>             | 02-Jun-2008                                                                          |
| <b>Section</b>          | Section TT - Troubleshooting Symptoms (New Format)                                   |
| <b>Procedure Number</b> | 116-t02-1007<br>(/qs3/pubsys2/xml/en/procedures/116/116-t02-1007.html)               |
| <b>Procedure Title</b>  | Starter Does Not Disengage                                                           |
| <b>Update Reason</b>    |                                                                                      |
| <b>Date</b>             | 11-Jul-2008                                                                          |
| <b>Section</b>          | Section TT - Troubleshooting Symptoms (New Format)                                   |
| <b>Procedure Number</b> | 116-t02-1134<br>(/qs3/pubsys2/xml/en/procedures/116/116-t02-1134.html)               |
| <b>Procedure Title</b>  | Coolant Level Signal for LLYOD's Malfunction                                         |
| <b>Update Reason</b>    |                                                                                      |

|                         |                                                                        |
|-------------------------|------------------------------------------------------------------------|
| <b>Date</b>             | 11-Jul-2008                                                            |
| <b>Section</b>          | Section TT - Troubleshooting Symptoms (New Format)                     |
| <b>Procedure Number</b> | 116-t02-1135<br>(/qs3/pubsys2/xml/en/procedures/116/116-t02-1135.html) |
| <b>Procedure Title</b>  | Exhaust Gas Temperature 1 Signal for LLYOD's Malfunction               |
| <b>Update Reason</b>    |                                                                        |

|                         |                                                                        |
|-------------------------|------------------------------------------------------------------------|
| <b>Date</b>             | 11-Jul-2008                                                            |
| <b>Section</b>          | Section TT - Troubleshooting Symptoms (New Format)                     |
| <b>Procedure Number</b> | 116-t02-1136<br>(/qs3/pubsys2/xml/en/procedures/116/116-t02-1136.html) |
| <b>Procedure Title</b>  | Exhaust Gas Temperature 2 Signal for LLYOD's Malfunction               |
| <b>Update Reason</b>    |                                                                        |

|                         |                                                                        |
|-------------------------|------------------------------------------------------------------------|
| <b>Date</b>             | 11-Jul-2008                                                            |
| <b>Section</b>          | Section TT - Troubleshooting Symptoms (New Format)                     |
| <b>Procedure Number</b> | 116-t02-1137<br>(/qs3/pubsys2/xml/en/procedures/116/116-t02-1137.html) |
| <b>Procedure Title</b>  | Vessel Analog Signal 1 Malfunction                                     |
| <b>Update Reason</b>    |                                                                        |

|                         |                                                                        |
|-------------------------|------------------------------------------------------------------------|
| <b>Date</b>             | 11-Jul-2008                                                            |
| <b>Section</b>          | Section TT - Troubleshooting Symptoms (New Format)                     |
| <b>Procedure Number</b> | 116-t02-1138<br>(/qs3/pubsys2/xml/en/procedures/116/116-t02-1138.html) |
| <b>Procedure Title</b>  | Vessel Analog Signal 2 Malfunction                                     |
| <b>Update Reason</b>    |                                                                        |



|                         |                                                                        |
|-------------------------|------------------------------------------------------------------------|
| <b>Date</b>             | 11-Jul-2008                                                            |
| <b>Section</b>          | Section TT - Troubleshooting Symptoms (New Format)                     |
| <b>Procedure Number</b> | 116-t02-1139<br>(/qs3/pubsys2/xml/en/procedures/116/116-t02-1139.html) |
| <b>Procedure Title</b>  | Vessel Analog Signal 3 Malfunction                                     |
| <b>Update Reason</b>    |                                                                        |
| <b>Date</b>             | 11-Jul-2008                                                            |
| <b>Section</b>          | Section TT - Troubleshooting Symptoms (New Format)                     |
| <b>Procedure Number</b> | 116-t02-1140<br>(/qs3/pubsys2/xml/en/procedures/116/116-t02-1140.html) |
| <b>Procedure Title</b>  | Vessel Analog Signal 4 Malfunction                                     |
| <b>Update Reason</b>    |                                                                        |
| <b>Date</b>             | 30-Jul-2008                                                            |
| <b>Section</b>          | Section TT - Troubleshooting Symptoms (New Format)                     |
| <b>Procedure Number</b> | 116-t02-1141<br>(/qs3/pubsys2/xml/en/procedures/116/116-t02-1141.html) |
| <b>Procedure Title</b>  | Diesel Control Unit Configured Incorrectly                             |
| <b>Update Reason</b>    |                                                                        |
| <b>Date</b>             | 21-Nov-2008                                                            |
| <b>Section</b>          | Section E - Engine and System Identification                           |
| <b>Procedure Number</b> | 116-208-001<br>(/qs3/pubsys2/xml/en/procedures/116/116-208-001.html)   |
| <b>Procedure Title</b>  | Component Identification                                               |
| <b>Update Reason</b>    |                                                                        |

|                         |                                                                      |
|-------------------------|----------------------------------------------------------------------|
| <b>Date</b>             | 07-Apr-2009                                                          |
| <b>Section</b>          | Section 1 - Operating Instructions                                   |
| <b>Procedure Number</b> | 116-101-013<br>(/qs3/pubsys2/xml/en/procedures/116/116-101-013.html) |
| <b>Procedure Title</b>  | General Operating Instructions                                       |
| <b>Update Reason</b>    |                                                                      |

|                         |                                                                        |
|-------------------------|------------------------------------------------------------------------|
| <b>Date</b>             | 15-Jul-2009                                                            |
| <b>Section</b>          | Section TT - Troubleshooting Symptoms (New Format)                     |
| <b>Procedure Number</b> | 116-t02-1056<br>(/qs3/pubsys2/xml/en/procedures/116/116-t02-1056.html) |
| <b>Procedure Title</b>  | Multiple Unit Synchronization Not Active When Requested                |
| <b>Update Reason</b>    |                                                                        |

|                         |                                                                             |
|-------------------------|-----------------------------------------------------------------------------|
| <b>Date</b>             | 15-Jul-2009                                                                 |
| <b>Section</b>          | Section TT - Troubleshooting Symptoms (New Format)                          |
| <b>Procedure Number</b> | 116-t02-1072<br>(/qs3/pubsys2/xml/en/procedures/116/116-t02-1072.html)      |
| <b>Procedure Title</b>  | Engine Does Not Shut Down With Low Speed Range Low Lubricating Oil Pressure |
| <b>Update Reason</b>    |                                                                             |

|                         |                                                                        |
|-------------------------|------------------------------------------------------------------------|
| <b>Date</b>             | 15-Jul-2009                                                            |
| <b>Section</b>          | Section TT - Troubleshooting Symptoms (New Format)                     |
| <b>Procedure Number</b> | 116-t02-1075<br>(/qs3/pubsys2/xml/en/procedures/116/116-t02-1075.html) |
| <b>Procedure Title</b>  | Engine Does Not Shut Down With Low Coolant Pressure                    |
| <b>Update Reason</b>    |                                                                        |

|                         |                                                                        |
|-------------------------|------------------------------------------------------------------------|
| <b>Date</b>             | 15-Jul-2009                                                            |
| <b>Section</b>          | Section TT - Troubleshooting Symptoms (New Format)                     |
| <b>Procedure Number</b> | 116-t02-1080<br>(/qs3/pubsys2/xml/en/procedures/116/116-t02-1080.html) |
| <b>Procedure Title</b>  | Shutdown Unit Shuts Engine Down Un-Requested                           |
| <b>Update Reason</b>    |                                                                        |
| <b>Date</b>             | 15-Jul-2009                                                            |
| <b>Section</b>          | Section TT - Troubleshooting Symptoms (New Format)                     |
| <b>Procedure Number</b> | 116-t02-1095<br>(/qs3/pubsys2/xml/en/procedures/116/116-t02-1095.html) |
| <b>Procedure Title</b>  | Engine Shut Down With High Speed Range Active When Not Applicable      |
| <b>Update Reason</b>    |                                                                        |
| <b>Date</b>             | 17-Jul-2009                                                            |
| <b>Section</b>          | Section TT - Troubleshooting Symptoms (New Format)                     |
| <b>Procedure Number</b> | 116-t02-1096<br>(/qs3/pubsys2/xml/en/procedures/116/116-t02-1096.html) |
| <b>Procedure Title</b>  | Engine Shut Down With High Speed Not Active When Applicable            |
| <b>Update Reason</b>    |                                                                        |
| <b>Date</b>             | 22-Jul-2009                                                            |
| <b>Section</b>          | Section L - Service Location                                           |
| <b>Procedure Number</b> | 99-205-004<br>(/qs3/pubsys2/xml/en/procedures/99/99-205-004.html)      |
| <b>Procedure Title</b>  | Cummins Customized Parts Catalog                                       |
| <b>Update Reason</b>    |                                                                        |

|                         |                                                                                             |
|-------------------------|---------------------------------------------------------------------------------------------|
| <b>Date</b>             | 10-Sep-2009                                                                                 |
| <b>Section</b>          | Section i - Introduction                                                                    |
| <b>Procedure Number</b> | 99-204-002-mrm-marpanel<br>(/qs3/pubsys2/xml/en/procedures/99/99-204-002-mrm-marpanel.html) |
| <b>Procedure Title</b>  | About the Manual                                                                            |
| <b>Update Reason</b>    |                                                                                             |
| <b>Date</b>             | 08-Oct-2009                                                                                 |
| <b>Section</b>          | Section i - Introduction                                                                    |
| <b>Procedure Number</b> | 99-204-007-mrm-marpanel<br>(/qs3/pubsys2/xml/en/procedures/99/99-204-007-mrm-marpanel.html) |
| <b>Procedure Title</b>  | General Repair Instructions                                                                 |
| <b>Update Reason</b>    |                                                                                             |
| <b>Date</b>             | 02-Dec-2009                                                                                 |
| <b>Section</b>          | Section 19 - Electronic Engine Controls                                                     |
| <b>Procedure Number</b> | 99-019-359<br>(/qs3/pubsys2/xml/en/procedures/99/99-019-359.html)                           |
| <b>Procedure Title</b>  | Multimeter Usage                                                                            |
| <b>Update Reason</b>    |                                                                                             |
| <b>Date</b>             | 25-Jan-2010                                                                                 |
| <b>Section</b>          | Section i - Introduction                                                                    |
| <b>Procedure Number</b> | 99-204-006-mrm-marpanel<br>(/qs3/pubsys2/xml/en/procedures/99/99-204-006-mrm-marpanel.html) |
| <b>Procedure Title</b>  | General Safety Instructions                                                                 |
| <b>Update Reason</b>    |                                                                                             |
| <b>Date</b>             | 25-Jan-2010                                                                                 |
| <b>Section</b>          | Section 15 - Instruments and Controls                                                       |
| <b>Procedure Number</b> | 116-015-023<br>(/qs3/pubsys2/xml/en/procedures/116/116-015-023.html)                        |
| <b>Procedure Title</b>  | Customer Interface Box                                                                      |
| <b>Update Reason</b>    |                                                                                             |

|                         |                                                                                             |
|-------------------------|---------------------------------------------------------------------------------------------|
| <b>Date</b>             | 25-Jan-2010                                                                                 |
| <b>Section</b>          | Section V - Specifications                                                                  |
| <b>Procedure Number</b> | 99-018-009<br>(/qs3/pubsys2/xml/en/procedures/99/99-018-009.html)                           |
| <b>Procedure Title</b>  | Capscrew Markings and Torque Values                                                         |
| <b>Update Reason</b>    |                                                                                             |
| <b>Date</b>             | 24-Mar-2010                                                                                 |
| <b>Section</b>          | Section i - Introduction                                                                    |
| <b>Procedure Number</b> | 99-204-009<br>(/qs3/pubsys2/xml/en/procedures/99/99-204-009.html)                           |
| <b>Procedure Title</b>  | Acronyms and Abbreviations                                                                  |
| <b>Update Reason</b>    |                                                                                             |
| <b>Date</b>             | 25-May-2010                                                                                 |
| <b>Section</b>          | Section i - Introduction                                                                    |
| <b>Procedure Number</b> | 99-204-003-mrm-marpanel<br>(/qs3/pubsys2/xml/en/procedures/99/99-204-003-mrm-marpanel.html) |
| <b>Procedure Title</b>  | How to Use the Manual                                                                       |
| <b>Update Reason</b>    |                                                                                             |
| <b>Date</b>             | 14-Apr-2026                                                                                 |
| <b>Section</b>          | Section 15 - Instruments and Controls - Group 15                                            |
| <b>Procedure Number</b> | 116-015-122<br>(/qs3/pubsys2/xml/en/procedures/116/116-015-122.html)                        |
| <b>Procedure Title</b>  | Customer Interface Box Shutdown Unit                                                        |
| <b>Update Reason</b>    | Added procedure to manual.                                                                  |
| <b>Date</b>             | 14-Apr-2026                                                                                 |
| <b>Section</b>          | Section 15 - Instruments and Controls - Group 15                                            |
| <b>Procedure Number</b> | 116-015-137<br>(/qs3/pubsys2/xml/en/procedures/116/116-015-137.html)                        |
| <b>Procedure Title</b>  | Electrical Panel Conduit Box Cover(s)                                                       |
| <b>Update Reason</b>    | Added procedure to manual.                                                                  |

|                         |                                                                        |
|-------------------------|------------------------------------------------------------------------|
| <b>Date</b>             | 14-Apr-2026                                                            |
| <b>Section</b>          | Section 15 - Instruments and Controls - Group 15                       |
| <b>Procedure Number</b> | 116-015-138<br>(/qs3/pubsys2/xml/en/procedures/116/116-015-138.html)   |
| <b>Procedure Title</b>  | Customer Interface Box Electrical Wires                                |
| <b>Update Reason</b>    | Added procedure to manual.                                             |
| <b>Date</b>             | 14-Apr-2026                                                            |
| <b>Section</b>          | Section 15 - Instruments and Controls - Group 15                       |
| <b>Procedure Number</b> | 116-015-141<br>(/qs3/pubsys2/xml/en/procedures/116/116-015-141.html)   |
| <b>Procedure Title</b>  | Alarm System Engine Lubricating Oil Pressure Switch                    |
| <b>Update Reason</b>    | Added procedure to manual.                                             |
| <b>Date</b>             | 23-Apr-2026                                                            |
| <b>Section</b>          | Section TT - Troubleshooting Symptoms (New Format)                     |
| <b>Procedure Number</b> | 116-t02-1693<br>(/qs3/pubsys2/xml/en/procedures/116/116-t02-1693.html) |
| <b>Procedure Title</b>  | SDU 410: Indicates Open Circuit Fault – High Speed Oil Pressure Switch |
| <b>Update Reason</b>    | Added symptom tree to manual outline.                                  |
| <b>Date</b>             | 24-Apr-2026                                                            |
| <b>Section</b>          | Section TT - Troubleshooting Symptoms (New Format)                     |
| <b>Procedure Number</b> | 116-t02-1694<br>(/qs3/pubsys2/xml/en/procedures/116/116-t02-1694.html) |
| <b>Procedure Title</b>  | SDU 410: Indicates Open Circuit Fault – Low Speed Oil Pressure Switch  |
| <b>Update Reason</b>    | Added symptom tree to manual outline.                                  |

|                         |                                                                        |
|-------------------------|------------------------------------------------------------------------|
| <b>Date</b>             | 24-Apr-2026                                                            |
| <b>Section</b>          | Section TT - Troubleshooting Symptoms (New Format)                     |
| <b>Procedure Number</b> | 116-t02-1695<br>(/qs3/pubsys2/xml/en/procedures/116/116-t02-1695.html) |
| <b>Procedure Title</b>  | SDU 410: Indicates Open Circuit Fault – Coolant Pressure Switch        |
| <b>Update Reason</b>    | Added symptom tree to manual outline.                                  |
| <b>Date</b>             | 27-Apr-2026                                                            |
| <b>Section</b>          | Section TT - Troubleshooting Symptoms (New Format)                     |
| <b>Procedure Number</b> | 116-t02-1696<br>(/qs3/pubsys2/xml/en/procedures/116/116-t02-1696.html) |
| <b>Procedure Title</b>  | SDU 410: Indicates Open Circuit Fault – Coolant Temperature Switch     |
| <b>Update Reason</b>    | Added symptom tree to manual outline.                                  |

---

**Last Modified: 04-May-2026**

---