



Technical Service Bulletin

Technical Service Bulletin: TSB110236

Released Date: 30-Sep-2011

K19 and QSK19 Revised Fan Belt Tensioner

K19 and QSK19 Revised Fan Belt Tensioner

Warranty Statement

The information in this document has no effect on present warranty coverage or repair practices, nor does it authorize TRP or Campaign actions.

Contents

This document announces changes to the fan belt tensioner for the K19 and QSK19 engines. A similar design is used on QST30 industrial engines built in 2011 and after.

The revised QSK19 and K19 fan belt tensioner assemblies are shown in more detail below.

Table 1. Revised K19 and QSK19 Fan Belt Tensioner Assembly

New Part Number	Part Name	Old Part Number
2888887	Tensioner, Belt	3090060
2888888	Tensioner, Belt	3347592
2888889	Tensioner, Belt	4067518
2888891	Tensioner, Belt	4095034
2888892	Tensioner, Belt	4967706
2888893	Tensioner, Belt	4967949
2888794	Retainer, Control Rod	3402157
2888795	Retainer, Control Rod	N/A

Implementation of the revised belt tensioner assembly began with engine serial number (ESN) first and build date first listed in Table 2, below.

Table 2. Engine Serial Numbers

New Part Number	ESN first for New Part Number	Build Date of ESN first
2888887	37250462	02-Aug-2011
2888888	N/A	N/A
2888889	37250458	01-Aug-2011
2888891	37250455	02-Aug-2011
2888892	N/A	N/A

Table 2. Engine Serial Numbers			
New Part Number		ESN first for New Part Number	Build Date of ESN first
2888893		37250527	04-Aug-2011
The revised fan belt tensioner assembly contents are shown in Table 3 through Table 8 below. An o-ring and Lubriplate™ 105, Part Number 3163087, or equivalent, was added to the assembly to prevent moisture intrusion.			
Table 3. Contents of Part Number 2888887			
Assembly Part Numbers	Sub-Assembly Part Numbers	Quantity	Part Name
2888887			Tensioner, Belt
S 253		2	Nut, Regular Hexagon Jam
S 500		1	Pin, Cotter
146517		1	Nut, Regular Hexagon
177269		1	End, Control Rod
2888795		1	Retainer, Control Rod
	2888794	1	Retainer, Control Rod
	43463 A	1	Seal, O-ring
3036900		3	Washer, Plain
3076301		2	Clamp, Wire Tie
3086244		1	Housing, Belt Tensioner
	3086245	1	Piece
	3086246	1	Piece
	3086247	1	Piece
3086251		1	Retainer, Spring
3086252		1	Pin, Clevis
3086253		1	End, Control Rod
3086269		1	Spring, Compression
3090194		1	Seal, Dust
3402156		1	Guide, Spring
4967782		1	Screw, Preload Adjusting
Table 4. Contents of Part Number 2888888			
Assembly Part Numbers	Sub-Assembly Part Numbers	Quantity	Part Name
2888888			Tensioner, Belt

Table 4. Contents of Part Number 2888888			
Assembly Part Numbers	Sub-Assembly Part Numbers	Quantity	Part Name
S 253		2	Nut, Regular Hexagon Jam
S 500		1	Pin, Cotter
146517		1	Nut, Regular Hexagon
177269		1	End, Control Rod
2888795		1	Retainer, Control Rod
	2888794	1	Retainer, Control Rod
	43463 A	1	Seal, O-ring
3036900		3	Washer, Plain
3076301		2	Clamp, Wire Tie
3086244		1	Housing, Belt Tensioner
	3086245	1	Piece
	3086246	1	Piece
	3086247	1	Piece
3086251		1	Retainer, Spring
3086252		1	Pin, Clevis
3086253		1	End, Control Rod
3086269		1	Spring, Compression
3090194		1	Seal, Dust
3402156		1	Guide, Spring
4967782		1	Screw, Preload Adjusting
Table 5. Contents of Part Number 2888889			
Assembly Part Numbers	Sub-Assembly Part Numbers	Quantity	Part Name
2888889			Tensioner, Belt
S 253		2	Nut, Regular Hexagon Jam
S 500		1	Pin, Cotter
146517		1	Nut, Regular Hexagon
177269		1	End, Control Rod
2888795		1	Retainer, Control Rod
	2888794	1	Retainer, Control Rod

Table 5. Contents of Part Number 2888889			
Assembly Part Numbers	Sub-Assembly Part Numbers	Quantity	Part Name
	43463 A	1	Seal, O-ring
3036900		5	Washer, Plain
3076301		2	Clamp, Wire Tie
3086244		1	Housing, Belt Tensioner
	3086245	1	Piece
	3086246	1	Piece
	3086247	1	Piece
3086251		1	Retainer, Spring
3086252		1	Pin, Clevis
3086253		1	End, Control Rod
3086269		1	Spring, Compression
3090194		1	Seal, Dust
3402156		1	Guide, Spring
4967782		1	Screw, Preload Adjusting
Table 6. Contents of Part Number 2888891			
Assembly Part Numbers	Sub-Assembly Part Numbers	Quantity	Part Name
2888891			Tensioner, Belt
S 253		2	Nut, Regular Hexagon Jam
S 500		1	Pin, Cotter
146517		1	Nut, Regular Hexagon
177269		1	End, Control Rod
2888795		1	Retainer, Control Rod
	2888794	1	Retainer, Control Rod
	43463 A	1	Seal, O-ring
3076301		2	Clamp, Wire Tie
3086244		1	Housing, Belt Tensioner
	3086245	1	Piece
	3086246	1	Piece
	3086247	1	Piece

Table 6. Contents of Part Number 2888891			
Assembly Part Numbers	Sub-Assembly Part Numbers	Quantity	Part Name
3086251		1	Retainer, Spring
3086252		1	Pin, Clevis
3086253		1	End, Control Rod
3086269		1	Spring, Compression
3090194		1	Seal, Dust
3402156		1	Guide, Spring
4967782		1	Screw, Preload Adjusting
Table 7. Contents of Part Number 2888892			
Assembly Part Numbers	Sub-Assembly Part Numbers	Quantity	Part Name
2888892			Tensioner, Belt
S 253		2	Nut, Regular Hexagon Jam
S 500		1	Pin, Cotter
146517		1	Nut, Regular Hexagon
177269		1	End, Control Rod
2888795		1	Retainer, Control Rod
	2888794	1	Retainer, Control Rod
	43463 A	1	Seal, O-ring
3036900		5	Washer, Plain
3076301		2	Clamp, Wire Tie
3086244		1	Housing, Belt Tensioner
	3086245	1	Piece
	3086246	1	Piece
	3086247	1	Piece
3086251		1	Retainer, Spring
3086252		1	Pin, Clevis
3086253		1	End, Control Rod
3086269		1	Spring, Compression
3090194		1	Seal, Dust
3402156		1	Guide, Spring

Table 7. Contents of Part Number 2888892			
Assembly Part Numbers	Sub-Assembly Part Numbers	Quantity	Part Name
4967782		1	Screw, Preload Adjusting
Table 8. Contents of Part Number 2888893			
Assembly Part Numbers	Sub-Assembly Part Numbers	Quantity	Part Name
2888893			Tensioner, Belt
S 253		2	Nut, Regular Hexagon Jam
S 500		1	Pin, Cotter
146517		1	Nut, Regular Hexagon
177269		1	End, Control Rod
2888795		1	Retainer, Control Rod
	2888794	1	Retainer, Control Rod
	43463 A	1	Seal, O-ring
3036900		5	Washer, Plain
3076301		2	Clamp, Wire Tie
3086244		1	Housing, Belt Tensioner
	3086245	1	Piece
	3086246	1	Piece
	3086247	1	Piece
3086251		1	Retainer, Spring
3086252		1	Pin, Clevis
3086253		1	End, Control Rod
3086269		1	Spring, Compression
3090194		1	Seal, Dust
3402156		1	Guide, Spring
4967782		1	Screw, Preload Adjusting

For K19 engines, use the following procedure in Service Manual, K19, Bulletin 4021499 for fan belt tensioner assembly information. Refer to Procedure 008-087 in Section 8.

(/qs3/pubsys2/xml/en/procedures/18/18-008-087-tr.html) or in the Operation and Maintenance Manual, K19 Industrial and Marine Engines, Bulletin 3666013. Refer to Procedure 008-087 in Section A. (/qs3/pubsys2/xml/en/procedures/18/18-008-087-om.html)

For QSK19 engines, use the following procedure in Service Manual, QSK19, QSK19 CM850 MCRS, QSK19 CM2150 MCRS, Bulletin 4021592 for fan belt tensioner assembly information. Refer to Procedure 008-087 in Section 8. (</qs3/pubsys2/xml/en/procedures/20/20-008-087-tr.html>) or in the Operation and Maintenance Manual, QSK19, QSK19 CM850 MCRS, QSK19 CM2150 MCRS Bulletin 3666120. Refer to Procedure 008-087 in Section A. (</qs3/pubsys2/xml/en/procedures/20/20-008-087-om.html>)

This design change is for design improvement **only** and has no effect on warranty. If the fan belt tensioner is found seized on a K19 or QSK19 engine, replace the fan belt tensioner with this revised design.

Document History

Date	Details
2011-8-3	Module Created

Last Modified: 30-Sep-2011
