



Service Tool Instruction

Service Tool Instruction
Number: 3377825-4

Revision Level: 4

Released Date: 27-jul-2012

Description

Connecting Rod Guide Pin

Purpose

This document provides information for connecting rod guide pin, Part Number 3375098, and other similar guide pins listed in Table 2. The connecting rod guide pins are used to guide the connecting rod and piston assembly during removal and installation.

All connecting rod guide pins are purchased as a quantity of one. Two or more may be required during removal and installation of the connecting rod and piston assembly. Check the respective service manual for details.

©Cummins Inc.

© Cummins Inc.

© Cummins Inc.

© Cummins Inc.

© Cummins Inc.

© Cummins Inc.

Connecting Rod Guide Pin, Part Number 3375098

Table 1, Connecting Rod Guide Pin, Part Number 3375098

Item Number	Part Number	Description	Quantity
1	3375098	Connecting rod guide pin, 11/16 - 16 (K19, QSK19, K38, and K50)	1

Table 2, Items Similar to the Connecting Rod Guide Pin, Purchased Separately

Item Number	Part Number	Description	Quantity
Not shown	3163097	Connecting rod guide pin, M12 x 1.25 (ISX, Signature™, QSX15, ISX with CM870)	1
Not shown	3163363	Connecting rod guide pin, M11 x 1.00 (QST30)	1
Not shown	3163698	Connecting rod guide pin, M9 x 1.00 (A1400, A1700, A2000, A2300, and B3.3)	1
Not shown	3375601	Connecting rod guide pin, 5/8 - 18 (NH and NT with big camshaft)	1
Not shown	3375925	Connecting rod guide pin (V28)	1
Not shown	3376038	Connecting rod guide pin, M14 x 1.50 (L10, L10G, M11, ISM, QSM11, and ISM with CM870)	1
Not shown	3377397	Connecting rod guide pin, 1/2 - 20 (V555)	1
Not shown	3377398	Connecting rod guide pin, 9/16 - 18 (V903)	1
Not shown	3377400	Connecting rod guide pin, 7/16 - 20 (V378 and V504)	1
Not shown	3824496	Connecting rod guide pin (C8.3, C8.3G, C Gas Plus, ISC, QSC8.3, ISC with CM850, ISL, and QSL9)	1
Not shown	4918922	Connecting rod guide pin, MJ14 x 1.50 (QSK60 with horizontal split connecting rod, QSK78)	1

Not shown	2892187	Connecting rod guide pin, MJ10 x 1.00 (ISF2.8 CM2220, ISF2.8 CM2220 AN, and ISF2.8 CM2220 E)	1
Not shown	5298634	Connecting rod guide pin, M12 x 1.25 (ISX/QSX CM2350 and later engine families that use a fracture split connecting rod)	1

Last Modified: 13-Sep-2012
