



Service Tool Instruction

Service Tool Instruction
Number: 3400337

Revision Level:

Released Date: 02-jul-2009

Description

Multi Module Switch Harness Assembly

Purpose

The multiple ECM Bench Calibration Harness, Part Number 4919022, is to be attached permanently to the appropriate bench calibration harness for the QSK38, QSK50, and QSK60 CM850 and CM2150 engines. The multiple module switch box harness, Part Number 4918894, can be disconnected and used on other ROM boot harnesses that have been fitted with bench calibration harness pigtail, Part Number 4919022, which can be purchased separately.




Table 1, Multiple ECM Bench Calibration Harness, Part Number 4919064

Item Number	Part Number	Description	Quantity
1	4918894	Switchable bench calibration harness	1
2	4919022	Bench calibration harness pigtail	1

Purpose

Assembly of Multiple Module Harness

Insert the wire terminals from the multiple module harness, Part Number 4919022, into the connector cavity until they are fully seated on the bench calibration harness OEM connector. See Table 2.

Pull on the wire and make certain the pin is locked into the cavity.





Table 2, Pin and Wire Locations

Bench Calibration Harness Part Number	3164185	4918583
White wire location	Pin 7	Pin 18
Yellow wire location	Pin 8	Pin 7
Gray wire location	Pin 12	Pin 8
Red wire location	Pin 34	Pin 41

Strain relieve the connection by installing a wire tie through the retainer clip attached to the 4-pin connector. This will secure the switch harness pigtail to the ROM boot harness.



Install the multiple module switch box harness, Part Number 4918894, into the multiple module harness, Part Number 4919022.

