



Technical Service Bulletin

Technical Service Bulletin: tsb100131

Released Date: 26-Nov-2001

Main, Rod, and Thrust Bearing Part Numbers

Main, Rod, and Thrust Bearing Part Numbers

Warranty Statement

The information in this document has no effect on present warranty coverage or repair practices, nor does it authorize TRP or Campaign actions.

Contents

This Technical Service Bulletin revises the inspection criteria for the mainbearing journals and provides a part number listing for main, connecting rod, and thrust bearings for the QST30 engines. The bearings described are all of the standard and oversize bearings available for the QST30 engine.

Oversize bearings are available to allow for the crankshaft to be ground undersize if the outside diameter of the main and/or connecting rod bearing journals or the thrust distance is **not** within specifications. The specifications can be found in the QST30 Shop Manual, Bulletin 3666190-01, Procedure 001-016. **Always** grind all of the main or connecting rod journals when one is **not** within specifications. The procedure to undersize the crankshaft can be found in the Alternative Repair Manual, Bulletin 3379035-00.

If one crankshaft main or connecting rod journal is undersize, all main or connecting rod journals should be undersized the same amount. For this reason, oversize bearings are available **only** in complete kits. It is **not** necessary to use oversize thrust bearings when using oversize main bearings. It is also **not** necessary to use the same size oversize thrust bearings on both thrust faces of the crankshaft. However, the two thrust bearings used on the rear of main bearing number 7 **must** be of the same size.

Table 1, Standard Main Bearing Set, Part Number 3804713

Part Number	Quantity	Size	Description
3092877	6	Standard	Upper main
3092878	6	Standard	Lower main
3092879	1	Standard	Upper main, number 4
3092880	1	Standard	Lower main, number 4
3092881	3	Standard	Thrust

Table 2, Main Bearing Set 0.25 mm [0.010in] Oversize, Part Number 4089070			
Part Number	Quantity	Size	Description
3093188	6	0.25 mm [0.010 in]	Upper main
3093192	6	0.25 mm [0.010 in]	Lower main
3093196	1	0.25 mm [0.010 in]	Upper main, number 4
3093200	1	0.25 mm [0.010 in]	Lower main, number 4
3092881	3	Standard	Thrust
Table 3, Main Bearing Set 0.50 mm [0.020in] Oversize, Part Number 4089071			
Part Number	Quantity	Size	Description
3093187	6	0.50 mm [0.020 in]	Upper main
3093191	6	0.50 mm [0.020 in]	Lower main
3093195	1	0.50 mm [0.020 in]	Upper main, number 4
3093199	1	0.50 mm [0.020 in]	Lower main, number 4
3092881	3	Standard	Thrust
Table 4, Main Bearing Set 0.75 mm [0.030in] Oversize, Part Number 4089072			
Part Number	Quantity	Size	Description
3093186	6	0.75 mm [0.030 in]	Upper main
3093190	6	0.75 mm [0.030 in]	Lower main
3093194	1	0.75 mm [0.030 in]	Upper main, number 4
3093198	1	0.75 mm [0.030 in]	Lower main, number 4
3092881	3	Standard	Thrust
Table 5, Standard Thrust Bearing, PartNumber 3092881			
Part Number	Quantity	Size	Description
3092881	1	Standard	Thrust
Table 6, Thrust Bearing Set 0.25 mm [0.010in] Oversize, Part Number 4024913			
Part Number	Quantity	Size	Description
3093037	3	0.25 mm [0.010 in]	Thrust
Table 7, Thrust Bearing Set 0.50 mm [0.020in] Oversize, Part Number 4024912			
Part Number	Quantity	Size	Description
3093036	3	0.50 mm [0.020 in]	Thrust

Table 8, Thrust Bearing Set 0.75 mm [0.030in] Oversize, Part Number 4024911			
Part Number	Quantity	Size	Description
3093035	3	0.75 mm [0.030 in]	Thrust
Table 9, Thrust Bearing Set 1.00 mm [0.040in] Oversize, Part Number 4024910			
Part Number	Quantity	Size	Description
3093034	3	1.00 mm [0.040 in]	Thrust
Table 10, Standard Connecting Rod BearingSet, Part Number 4025322			
Part Number	Quantity	Size	Description
4067877	24	Standard	Connecting rod
Table 11, Connecting Rod Bearing Set 0.25mm [0.010 in] Oversize, Part Number 4025324			
Part Number	Quantity	Size	Description
4067879	24	0.25 mm [0.010 in]	Connecting rod
Table 12, Connecting Rod Bearing Set 0.50mm [0.020 in] Oversize, Part Number 4025323			
Part Number	Quantity	Size	Description
4067878	24	0.50 mm [0.020 in]	Connecting rod

Last Modified: 26-Nov-2001
