



Technical Service Bulletin

Technical Service Bulletin: tsb101822

Released Date: 03-Mar-2006

Two Pump, Two Loop Cooling System Diagram


Two Pump, Two Loop Cooling System Diagram

Warranty Statement

The information in this document has no effect on present warranty coverage or repair practices, nor does it authorize TRP or Campaign actions.

Contents

This Service/Parts Topic adds an exploded view to Procedure 100-002, with the two pump, two loop cooling system configuration.



Non-Thermostatically Controlled Two Pump Two Loop Cooling System

1. Low temperature aftercooled water pump inlet
2. Low temperature aftercooled water pump
3. Low temperature aftercooled water pump support bracket
4. Low temperature aftercooled water transfer hose
5. Low temperature aftercooled water transfer hose
6. Low temperature aftercooled water transfer connection
7. Low temperature aftercooled water inlet transfer hose
8. Low temperature aftercooled water inlet transfer hose
9. Low temperature aftercooled water outlet transfer hose
10. Low temperature aftercooled water inlet transfer hose
11. Low temperature aftercooled water outlet.

Related Procedures

57-100-002 (/qs3/pubsys2/xml/en/procedures/57/57-100-002.html)	Engine Diagrams (/qs3/pubsys2/xml/en/procedures/57/57-100-002.html)
---	--

Last Modified: 03-Mar-2006
