



Technical Service Bulletin

Technical Service Bulletin: TSB190145

Released Date: 19-Nov-2020

Lubricating Oil Viscosity Recommendations

Lubricating Oil Viscosity Recommendations

Warranty Statement

The information in this document has no effect on present warranty coverage or repair practices, nor does it authorize TRP or Campaign actions.

Contents

Product Affected

- G38 (All Versions)
- G50 (All Versions)
- K50 (All Versions)
- KTA38 (All Versions)
- KTAA38 (All Versions)
- QSK38 (All Versions)
- QSK45 (All Versions)
- QSK50 (All Versions)
- QSK60 (All Versions)
- QSK78 (All Versions)
- QSK78 PG (All Versions)

Issue

Lubricating oils that are 30 weight are **not** providing sufficient engine lubrication.

Resolution




Figure 1, Recommended SAE Oil Viscosity Grades vs Ambient Temperatures

Consider using 15W-40 engine oil for engine operation at normal ambient temperatures. At low ambient temperatures, refer to Figure 1 for suggested use of 0W-40, 5W-40, or 10W-40 weight lubricating oils.

Reference the specific oil data sheet for the cold temperature operating range.

Reason for Change

Do not use 30 weight oils as they provide a thinner lubricating oil film on key components such as crankshaft main and connecting rod bearings.

Use of xW-40 lubricating oils have been validated more thoroughly and provide a thicker lubricating oil film to protect from damage caused by severe duty cycle or lubricating oil contamination.

Technical requirements that necessitate the use of 30 weight lubricating oil **must** be validated for one or more of the following: CES 20076, CES 20077, CES 20078, CES 20081, CES 20086. Contact your local Cummins® distributor for further information.

Publications Affected

Table 2, Publications Affected					
Manual Type	Engine	Bulletin Number	Procedure Title	Procedure	Section
Fluids Manual	All engines	5411406	Engine Oil Viscosity Grades	378-007	4
Owners Manual	QSK78 CM500	4960336	Lubricating Oil Recommendations and Specifications	018-003	V
Operation and Maintenance Manual	QSK78 CM500	3666714	Lubricating Oil Recommendations and Specifications	018-003	V
Operation and Maintenance Manual	QSK78 CM2250 K104	4332683	Lubricating Oil Recommendations and Specifications	018-003	V
Owners Manual	QSK78 CM2250 K104	4332684	Lubricating Oil Recommendations and Specifications	018-003	V
Operation and Maintenance Manual	QSK60 CM2150 MCRS	3666260	Lubricating Oil Recommendations and Specifications	018-003	V
Owners Manual	QSK60 CM2150 MCRS	4915528	Lubricating Oil Recommendations and Specifications	018-003	V

Table 2, Publications Affected					
Manual Type	Engine	Bulletin Number	Procedure Title	Procedure	Section
Operation and Maintenance Manual	QSK60 CM2250 K112	4367455	Lubricating Oil Recommendations and Specifications	018-003	V
Owners Manual	QSK60 CM2250 K112	4367456	Lubricating Oil Recommendations and Specifications	018-003	V
Operation and Maintenance Manual	QSK60 CM2350 K116	4367445	Lubricating Oil Recommendations and Specifications	018-003	V
Owners Manual	QSK60 CM2350 K116	4367446	Lubricating Oil Recommendations and Specifications	018-003	V
Operation and Maintenance Manual	QSK60 CM2350 K117	4367450	Lubricating Oil Recommendations and Specifications	018-003	V
Owners Manual	QSK60 CM2350 K117	4367451	Lubricating Oil Recommendations and Specifications	018-003	V

Table 2, Publications Affected					
Manual Type	Engine	Bulletin Number	Procedure Title	Procedure	Section
Operation and Maintenance Manual	QSK60 CM2350 K121	4388646	Lubricating Oil Recommendations and Specifications	018-003	V
Owners Manual	QSK60 CM2350 K121	4388647	Lubricating Oil Recommendations and Specifications	018-003	V
Operation and Maintenance Manual	QSK60 CM500	3666260	Lubricating Oil Recommendations and Specifications	018-003	V
Owners Manual	QSK60 CM500	4915528	Lubricating Oil Recommendations and Specifications	018-003	V
Operation and Maintenance Manual	QSK60 CM850 MCRS	3666260	Lubricating Oil Recommendations and Specifications	018-003	V
Owners Manual	QSK60 CM850 MCRS	4915528	Lubricating Oil Recommendations and Specifications	018-003	V

Table 2, Publications Affected					
Manual Type	Engine	Bulletin Number	Procedure Title	Procedure	Section
Operation and Maintenance Manual	QSK50 CM850 MCRS	3810497	Lubricating Oil Recommendations and Specifications	018-003	V
Owners Manual	QSK50 CM850 MCRS	3667180	Lubricating Oil Recommendations and Specifications	018-003	V
Operation and Maintenance Manual	QSK50 CM2350 K108	4332824	Lubricating Oil Recommendations and Specifications	018-003	V
Owners Manual	QSK50 CM2350 K108	4332825	Lubricating Oil Recommendations and Specifications	018-003	V
Operation and Maintenance Manual	QSK50 CM2150 K107	4332774	Lubricating Oil Recommendations and Specifications	018-003	V
Owners Manual	QSK50 CM2150 K107	4332775	Lubricating Oil Recommendations and Specifications	018-003	V

Table 2, Publications Affected					
Manual Type	Engine	Bulletin Number	Procedure Title	Procedure	Section
Operation and Maintenance Manual	QSK45 CM500	3666260	Lubricating Oil Recommendations and Specifications	018-003	V
Owners Manual	QSK45 CM500	4915528	Lubricating Oil Recommendations and Specifications	018-003	V
Operation and Maintenance Manual	K50	3810497	Lubricating Oil Recommendations and Specifications	018-003	V
Owners Manual	K50	3667180	Lubricating Oil Recommendations and Specifications	018-003	V

Document History

Date	Details
2019-8-19	Module Created
2020-10-30	Non-Product Problem Solving (PPS)
2020-11-13	Non-Product Problem Solving (PPS)
2020-11-17	Non-Product Problem Solving (PPS)

