# Transformer Architecture

- Self-attention is not the whole story; we'll describe what goes into a Transformer

- Alternate multi-head self-attention with feedforward layers that **operate over each word individually**

$$\text{FFN}(x) = \max(0, xW_1 + b_1)W_2 + b_2$$

  - These feedforward layers are where most of the parameters are

- Residual connections in the model: input of a layer is added to its output

- Layer normalization: controls the scale of different layers in very deep networks

Transformer Architecture

▸ Vectors: d_{model}

▸ Queries/keys: d_k, always smaller than d_{model}

▸ Values: separate dimension d_v, output is multiplied by W^O which is $d_v \times d_{model}$ so we can get back to d_{model} before the residual

▸ FFN can explode the dimension with W_1 and collapse it back with W_2

$$\mathrm{FFN}(x) = \max(0, xW_1 + b_1)W_2 + b_2$$


Vaswani et al. (2017)

Transformer Architecture: Sizes

	N	d_{model}	d_{ff}	h	d_k	d_v
base	6	512	2048	8	64	64

‣ From Vaswani et al.

Model Name	n_{params}	n_{layers}	d_{model}	n_{heads}	d_{head}
GPT-3 Small	125M	12	768	12	64
GPT-3 Medium	350M	24	1024	16	64
GPT-3 Large	760M	24	1536	16	96
GPT-3 XL	1.3B	24	2048	24	128
GPT-3 2.7B	2.7B	32	2560	32	80
GPT-3 6.7B	6.7B	32	4096	32	128
GPT-3 13B	13.0B	40	5140	40	128
GPT-3 175B or "GPT-3"	175.0B	96	12288	96	128

‣ From GPT-3; d_{head} is our d_k

Vaswani et al. (2017)

Transformer Architecture: Sizes

1	description	FLOPs / update	% FLOPS MHA	% FLOPS FFN	% FLOPS attn	% FLOPS logit
8	OPT setups					
9	760M	4.3E+15	35%	44%	14.8%	5.8%
10	1.3B	1.3E+16	32%	51%	12.7%	5.0%
11	2.7B	2.5E+16	29%	56%	11.2%	3.3%
12	6.7B	1.1E+17	24%	65%	8.1%	2.4%
13	13B	4.1E+17	22%	69%	6.9%	1.6%
14	30B	9.0E+17	20%	74%	5.3%	1.0%
15	66B	9.5E+17	18%	77%	4.3%	0.6%
16	175B	2.4E+18	17%	80%	3.3%	0.3%

Credit: Stephen Roller on Twitter

Transformer: Complete Model

‣ Original Transformer paper presents an **encoder-decoder** model

‣ Right now we don't need to think about both of these parts — will return in the context of sequence-to-sequence models later

‣ Can turn the encoder into a decoder-only model through use of a triangular causal attention mask (only allow attention to previous tokens)

Vaswani et al. (2017)