



Cmpt220L-200

# Homework 0

January 26, 2017

Victoria Cameron  
200-77-478






Victoria Cameron — Kattis

Homework 0 | CMPT 220

Victoria

Secure | https://open.kattis.com/users/victoria-cameron



Kattis


PROBLEMS CONTESTS RANKLISTS JOBS (12) HELP


Search Kattis

Submit



Victoria Cameron

Score: 1.0, Rank: 16267





Victoria Cameron

 United States  New York

E MAIL

victoria.cameron2@gmail.com

RANK

16267

SCORE

1.0


Submissions

show all


Filter

ID	DATE	PROBLEM	STATUS	CPU	LANG
----	------	---------	--------	-----	------

RSS FEED FOR NEW PROBLEMS | POWERED BY KATTIS




Ask me anything



10:16 PM

1/19/2017



Homework 0 | CMPT 220 X victoria-cameron/cmpt220 X Victoria

GitHub, Inc. [US] | <https://github.com/victoria-cameron/cmpt220cameron>

This repository Search Pull requests Issues Gist

victoria-cameron / cmpt220cameron Watch 0 Star 0 Fork 0

Code Issues 0 Pull requests 0 Projects 0 Wiki Pulse Graphs Settings

**Quick setup — if you've done this kind of thing before**

Set up in Desktop or HTTPS SSH <https://github.com/victoria-cameron/cmpt220cameron.git> Copied!

We recommend every repository include a [README](#), [LICENSE](#), and [.gitignore](#).

**...or create a new repository on the command line**

```
echo "# cmpt220cameron" >> README.md
git init
git add README.md
git commit -m "first commit"
git remote add origin https://github.com/victoria-cameron/cmpt220cameron.git
git push -u origin master
```

**...or push an existing repository from the command line**

```
git remote add origin https://github.com/victoria-cameron/cmpt220cameron.git
git push -u origin master
```

Ask me anything 10:31 PM 1/19/2017

<https://github.com/victoria-cameron/cmpt220cameron.git>

