AROVIA
HEALTHCARE • MEDICAL • TECHNOLOGY

Shop No.26, Ground Floor, Annapurna Complex,
Kakani Road, Guntur – 522 001,
Andhra Pradesh, INDIA
9649648430 | 9649645760
arovia22@gmail.com

EMERGENCY RECOVERY TROLLEY

AROVIA
EMERGENCY RECOVERY TROLLEY

HYDRAULIC

Key Features
- X-ray compatible top for emergency and diagnostic use
- Strong MS frame for long-term hospital usage
- Stainless steel safety side rails for patient protection
- Adjustable backrest for patient comfort
- Easy maneuverability with swivel castors and brakes
- Fitted with IV rod, utility tray, and oxygen cylinder holder
- Corner buffers to protect walls and equipment
- Suitable for emergency rooms, ICUs, wards, and OT transfer

Technical Specifications
- Frame Material: Rectangular & tubular mild steel (MS) pipe
- Finish: Epoxy powder-coated
- Top Surface: X-ray translucent removable top with cassette tray
- Side Railings: Stainless steel safety side railings (drop-down type)
- Backrest Adjustment: Ratchet-type manual backrest
- HEIGHT ADJUSTMENT - **HYDRAULIC**
- Castors: 12.5 cm (5 inch) heavy-duty castors
- Castor Type: Two with brakes, two free movement
- IV Rod: Adjustable stainless steel IV rod
- Accessories: Utility tray & oxygen cylinder cage
- Corner Protection: Rubber corner buffers
- Load Capacity: Up to 180-200 kg (approx.)

Dimensions (After Installation)
- Length: 210 cm
- Width: 65 cm
- Height Adjustment Range: 65 ~ 85 cm

Weight
- Net Weight: Approx. 85 ~ 95 kg

Model number
AV-HET

AROVIA
HEALTHCARE • MEDICAL • TECHNOLOGY

Shop No.26, Ground Floor, Annapurna Complex,
Kakani Road, Guntur – 522 001,
Andhra Pradesh, INDIA
9649648430 | 9649645760
arovia22@gmail.com

ICU BED

AROVIA

ELECTRIC ICU BED 3 FUNCTION

(ABS PANEL, ABS SIDE RAILING, MATTRESS, WHEEL)
COMPLETE



Key Features
- Ergonomic design for patient comfort
- Easy operation with Electric Remote
- Stable structure with high load-bearing capacity
- Low noise wheels for smooth movement
- Easy maintenance and hospital-grade finish
- Suitable for ICU, ward, and general patient care

Technical Specifications
- Bed platform made of perforated MS sheet with epoxy powder coating
- Manual crank system for backrest and leg section movement
- ABS head & foot panels, detachable for easy cleaning and transport
- ABS side railing
- Stainless steel IV infusion stand with 4 hooks (height adjustable)
- Mounted on 125 mm silent castor wheels with individual brakes
- Strong MS tubular frame for long-term durability
- Smooth edges and corners for patient safety

Dimensions (After Installation)
- Overall Bed Size: 2100 × 1050 × 500–700 mm (L × W × H)
- Backrest Adjustment: 0° – 75°
- Leg Section Adjustment: 0° – 40°
- Height Range (overall lifting): 500 – 700 mm

Weight
- Approx. Net Weight: 85 – 95 kg
- Mattress Weight: 10 – 15 kg (approx.)
- Gross Weight (With Packing): 105 – 115 kg (approx.)

Model number

AV-EI3A

AROVIA
HEALTHCARE • MEDICAL • TECHNOLOGY

Shop No.26, Ground Floor, Annapurna Complex,
Kakani Road, Guntur – 522 001,
Andhra Pradesh, INDIA
9649648430 | 9649645760
arovia22@gmail.com

ICU BED

AROVIA

ELECTRIC ICU BED 3 FUNCTION

(ABS PANEL, COLLAPSIBLE SIDE RAILING, MATTRESS, WHEEL) COMPLETE

Key Features
- Ergonomic design for patient comfort
- Easy operation with Electric Remote
- Stable structure with high load-bearing capacity
- Low noise wheels for smooth movement
- Easy maintenance and hospital-grade finish
- Suitable for ICU, ward, and general patient care

Technical Specifications
- Bed platform made of perforated MS sheet with epoxy powder coating
- Manual crank system for backrest and leg section movement
- ABS head & foot panels, detachable for easy cleaning and transport
- Collapsible side railing
- Stainless steel IV infusion stand with 4 hooks (height adjustable)
- Mounted on 125 mm silent castor wheels with individual brakes
- Strong MS tubular frame for long-term durability
- Smooth edges and corners for patient safety

Dimensions (After Installation)
- Overall Bed Size: 2100 × 1050 × 500–700 mm (L × W × H)
- Backrest Adjustment: 0° – 75°
- Leg Section Adjustment: 0° – 40°
- Height Range (overall lifting): 500 – 700 mm

Weight
- Approx. Net Weight: 85 – 95 kg
- Mattress Weight: 10 – 15 kg (approx.)
- Gross Weight (With Packing): 105 – 115 kg (approx.)

Model number

AV-EI3C

AROVIA
HEALTHCARE • MEDICAL • TECHNOLOGY

Shop No.26, Ground Floor, Annapurna Complex,
Kakani Road, Guntur – 522 001,
Andhra Pradesh, INDIA
9649648430 | 9649645760
arovia22@gmail.com

FOOT STEP

AROVIA
FOOT SINGLE STEP SS

Key Features

- Full stainless steel construction for hygiene and durability
- Corrosion-resistant SS body suitable for hospital environments
- Anti-skid rubber leg tips for patient safety
- Smooth, easy-to clean surface
- Strong load-bearing structure
- Compact and stable design

Technical Specifications

- Material: Stainless Steel (SS)
- Grade: SS 202
- Finish: Matt / Satin Finish
- Color: Stainless Steel Finish
- Structure: Welded SS Frame
- Leg Tips: Anti-skid Rubber Shoes

Dimensions

- Overall Size (L × W × H): 500 × 300 × 230 mm (approx.)

Weight

- Net Weight: Approx. 3-4 kg

Model number
AV-FSS1

AROVIA
HEALTHCARE • MEDICAL • TECHNOLOGY

Shop No.26, Ground Floor, Annapurna Complex,
Kakani Road, Guntur – 522 001,
Andhra Pradesh, INDIA
9649648430 | 9649645760
arovia22@gmail.com

GYNAE EXAMINATION TABLE

AROVIA
GYNEAC EXMINATION TABLE

TWO FOLD FIX METRESS SIZE 22"X72" (CRUTCHES)

Key Features

- Two-fold table design suitable for gynecological examinations
- Fixed cushioned mattress for stable patient support
- Adjustable lithotomy poles (crutches) with straps
- Strong mild steel frame made of rectangular & square tubes
- Legs fitted with PVC stumps for floor protection

Dimensions

- Overall Size: 180 × 60 × 46 cm

Weight

- Approx. Net Weight: 30 – 40 kg

Technical Specifications

- Frame Material: Mild Steel (MS)
- Frame Construction: Rectangular & square MS tube structure
- Table Type: Examination Table (Gynaec)
- Mattress Type: Fixed mattress, two-fold
- Mattress Size: 22" × 72"
- Leg Support: Adjustable lithotomy poles with straps
- Base Support: PVC stumps

Model number
AV-GE2

AROVIA
HEALTHCARE • MEDICAL • TECHNOLOGY

Shop No.26, Ground Floor, Annapurna Complex,
Kakani Road, Guntur – 522 001,
Andhra Pradesh, INDIA
9649648430 | 9649645760
arovia22@gmail.com

MAYO TROLLEY

AROVIA
MAYO TROLLEY
NORMAL

Key Features

- Adjustable height for procedural convenience
- Compact and lightweight design for easy handling
- Stainless steel construction ensures durability and hygiene
- Smooth mobility with four swivel wheels
- Easy to clean and maintain
- Suitable for operation theatres, clinics, and hospitals

Overall Size (L × W × H):

- 10 × 10 × 30 cm

Weight

- Net Weight: 10-15 kg

Technical Specifications

- Product Type: Mayo Trolley
- Frame Material: Stainless Steel (SS)
- Shelf Configuration: 1 shelf
- Height Adjustment: Adjustable height mechanism
- Mobility: Mounted on swivel castor wheels
- Number of Wheels: 4
- Colour / Finish: Stainless steel finish
- Usage: Indoor clinical use
- Design: Compact and portable construction

Model number
AV-MTN

AROVIA
HEALTHCARE • MEDICAL • TECHNOLOGY

Shop No.26, Ground Floor, Annapurna Complex,
Kakani Road, Guntur – 522 001,
Andhra Pradesh, INDIA
9649648430 | 9649645760
arovia22@gmail.com

INSTRUMENT TROLLEY

AROVIA
INSTRUMENT TROLLEY

SS.

Key Features

- High-quality stainless steel construction for long service life
- Stainless steel top and bottom shelves
- Three-side safety railing provided on top shelf
- Smooth mobility for easy handling during procedures
- Easy to clean and maintain for hygienic use

Technical Specifications

- Trolley Type: Instrument Trolley
- Frame Material: Stainless Steel
- Shelves:
- Top shelf with 3-side protective railing
- Bottom plain stainless steel shelf
- Mobility: Mounted on smooth running swivel castors
- Finish: Smooth, corrosion-resistant finish

Dimensions (Overall Size):

- Length: 60 cm
- Width: 45 cm
- Height: 90 cm

Weight

- Approx. Net Weight: 18 – 22 kg

Model number

AV-ITS

AROVIA
HEALTHCARE • MEDICAL • TECHNOLOGY

Shop No.26, Ground Floor, Annapurna Complex,
Kakani Road, Guntur – 522 001,
Andhra Pradesh, INDIA
9649648430 | 9649645760
arovia22@gmail.com

PLAIN BED

AROVIA
PLAIN BED

(GENERAL CATEGORY)

Key Features
- Strong mild steel frame for durability
- Powder-coated finish for corrosion resistance
- Fixed plain bed design for general ward use
- Stable construction without wheels
- Easy to clean and maintain
- Suitable for hospitals and clinics

Technical Specifications
- Usage / Application: Hospitals
- Overall Size: 6 × 3 feet
- Bed Type: Plain (Fixed)
- Frame Material: Mild Steel
- Elevation: Not provided (Fixed height)
- Finish: Powder-coated finish

Dimensions (Approx.)
- Length: 1830 mm (6 ft)
- Width: 915 mm (3 ft)
- Height: 450 - 500 mm

Weight
- Approx. Net Weight: 40 - 50 kg

Model number
AV-PG

AROVIA
HEALTHCARE • MEDICAL • TECHNOLOGY

Shop No.26, Ground Floor, Annapurna Complex,
Kakani Road, Guntur – 522 001,
Andhra Pradesh, INDIA
9649648430 | 9649645760
arovia22@gmail.com

BED SIDE LOCKER

AROVIA
BED SIDE LOCKER

ABS

Key Features

- Made from high-quality ABS plastic for durability
- Smooth, non-porous surface for easy cleaning and hygiene
- Compact design suitable for bedside patient use
- Two towel rails for added convenience
- Drawer for small personal items
- Cupboard for larger storage needs
- Mounted on smooth-rolling 5 cm castors for easy movement
- Resistant to corrosion and moisture

Dimensions

- Overall Size (L × W × H): 45 × 45 × 75 cm

Weight

- Approx. 12 – 14 kg

Technical Specifications

- Material: ABS Plastic
- Construction: One-piece ABS body
- Mounting: Mounted on castors
- Caster Size: 5 cm castor wheels
- Storage Configuration:

1 Drawer
1 Cupboard Box

- Accessories: Two towel rails
- Mobility: Yes

Model number
AV-BLA

AROVIA
HEALTHCARE • MEDICAL • TECHNOLOGY

Shop No.26, Ground Floor, Annapurna Complex,
Kakani Road, Guntur – 522 001,
Andhra Pradesh, INDIA
9649648430 | 9649645760
arovia22@gmail.com

EMERGENCY CARSH CART

AROVIA

EMERGENCY CARSH CART ABS TYPE

Key Features

- Durable metal and stainless steel construction
- Five spacious shelves for organized medical storage
- Lockable drawers for safe medicine handling
- Smooth, non-marking swivel castors for easy movement
- Ergonomic chrome-plated handle for comfortable pushing
- Suitable for hospitals, clinics, and emergency wards
- Stable structure with balanced load distribution

Technical Specifications

- Material: Metal & Stainless Steel
- Frame Material: Metal
- Handle Material: Chrome-Plated Metal / Stainless Steel
- Colour: Blue, Grey & Red
- Number of Shelves: 5
- Number of Wheels: 4
- Caster Type: Swivel Castors
- Tire Type: Non-Marking Swivel Casters
- Special Feature: Lockable Drawers

Dimensions (Approx.)

- Overall Size (L × W × H): 95 × 45 × 75 cm

Weight (Approx.)

- Net Weight approx: 40kg

Model number

AV-ECCA

AROVIA
HEALTHCARE • MEDICAL • TECHNOLOGY

Shop No.26, Ground Floor, Annapurna Complex,
Kakani Road, Guntur – 522 001,
Andhra Pradesh, INDIA
9649648430 | 9649645760
arovia22@gmail.com

BASIN STAND

AROVIA
BASIN STAND

SINGLE

Key Features

- 20 cm stainless steel basin, corrosion-resistant and easy to clean
- Smooth mobility with 50 mm medical-grade castor wheels
- Durable epoxy-coated frame resistant to rust and scratches
- Stable structure with non-slip plastic legs
- Ideal for handwashing and fluid disposal
- Suitable for routine medical and examination procedures
- Easy to maintain and hygienic design

DIMENSIONS (APPROX.)

- Basin Diameter: 35 cm
- Overall Height: 90 – 95 cm

WEIGHT

- Net Weight: Approx. 6 – 7 kg

Technical Specifications

- Product Name: Single Wash Basin Stand
- Basin Diameter: 35 cm
- Basin Material: Stainless Steel (SS)
- Frame Material: Mild Steel
- Frame Finish: Epoxy Powder Coated
- Castor Size: 50 mm
- Leg Material: Plastic (non-slip type)
- Mobility: Mounted on castor wheels
- Application: Hospitals, Clinics, Examination Rooms

Model number

AV-BSS

AROVIA
HEALTHCARE • MEDICAL • TECHNOLOGY

Shop No.26, Ground Floor, Annapurna Complex,
Kakani Road, Guntur – 522 001,
Andhra Pradesh, INDIA
9649648430 | 9649645760
arovia22@gmail.com

OVER BED TABLE

AROVIA
OVER BED TABLE
GENRAL GEAR

Key Features
- Smooth gear-handle height adjustment for user convenience
- Strong MS rectangular frame ensures durability
- aminated top is easy to clean and maintain
- Smooth mobility with swivel castors
- Compact design suitable for bedside and clinical use
- Powder-coated finish for corrosion resistance

Technical Specifications
- Frame Material: Mild Steel (MS) rectangular tube framework
- Top Material: Laminated board top
- Top Size: 30" 16"
- Height Adjustment: Gear handle operated height adjustment mechanism
- Mobility: Mounted on swivel castors
- Castor Size: 50 mm (5 cm) diameter
- Finish: Epoxy powder-coated finish
- Construction: Rigid welded structure

Overall Size (L d7 W d7 H):
Length: 72 inches
Width: 20 inches
Height: 30 inches

- **Weight**

Approx. Net Weight: 20 6 25 kg

Model number
AV-OBTG

AROVIA
HEALTHCARE • MEDICAL • TECHNOLOGY

Shop No.26, Ground Floor, Annapurna Complex,
Kakani Road, Guntur – 522 001,
Andhra Pradesh, INDIA
9649648430 | 9649645760
arovia22@gmail.com

BLOOD SAMPLE COLLACTION CHAIR

AROVIA

BLOOD SAMPLE COLLACTION CHAIR

Key Features

- Durable MS frame with powder-coated finish
- Corrosion-resistant structure
- Comfortable padded seat and backrest
- Stainless steel sliding footrest for patient comfort
- Adjustable positioning during blood collection
- Stable design suitable for long procedures
- Easy to clean and maintain

Technical Specifications

- Chair Type: Blood Collection Chair
- Frame Material: Mild Steel (MS)
- Finish: White Powder Coated
- Seat & Backrest: Padded cushion
- Footrest: Stainless Steel sliding footrest
- Adjustment: Adjustable position during blood collection

Dimensions

- Overall Length: 115 cm
- Overall Width: 65 cm
- Overall Height: 110–115 cm (approx.)

Weight

- Approx. Net Weight: 15 kg

Model number
AV-BSCH

AROVIA
HEALTHCARE • MEDICAL • TECHNOLOGY

Shop No.26, Ground Floor, Annapurna Complex,
Kakani Road, Guntur – 522 001,
Andhra Pradesh, INDIA
9649648430 | 9649645760
arovia22@gmail.com

THERMOMETER

AROVIA

DIGITAL THERMOMETER

Feature

- High Accuracy
- Soft Beep
- Hold to Switch °C/°F
- Low Battery Alert
- Last Reading Memory
- Long Lasting Battery
- Suitable for Babies, Kids, Adults
- Plastic Case Included
- One Button Operation
- Auto Off

Packing:

- **Dimension :** 15 Centimetres (L)
- **Weight :** 20 g

Technical Specification

- Special Feature: High Accuracy
- Colour: Blue
- Age Range (Description): Youth
- Included Components: Single Thermometer
- Outer Material: Plastic
- Display Type: LCD
- Product Care Instructions: Hand Wash Only
- Power Source: Battery operated
- Upper Temperature Rating: 42 Degrees Celsius
- Reusability: Rechargeable
- Lower Temperature Rating: 32 Degrees Celsius
- Indoor/Outdoor Usage: Indoor

Model number

AL-DT01

AROVIA
HEALTHCARE • MEDICAL • TECHNOLOGY

Shop No.26, Ground Floor, Annapurna Complex,
Kakani Road, Guntur – 522 001,
Andhra Pradesh, INDIA
9649648430 | 9649645760
arovia22@gmail.com

DEFIBRILLATOR

AROVIA

BIPHASIC DEFIBRILLATOR (YELLOW)

Feature

- Channel - 2 Channel
- Electrode - 3 / 5 Leads
- ECG Acquisition - Patient Cable and Paddles
- Display - 2 Waveforms with HR and pulses selected
- Lead - Lead I, II, III, aVR, aVL, aVF, V
- Gain Selection - 5 / 10 / 15 / 20 mm/mV
- Sweep Speed - 12.5, 25 or 50 mm/sec
- Heart Rate Range - 30–240 bpm
- Heart Rate Accuracy ±2 bpm
- Frequency Response - 0.05 to 40 Hz
- CMRR - 100 dB
- Input Impedance - 100 M Ohms
- High Resolution thermal array recorder
- Printing Speed - 25 mm/sec
- Printer Paper Size - 57 mm × 20 Mtr.
- Details on Print
- HR, ECG w/f along with energy delivery, Date, Time, Patient Details
- (ID, name, age, sex), Joules selected, Sweep speed and Gain Color TFT display
- Size - 7" Diagonally
- Resolution - 800 × 480 Pixels
- Power Input - AC 230V, 50 Hz
- Battery Rating - 14.8 V / 4400 mAh, Li-Polymer
- Charging Time - 8 Hours
- Operating Time - 40–50 shocks (270 joules) or more than 3 hours monitoring without printing
- Working Temperature and Humidity 0–40 deg. cel. & up to 90% non-condensing

Packing:

- Dimensions: 403 (L) × 152 (H) × 324 (W) mm
- Weight - 5.4 Kg

Model number

AV-BD5

AROVIA
HEALTHCARE • MEDICAL • TECHNOLOGY

Shop No.26, Ground Floor, Annapurna Complex,
Kakani Road, Guntur – 522 001,
Andhra Pradesh, INDIA
9649648430 | 9649645760
arovia22@gmail.com

ECG

AROVIA

12 CHANNEL ECG MACHINE

Feature

- 7 inch high resolution color touch screen
- Full alphanumeric keyboard with shortcut keys, efficient in operation
- Simultaneous 12-lead ECG acquisition and display
- Automatic ECG measurements and interpretation
- Internal storage up to 1000 cases, convenient for case review and statistics
- Built-in rechargeable high-capacity lithium battery
- ECG data can be transmitted to PC via USB
- ECG reports can be saved and opened on PC via ECG playback software
- Lead: Standard 12 leads
- Acquisition Mode: Simultaneous 12-leads acquisition
- Sampling Rate: 1000 Hz
- A/D Converter: 24 bits
- Frequency Response: 0.05 ~ 160 Hz (~3 dB)
- Operation Mode: Manual, Auto, Rhythm, 1 channel 1 minute
- Filter:

AC Filter: 50 Hz / 60 Hz
EMG Filter: 25 Hz / 35 Hz / 45 Hz / 75 Hz / 100 Hz / 150 Hz
DFT Filter: 0.05 Hz / 0.5 Hz

Packing:

- Dimensions: 430 x 200 x 420 mm
- Weight - 2600 g

Model number

AV-1200G

AROVIA
HEALTHCARE • MEDICAL • TECHNOLOGY

Shop No.26, Ground Floor, Annapurna Complex,
Kakani Road, Guntur – 522 001,
Andhra Pradesh, INDIA
9649648430 | 9649645760
arovia22@gmail.com

X RAY VIEW BOX

AROVIA

X RAY VIEW BOX DOUBLE SCREEN

Feature

- Provides clear and uniform illumination for accurate X-ray interpretation
- Four-film viewing capacity improves efficiency and comparison
- Ultra-slim aluminum body with rounded safety corners
- Flicker-free LED light reduces eye fatigue during long diagnosis
- Low power consumption with long LED lifespan
- Ideal for hospitals, diagnostic centers, radiology rooms, and clinics

Technical Specification

- Type: Multi-Film LED X-Ray Viewer (4 Film Capacity)
- Light Source: High-brightness LED panel
- Viewing Area: Supports up to 4 standard X-ray films
- Illumination: Uniform, shadow-free and flicker-free lighting
- Brightness: Approx. 3000–5000 cd/m²
- Color Temperature: 6000–6500 K (Cool White / Daylight)
- Body Construction: Anodized aluminum frame with acrylic diffuser
- Clips: Heavy-duty film holding clips (top mounted)
- Mounting: Wall-mounted / Hanging type
- Switch: On/Off power switch
- Power Supply: AC 220–240 V, 50/60 Hz
- Power Consumption: Energy efficient, low power usage
- Adapter: External power adapter included
- Operation: Continuous operation, silent performance

Model number
AV-XVB2

Packing:

- Dimension: 980 × 440 × 100 mm (L × W × H) approx.
- Weight: 6.0 – 6.8 kg approx.

AROVIA
HEALTHCARE • MEDICAL • TECHNOLOGY

Shop No.26, Ground Floor, Annapurna Complex,
Kakani Road, Guntur – 522 001,
Andhra Pradesh, INDIA
9649648430 | 9649645760
arovia22@gmail.com

WHEEL CHAIR

AROVIA

FOLDING WHEEL CHAIR MS POWER COATED

Key Features

- Strong MS frame with durable powder-coated finish
- Fixed arm design for better stability
- Foldable seat for long-term durability
- Wire spoke rear wheels for smooth movement
- Easy to maneuver and low maintenance
- Stable structure suitable for daily hospital use
- Comfortable seating for patient mobility

Technical Specifications

- Frame Material: Mild Steel (MS)
- Finish: Powder Coated
- Seat Type: Foldable Seat
- Backrest: Foldable
- Arm Type: Fixed Arms
- Wheel Type: Wire Spoke Rear Wheels
- Front Wheels: Solid Castor Wheels
- Footrest: Fixed / Foldable Footrest
- Load Capacity - Weight Carrying Capacity: Up to 100 kg

Dimensions

- Overall Length: 105–110 cm
- Overall Width: 63–65 cm
- Overall Height: 88–92 cm
- Seat Width: 45 cm (approx.)

Weight

- Approx. 18 – 20 kg

Model number

AV-WCFM

AROVIA
HEALTHCARE • MEDICAL • TECHNOLOGY

Shop No.26, Ground Floor, Annapurna Complex,
Kakani Road, Guntur – 522 001,
Andhra Pradesh, INDIA
9649648430 | 9649645760
arovia22@gmail.com

ECG SYSTEM

AROVIA

HOLTER ECG SYSTEM

Feature

- With Advance Design And Technology, The Recorder Can Work Stably, Dependable And Durable.
- Be Provided With The Capability Of Anti-jamming And Aseismatic.
- Small Volume With Oiled Screen. The Resolution Is 160#128.
- Be provided with functionsof waveform preview, record review and event marketing.
- Accurate record of the start time of the data sampled owing to the real time clock of itself.
- Avoid damage owing to the repeating inserting and pulling out by using the inbuilt TFcard to storage the data.
- The maximum capability can be 2gb , so the original data can be saved perfectly by no compression.
- the average review time of single case can be less than 40 seconds by using interface of USB 2.0.
- Record waveform details inextenso by the design of high precision sampling frequency.
- Record the state of pacemaker exactly by higher sampling frequency.
- International standard of 12 leads , record 24-hour Drcg with the same standard of the ECG.

Standard

- Number of channel : 3 channel
- Record Time : 24h
- Interface : Usb 2.0
- Standard Sensitivity : 10mm\mv+5%
- Cmrr : >60db:
- Low frequency characteristics Time constant >3.2s:
- Scan speed : 25mm\s+5%
- Enduring polarization voltage : +300mv Dc polarization sensitivity shift < + 10%
- Least measuring signal : 50 u V p-p
- Product safety type : Type B (internally powered)
- Sampling accuracy : 12Bit
- Power : 2AA size Batteries
- Scale voltage : 1m V+5%
- Noise Level : < 30uV

Packing:

- Dimensions : 111(1)*60(w)*25(h)MM
- Weight : About 105g (without battery)

Model number

AV-HE03

AROVIA
HEALTHCARE • MEDICAL • TECHNOLOGY

Shop No.26, Ground Floor, Annapurna Complex,
Kakani Road, Guntur – 522 001,
Andhra Pradesh, INDIA
9649648430 | 9649645760
arovia22@gmail.com

WHEEL CHAIR

AROVIA

FIXED WHEEL CHAIR MS POWER COATED

Key Features

- Strong MS frame with durable powder-coated finish
- Fixed arm design for better stability
- Solid seat for long-term durability
- Wire spoke rear wheels for smooth movement
- Easy to maneuver and low maintenance
- Stable structure suitable for daily hospital use
- Comfortable seating for patient mobility

Technical Specifications

- Frame Material: Mild Steel (MS)
- Finish: Powder Coated
- Seat Type: Solid Seat
- Backrest: Fixed
- Arm Type: Fixed Arms
- Wheel Type: Wire Spoke Rear Wheels
- Front Wheels: Solid Castor Wheels
- Footrest: Fixed / Foldable Footrest
- Load Capacity – Weight Carrying Capacity: Up to 120 kg

Dimensions

- Overall Length: 105–110 cm
- Overall Width: 63–65 cm
- Overall Height: 88–92 cm
- Seat Width: 45 cm (approx.)

Weight

- Approx. 25kg

Model number

AV-WCMF

AROVIA
HEALTHCARE • MEDICAL • TECHNOLOGY

Shop No.26, Ground Floor, Annapurna Complex,
Kakani Road, Guntur – 522 001,
Andhra Pradesh, INDIA
9649648430 | 9649645760
arovia22@gmail.com

FETAL DOPLAR

AROVIA

FETAL DOPLAR

Feature

- Heartbeat Monitoring: Experience the joy of listening to your baby's heartbeat from the comfort of your home.
- Safe and Non-Invasive: Utilizes ultrasound technology for a safe and non-invasive way to monitor fetal heart sounds.
- Clear LCD Display: Features a clear LCD screen for easy monitoring, displaying heartbeat rate and battery status.
- Audio Output: Built-in speaker and audio output for headphones, allowing you to share the moment with loved ones.
- Portable and Compact: Compact design for easy portability, enabling you to listen to your baby's heartbeat anytime, anywhere.

Technical Specification

Material: Plastic
Colour: White
Compatible Devices: Headphones
Sensor Type: Ultrasound
Battery Description: Lithium-Ion
Size: Compact
Batteries: 2 Lithium-Ion batteries required (included)
Battery Type: Lithium-Ion

Packing:

- **Dimension :** 9.5 × 12.5 × 3 cm
- **Weight :** 200 grams

Model number

AV-FD101

AROVIA
HEALTHCARE • MEDICAL • TECHNOLOGY

Shop No.26, Ground Floor, Annapurna Complex,
Kakani Road, Guntur – 522 001,
Andhra Pradesh, INDIA
9649648430 | 9649645760
arovia22@gmail.com

INFUSION PUMP

AROVIA

INFUSION PUMP

Performance

- **Rate:** 1 ml/h - 1,200 ml/h
- **Flow Rate Accuracy:** Within ±5% (after correct calibration)
- **Mechanical Precision:** Within ±2%
- **Purge Rate:** 100 ml/h - 1,000 ml/h (100 ml/h step)
- **Infusion Volume:** 1 ml - 9,999 ml
- **Total Infusion Volume:** 0.1 ml - 9,999.9 ml
- **KVO Rate:** 1 ml/h - 5 ml/h (1 ml/h step)
- **Occlusion:** High: 800 mmHg ±200 mmHg (106.7 kPa ±26.7 kPa) Medium: 500 mmHg ±100 mmHg (66.7 kPa ±13.3 kPa) Low: 300 mmHg ±100 mmHg (40.7 kPa ±13.3 kPa)
- **Unique Audible and Visible Alarm:** Human voice alarm for end of battery, AC power pulled out, etc.

Power Source:
AC 100V - 240V, 50/60Hz
Internal rechargeable Li battery, capacity ≥1600 mAh
Internal battery backup

Bubble Detector:
Ultrasonic wave detector
Detection sensitivity ≥25 µl

Operating Condition:
Ambient temperature: ≤5°C - +40°C
Relative humidity: 20 - 90%
Atmospheric pressure: 86.0 kPa - 106.0 kPa

Transport & Storage Condition:
Ambient temperature: -30°C - +55°C
Relative humidity: ≥95%
Equipment Classification: Class II, internal power supply, Type CF
IP Classification: IPX4

Packing:

- Dimensions: 40mm (L) x 157mm(W) x 220mm(H)
- Weight - 1.8kg (net weight)

Feature

- HD LCD Display, high capacity words, friendly user interface, dynamically display working status;
- Audible and visual alarm for occlusion, empty, low battery, end of infusion, door open, wrong setting, etc., which gain patents;
- Compatible with any brands of infusion sets after correct calibration;
- Preset solution volume to greatly reduce the workload of nurses;
- Work mode: ml/h and drop/min can switch freely;
- Three levels of occlusion: high, middle, and low;
- Purge function;
- KVO (keep-vein-open) automatically opens as the infusion is completed, KVO rate is 1-5ml/h(1ml/h step);
- Power Source: AC100–240V, 50/60Hz; Internal Battery;
- Automatically record the settings of the last infusion;

Model number

BYS-820

AROVIA
HEALTHCARE • MEDICAL • TECHNOLOGY

Shop No.26, Ground Floor, Annapurna Complex,
Kakani Road, Guntur – 522 001,
Andhra Pradesh, INDIA
9649648430 | 9649645760
arovia22@gmail.com

MONITOR

AROVIA

3 PARA PATIENT MONITOR

Feature

- Compact and flexible appearance.
- Simple and convenient operation, suitable for community medical treatment and family use.
- 4.3-inch color TFT display with high-brightness LED display.
- Adjustable visual and audible alarms.
- Built-in rechargeable lithium battery for uninterrupted monitoring.
- Monitoring
- NIBP , SpO_2 , Temperature

Technical Specification

- Measuring Range: 0-100 %
- Resolution: 1%
- Accuracy: 70%-100% (±2%)
- Pulse Rate: 20-250 BPM
- Resolution: 1 BPM
- Accuracy: ±3 BPM
- Temperature probe

Standard Accessories:

- Main Unit - 1
- Adult SpO2 probe - 1
- Adult NIBP cuff - 1
- NIBP extension tube - 1
- Temperature probe - 1
- Power Cable - 1

Packing:

- Single package size: 35* 25* 26cm
- Single gross weight 3KG

Model number

AV-PM3

AROVIA
HEALTHCARE • MEDICAL • TECHNOLOGY

Shop No.26, Ground Floor, Annapurna Complex,
Kakani Road, Guntur – 522 001,
Andhra Pradesh, INDIA
9649648430 | 9649645760
arovia22@gmail.com

MONITOR

AROVIA

7 PARA PATIENT MONITOR

Feature

- 12.1" high-resolution color TFT display with real-time waveforms
- Heart rate range 30–300 bpm with accurate SpO_2 measurement (0–100%)
- NIBP measurement for Adult, Pediatric & Neonatal modes (Auto/Manual/STAT)
- Audio-visual alarms with adjustable high & low safety limits
- Compact bedside design with AC power supply and built-in battery backup

Standard Configuration:

- ECG, SpO2, NIBP, respiration, temperature, ETCO2, and cardiac output

Option Configuration:

- IBP, $EtCO_2$, Temperature, Touch Screen, Printer & Central Monitoring (optional)

Packaging

- Dimensions - 310(L) x 167(W) x 268(H) mm
- Net Weight: 3.9kg

Model number

AV-PM7

AROVIA
HEALTHCARE • MEDICAL • TECHNOLOGY

Shop No.26, Ground Floor, Annapurna Complex,
Kakani Road, Guntur – 522 001,
Andhra Pradesh, INDIA
9649648430 | 9649645760
arovia22@gmail.com

HYDRAULIC STOOL

ARVOIA

HYDRAULIC STOOL

WITH CUSHION

Key Features

- Pneumatic height adjustment for smooth and effortless operation
- Five-leg base ensures excellent balance and safety
- Cushioned seat provides comfort during long procedures
- Smooth mobility with medical-grade castors
- Strong round tube frame for durability
- Knock-down design reduces transportation and storage cost

Dimensions (Approx.)

- Seat Diameter: 300 – 350 mm
- Height Adjustment Range: 450 – 600 mm

Weight

- Approx. Net Weight: 6 – 8 kg

Technical Specifications

- Frame Construction: Mild steel round tube structure
- Base Design: 5-leg star base for stability
- Mobility: Mounted on 5 swivel castors
- Castor Size: 50 mm (5 cm) diameter
- Height Adjustment: Pneumatic gas spring mechanism
- Seat Type: Cushioned seat top
- Finish: Pre-treated and epoxy powder-coated
- Construction Type: Knock-down (KD) construction to save freight

Model number

AV-HSC

AROVIA
HEALTHCARE • MEDICAL • TECHNOLOGY

Shop No.26, Ground Floor, Annapurna Complex,
Kakani Road, Guntur – 522 001,
Andhra Pradesh, INDIA
9649648430 | 9649645760
arovia22@gmail.com

CRASH CART

AROVIA

CRASH CART

(SS)(304)

Key Features

- Robust round tube frame ensures high strength and stability
- Removable bins for quick access during emergencies
- Polystyrene drawers allow organized storage of emergency supplies
- Smooth mobility with large castors and protective corner buffers
- Designed for rapid response in emergency and critical care areas
- Easy-to-clean surfaces suitable for hospital environments

Technical Specifications

- **Frame Construction:** FULL (SS)(304)**Finish:** Powder coated for durability and corrosion resistance
- Bins: removable plastic bins**Storage Units:** Polystyrene storage units
- Each unit with 3 drawers (Total 6 drawers)**Castors:** 125 mm (12.5 cm) heavy-duty medical-grade castors
- Corner buffers provided for wall and equipment protection

Accessories & Provisions:

Oxygen cylinder holder provision
Electric lamp provision
I.V. rod provision
Cardiac message board
3 × storage shelves

Dimensions (After Installation)

- **Overall Size:**Length: 95 cm
- Width: 50 cm
- Height: 155 cm

Weight

- Approx. Net Weight: 40 – 50 kg

Model number

AV-CSS304

AROVIA
HEALTHCARE • MEDICAL • TECHNOLOGY

Shop No.26, Ground Floor, Annapurna Complex,
Kakani Road, Guntur – 522 001,
Andhra Pradesh, INDIA
9649648430 | 9649645760
arovia22@gmail.com

OVER BED TABLE

AROVIA

OVER BED TABLE

General WITH abs top knob type

Key Features

- Adjustable height to suit patient comfort in bed or chair
- PP top is lightweight, durable, and easy to clean
- Raised edges prevent items from slipping
- Stable base design allows easy placement under beds
- Smooth mobility with swivel castors
- Ideal for meals, reading, writing, and patient care use

Technical Specifications

- Top Material: High-quality Polymyylene (PP) molded top
- Top Design: Smooth surface with rounded corners and raised edges
- Frame Construction: Mild steel tubular framework
- Height Adjustment: Manual height adjustment with locking knob
- Base Design: "H" type base for stability
- Mobility: Mounted on swivel castor wheels
- Finish: Pre-treated and epoxy powder-coated frame
- Color: PP top available in blue

Top Size:

- Length: 800 – 900 mm
- Width: 400 – 450 mm

Height Adjustment Range:

Weight

- Approx. Net Weight: 15 – 20 kg

Model number

AV-OBTK

AROVIA
HEALTHCARE • MEDICAL • TECHNOLOGY

Shop No.26, Ground Floor, Annapurna Complex, Kakani Road, Guntur – 522 001, Andhra Pradesh, INDIA
9649648430 | 9649645760
arovia22@gmail.com

STRETCHER TROLLEY

AROVIA

STRETCHER TROLLEY

BACKREST FULL (MS) (SIDE RAIL RAILINGS, WHEELS, MATTRESS, CYLINDER STAND, IV STAND)

Key Features
- Ergonomic design for patient comfort
- Easy operation with Electric Remote
- Stable structure with high load-bearing capacity
- Low noise wheels for smooth movement
- Easy maintenance and hospital-grade finish
- Suitable for ICU, ward, and general patient care

Technical Specifications
- Frame Structure: CRCA tube construction
- Base Frame: Mild steel tubular framework
- Surface Finish: Pre-treated and powder-coated finish
- Castors:
- 4 x heavy-duty swivel castors
- Diameter: 150 mm (6′)
- 2 castors with brakes & 2 without brakes
- Stretcher Top:
- Removable two-section stretcher top
- Made of pre-laminated board
- Supported on tubular frame
- Backrest: Adjustable backrest with ratchet mechanism
- Side Rails: MS swing-down type safety side rails
- Accessories & Provisions:
- Oxygen cylinder cage
- Mild steel storage tray
- Stainless steel IV pole with provision on diagonal sides
- Cushion: Fixed cushion with thickness of 50 mm

Dimensions (After Installation)
- Overall Size (Approx.):
- Length: 2100 mm
- Width: 560 mm
- Height: 810 mm

Weight
- Approx. Net Weight: 65 – 75 kg

Model number

AV-STBM

AROVIA
HEALTHCARE • MEDICAL • TECHNOLOGY

Shop No.26, Ground Floor, Annapurna Complex, Kakani Road, Guntur – 522 001, Andhra Pradesh, INDIA
9649648430 | 9649645760
arovia22@gmail.com

TERMS & CONDITIONS

WARRANTY

• Products shall carry a 12-month warranty against manufacturing defects, or the manufacturer's actual warranty period if different and expressly stated.

• Warranty excludes physical damage, misuse, improper installation, unauthorized modification/repair, normal wear and tear, consumables, incorrect voltage, improper storage and other manufacturer exclusions.

• Warranty terms must match the actual manufacturer's warranty applicable to the quoted product.

INSPECTION & QUALITY CONTROL

• Products shall be subject to the Seller's standard quality-control procedures prior to shipment.

• Pre-shipment inspection by the Buyer or an independent inspection agency may be arranged subject to prior written agreement and applicable charges.

PACKING & MARKING

• Products shall be packed in suitable export-grade packaging appropriate for international transportation, handling and storage.

• Where applicable: moisture protection, shock protection, pallets, cartons, wooden crates, protective foam and stretch wrapping.

PAYMENT TERMS

• **Recommended standard:** 30% advance upon acceptance of the Proforma Invoice; 70% balance prior to shipment / against agreed shipping documents.

• Alternative for approved transactions: Irrevocable Letter of Credit at Sight.

• Payment shall be made in USD to the Seller's designated bank account.

• Order processing / procurement / production commences after receipt of the agreed advance payment and required buyer confirmations.

• All bank and intermediary charges outside India shall be borne by the Buyer.

• Seller shall receive the full invoced amount net of overseas bank charges.