



AC\$B Camp Block 900 Monthly Report - Building Owner

2023-05





Table of Contents




- 1. Electricity Consumption.....page 3
- 2. Water Consumption..... page 5
- 3. Anomaly Detection..... page 7



1. Electricity Consumption





Block 900 Peer Comparison in 2023-05	
EUI for blk-900	2,727 Wh/m2
EUI for Best Performing Peer	2,727 Wh/m2
EUI % Against Best Performing Peer	0%
EUI % Against Median Peer	-24%






Block 900 Self Comparison in 2023-05	
EUI This Month	2,727 Wh/m2
EUI Last Month	2,448 Wh/m2
EUI Month to Month Comparison	increase 11%
Highest EUI Week	732 Wh/m2, Week Starting From 2023-05-29
Highest EUI Hour	5 Wh/m2 in 11:00-12:00 hr



2. Water Consumption



Block 900 Peer Comparison in 2023-05	
WEI for blk-900	0.029 m3/m2
WEI for Best Performing Peer	0.012 m3/m2
WEI % Against Best Performing Peer	138%
WEI % Against Median Peer	-32%



Block 900 Self Comparison in 2023-05	
WEI This Month	0.029 m3/m2
WEI Last Month	0.028 m3/m2
WEI Month to Month Comparison	increase 2%
Highest WEI Week	0.009 m3/m2, Week Starting From 2023-05-29
Highest WEI Hour	0.0001 m3/m2 in 9:00-10:00 hr



3. Anomaly Detection