

Question 1

```
MariaDB [movieco]> create table MEMBERSHIP(MEM_NUM VARCHAR(50) Primary Key,
MEM_FNAME VARCHAR(50), MEM_LNAME VARCHAR(50), MEM_STREET VARCHAR(50),
MEM_CITY VARCHAR(50), MEM_STATE VARCHAR(50), MEM_BALANCE int);
Query OK, 0 rows affected (0.038 sec)
```

```
MariaDB [movieco]> describe MEMBERSHIP;
```

Field	Type	Null	Key	Default	Extra
MEM_NUM	varchar(50)	NO	PRI	NULL	
MEM_FNAME	varchar(50)	YES		NULL	
MEM_LNAME	varchar(50)	YES		NULL	
MEM_STREET	varchar(50)	YES		NULL	
MEM_CITY	varchar(50)	YES		NULL	
MEM_STATE	varchar(50)	YES		NULL	
MEM_BALANCE	int(11)	YES		NULL	

```
7 rows in set (0.050 sec)
```

```
MariaDB [movieco]> alter table MEMBERSHIP modify column MEM_BALANCE double;
Query OK, 0 rows affected (0.085 sec)
Records: 0 Duplicates: 0 Warnings: 0
```

```
MariaDB [movieco]> describe MEMBERSHIP;
```

Field	Type	Null	Key	Default	Extra
MEM_NUM	varchar(50)	NO	PRI	NULL	
MEM_FNAME	varchar(50)	YES		NULL	
MEM_LNAME	varchar(50)	YES		NULL	
MEM_STREET	varchar(50)	YES		NULL	
MEM_CITY	varchar(50)	YES		NULL	
MEM_STATE	varchar(50)	YES		NULL	
MEM_BALANCE	double	YES		NULL	

```
7 rows in set (0.053 sec)
```

```
MariaDB [movieco]> describe MEMBERSHIP;
```

Field	Type	Null	Key	Default	Extra
MEM_NUM	varchar(50)	NO	PRI	NULL	
MEM_FNAME	varchar(50)	YES		NULL	
MEM_LNAME	varchar(50)	YES		NULL	
MEM_STREET	varchar(50)	YES		NULL	
MEM_CITY	varchar(50)	YES		NULL	
MEM_STATE	varchar(50)	YES		NULL	
MEM_ZIP	varchar(50)	YES		NULL	
MEM_BALANCE	double	YES		NULL	

```
8 rows in set (0.030 sec)
```

```
MariaDB [movieco]> create table RENTAL(RENT_NUM VARCHAR(50) Primary Key,
RENT_DATE VARCHAR(50), MEM_NUM VARCHAR(50), Foreign Key(MEM_NUM) references
MEMBERSHIP(MEM_NUM));
Query OK, 0 rows affected (0.031 sec)
```

```
MariaDB [movieco]> describe RENTAL;
```

Field	Type	Null	Key	Default	Extra
RENT_NUM	varchar(50)	NO	PRI	NULL	
RENT_DATE	varchar(50)	YES		NULL	

```
| MEM_NUM      | varchar(50) | YES  | MUL | NULL      |
+-----+-----+-----+-----+-----+
3 rows in set (0.049 sec)
```

```
MariaDB [movieco]> create table PRICE(PRICE_CODE VARCHAR(50) Primary Key,
PRICE_DESCRIPTION VARCHAR(50), PRICE_RENTFEE double, PRICE_DAILYATEFEE
double);
Query OK, 0 rows affected (0.007 sec)
```

```
MariaDB [movieco]> describe PRICE;
+-----+-----+-----+-----+-----+-----+
| Field          | Type          | Null | Key | Default | Extra |
+-----+-----+-----+-----+-----+-----+
| PRICE_CODE     | varchar(50)   | NO   | PRI | NULL     |       |
| PRICE_DESCRIPTION | varchar(50)   | YES  |     | NULL     |       |
| PRICE_RENTFEE   | double        | YES  |     | NULL     |       |
| PRICE_DAILYATEFEE | double        | YES  |     | NULL     |       |
+-----+-----+-----+-----+-----+-----+
4 rows in set (0.047 sec)
```

```
MariaDB [movieco]> create table MOVIE(MOVIE_NUM VARCHAR(50) Primary Key,
MOVIE_TITLE VARCHAR(50), MOVIE_YEAR VARCHAR(50), MOVIE_COST double,
MOVIE_GENRE VARCHAR(50), PRICE_CODE VARCHAR(50), Foreign Key(PRICE_CODE)
references PRICE(PRICE_CODE));
Query OK, 0 rows affected (0.009 sec)
```

```
MariaDB [movieco]> describe MOVIE;
+-----+-----+-----+-----+-----+-----+
| Field          | Type          | Null | Key | Default | Extra |
+-----+-----+-----+-----+-----+-----+
| MOVIE_NUM      | varchar(50)   | NO   | PRI | NULL     |       |
| MOVIE_TITLE     | varchar(50)   | YES  |     | NULL     |       |
| MOVIE_YEAR      | varchar(50)   | YES  |     | NULL     |       |
| MOVIE_COST      | double        | YES  |     | NULL     |       |
| MOVIE_GENRE     | varchar(50)   | YES  |     | NULL     |       |
| PRICE_CODE      | varchar(50)   | YES  | MUL | NULL     |       |
+-----+-----+-----+-----+-----+-----+
6 rows in set (0.046 sec)
```

```
MariaDB [movieco]> create table VIDEO(VID_NUM VARCHAR(50) Primary Key,
VID_INDATE VARCHAR(50), MOVIE_NUM VARCHAR(50), Foreign Key(MOVIE_NUM)
references MOVIE(MOVIE_NUM));
Query OK, 0 rows affected (0.026 sec)
```

```
MariaDB [movieco]> describe VIDEO;
+-----+-----+-----+-----+-----+-----+
| Field          | Type          | Null | Key | Default | Extra |
+-----+-----+-----+-----+-----+-----+
| VID_NUM        | varchar(50)   | NO   | PRI | NULL     |       |
| VID_INDATE     | varchar(50)   | YES  |     | NULL     |       |
| MOVIE_NUM      | varchar(50)   | YES  | MUL | NULL     |       |
+-----+-----+-----+-----+-----+-----+
3 rows in set (0.042 sec)
```

```
MariaDB [movieco]> create table DETAILRENTAL(RENT_NUM VARCHAR(50), VID_NUM
VARCHAR(50), DETAIL_FEE double, DETAIL_DUEDATE VARCHAR(50), DETAIL_RETURNDATE
VARCHAR(50), DETAIL_DAILYLATEFEE double, Primary Key(RENT_NUM, VID_NUM),
Foreign Key(RENT_NUM) references RENTAL(RENT_NUM), Foreign Key(VID_NUM)
references VIDEO(VID_NUM));
Query OK, 0 rows affected (0.024 sec)
```

```
MariaDB [movieco]> describe DETAILRENTAL;
+-----+-----+-----+-----+-----+-----+
| Field          | Type          | Null | Key | Default | Extra |
+-----+-----+-----+-----+-----+-----+
```

```

+-----+-----+-----+-----+-----+-----+
| RENT_NUM | varchar(50) | NO | PRI | NULL | | |
| VID_NUM | varchar(50) | NO | PRI | NULL | | |
| DETAIL_FEE | double | YES | | NULL | | |
| DETAIL_DUEDATE | varchar(50) | YES | | NULL | | |
| DETAIL_RETURNDATE | varchar(50) | YES | | NULL | | |
| DETAIL_DAILYLATEFEE | double | YES | | NULL | | |
+-----+-----+-----+-----+-----+-----+
6 rows in set (0.044 sec)

```

Question 2

```

MariaDB [movieco]> insert into MEMBERSHIP(MEM_NUM, MEM_FNAME, MEM_LNAME,
MEM_STREET, MEM_CITY, MEM_STATE, MEM_ZIP, MEM_BALANCE) values
-> ("103","Curt","Knight","4025 Cornell Court","Flatgap","KY","41219",6),
-> ("104","Jamal","Melendez","788 East 145th
Avenue","Quebeck","TN","38579",0),
-> ("105","Iva","Mcclain","6045 Musket Ball Circle","Summit",
"KY","42783",15),
-> ("106","Miranda","Parks","4469 Maxwell
Place","Germantown","TN","38183",0),
-> ("107","Rosario","Elliott","7578 Danner
Avenue","Columbia","TN","38402",5),
-> ("108","Mattie","Guy","4390 Evergreen Street","Lily","KY","40740",0),
-> ("109","Clint","Ochoa","1711 Elnm
Street","Greenville","TN","37745",10),
-> ("110","Lewis","Rosales","4524 Southwind
Circle","Counce","TN","38326",0),
-> ("111","Stacy","Mann","2789 East Cook
Avenue","Murfeesboro","TN","37132",8),
-> ("112","Luis","Trujillo","7267 Melvin
Avenue","Heiskell","TN","37754",3),
-> ("113","Minnie","Gonzales","6430 Vasili
Drive","Williston","TN","38076",0);
Query OK, 11 rows affected (0.002 sec)
Records: 11 Duplicates: 0 Warnings: 0

```

```

MariaDB [movieco]> select * from MEMBERSHIP;

```

```

+-----+-----+-----+-----+-----+-----+
| MEM_NUM | MEM_FNAME | MEM_LNAME | MEM_STREET | MEM_CITY |
| MEM_STATE | MEM_ZIP | MEM_BALANCE |
+-----+-----+-----+-----+-----+-----+
| 102 | Tami | Dawson | 2632 Takli Circle | Norene |
TN | 37136 | 11 |
| 103 | Curt | Knight | 4025 Cornell Court | Flatgap |
KY | 41219 | 6 |
| 104 | Jamal | Melendez | 788 East 145th Avenue | Quebeck |
TN | 38579 | 0 |
| 105 | Iva | Mcclain | 6045 Musket Ball Circle | Summit |
KY | 42783 | 15 |
| 106 | Miranda | Parks | 4469 Maxwell Place | Germantown |
TN | 38183 | 0 |
| 107 | Rosario | Elliott | 7578 Danner Avenue | Columbia |
TN | 38402 | 5 |
| 108 | Mattie | Guy | 4390 Evergreen Street | Lily |
KY | 40740 | 0 |
| 109 | Clint | Ochoa | 1711 Elnm Street | Greenville |
TN | 37745 | 10 |
| 110 | Lewis | Rosales | 4524 Southwind Circle | Counce |
TN | 38326 | 0 |
| 111 | Stacy | Mann | 2789 East Cook Avenue | Murfeesboro |
TN | 37132 | 8 |

```

112	Luis	Trujillo	7267 Melvin Avenue	Heiskell
TN	37754	3		
113	Minnie	Gonzales	6430 Vasili Drive	Williston
TN	38076	0		

12 rows in set (0.001 sec)

```
MariaDB [movieco]> insert into RENTAL(RENT_NUM, RENT_DATE, MEM_NUM) values
-> ("1001","01-MAR-16","103"),
-> ("1002","01-MAR-16","105"),
-> ("1003","02-MAR-16","102"),
-> ("1004","02-MAR-16","110"),
-> ("1005","02-MAR-16","111"),
-> ("1006","02-MAR-16","107"),
-> ("1007","02-MAR-16","104"),
-> ("1008","03-MAR-16","105"),
-> ("1009","13-MAR-16","111");
Query OK, 9 rows affected (0.014 sec)
Records: 9 Duplicates: 0 Warnings: 0
```

```
MariaDB [movieco]> select * from RENTAL;
```

RENT_NUM	RENT_DATE	MEM_NUM
1001	01-MAR-16	103
1002	01-MAR-16	105
1003	02-MAR-16	102
1004	02-MAR-16	110
1005	02-MAR-16	111
1006	02-MAR-16	107
1007	02-MAR-16	104
1008	03-MAR-16	105
1009	13-MAR-16	111

9 rows in set (0.000 sec)

```
MariaDB [movieco]> insert into PRICE(PRICE_CODE, PRICE_DESCRIPTION,
PRICE_RENTFEE, PRICE_DAILYATEFEE) values
-> ("1","Standard",2,1),
-> ("2","New Release",3.5,3),
-> ("3","Discount",1.5,1),
-> ("4","Weekly Special",1,0.5);
Query OK, 4 rows affected (0.002 sec)
Records: 4 Duplicates: 0 Warnings: 0
```

```
MariaDB [movieco]> select * from PRICE;
```

PRICE_CODE	PRICE_DESCRIPTION	PRICE_RENTFEE	PRICE_DAILYATEFEE
1	Standard	2	1
2	New Release	3.5	3
3	Discount	1.5	1
4	Weekly Special	1	0.5

4 rows in set (0.001 sec)

```
MariaDB [movieco]> insert into MOVIE(MOVIE_NUM, MOVIE_TITLE, MOVIE_YEAR,
MOVIE_COST, MOVIE_GENRE, PRICE_CODE) values
-> ("1234","The Cesar Family Christmas",2014,39.95,"FAMILY","2"),
-> ("1235","Smokey Mountain Wildlife",2011,59.95,"ACTION","1"),
-> ("1236","Richard Goodhope",2015,59.95,"DRAMA","2"),
-> ("1237","Beatnik Fever",2014,29.95,"COMEDY","2"),
-> ("1238","Constant Compassion",2015,89.95,"DRAMA",null),
```

```

-> ("1239","Where Hope Dies",2005,25.49,"DRAMA","3"),
-> ("1245","Time to Burn",2012,45.49,"ACTION","1"),
-> ("1246","What He Doesn't Know",2013,58.29,"COMEDY","1");
Query OK, 8 rows affected (0.014 sec)
Records: 8  Duplicates: 0  Warnings: 0

```

MariaDB [movieco]> select * from MOVIE;

```

+-----+-----+-----+-----+
| MOVIE_NUM | MOVIE_TITLE | MOVIE_YEAR | MOVIE_COST | MOVIE_GENRE | PRICE_CODE |
+-----+-----+-----+-----+
| 1234 | The Cesar Family Christmas | 2014 | 39.95 | FAMILY | 2 |
| 1235 | Smokey Mountain Wildlife | 2011 | 59.95 | ACTION | 1 |
| 1236 | Richard Goodhope | 2015 | 59.95 | DRAMA | 2 |
| 1237 | Beatnik Fever | 2014 | 29.95 | COMEDY | 2 |
| 1238 | Constant Compassion | 2015 | 89.95 | DRAMA | NULL |
| 1239 | Where Hope Dies | 2005 | 25.49 | DRAMA | 3 |
| 1245 | Time to Burn | 2012 | 45.49 | ACTION | 1 |
| 1246 | What He Doesn't Know | 2013 | 58.29 | COMEDY | 1 |
+-----+-----+-----+-----+
8 rows in set (0.001 sec)

```

MariaDB [movieco]> insert into VIDEO(VID_NUM, VID_INDATE, MOVIE_NUM) values

```

-> ("54321", "18-JUN-15", "1234"),
-> ("54324", "18-JUN-15", "1234"),
-> ("54325", "18-JUN-15", "1234"),
-> ("34341", "22-JAN-14", "1235"),
-> ("34342", "22-JAN-14", "1235"),
-> ("34366", "02-MAR-16", "1236"),
-> ("34367", "02-MAR-16", "1236"),
-> ("34368", "02-MAR-16", "1236"),
-> ("34369", "02-MAR-16", "1236"),
-> ("44392", "21-OCT-15", "1237"),
-> ("44397", "21-OCT-15", "1237"),
-> ("59237", "14-FEB-16", "1237"),
-> ("61388", "25-JAN-14", "1239"),
-> ("61353", "28-JAN-13", "1245"),
-> ("61354", "28-JAN-13", "1245"),
-> ("61367", "30-JUL-15", "1246"),
-> ("61369", "30-JUL-15", "1246");

```

Query OK, 17 rows affected (0.016 sec)
Records: 17 Duplicates: 0 Warnings: 0

MariaDB [movieco]> select * from VIDEO;

```

+-----+-----+-----+
| VID_NUM | VID_INDATE | MOVIE_NUM |
+-----+-----+-----+
| 34341 | 22-JAN-14 | 1235 |
| 34342 | 22-JAN-14 | 1235 |
| 34366 | 02-MAR-16 | 1236 |
| 34367 | 02-MAR-16 | 1236 |
| 34368 | 02-MAR-16 | 1236 |
| 34369 | 02-MAR-16 | 1236 |

```

44392	21-OCT-15	1237
44397	21-OCT-15	1237
54321	18-JUN-15	1234
54324	18-JUN-15	1234
54325	18-JUN-15	1234
59237	14-FEB-16	1237
61353	28-JAN-13	1245
61354	28-JAN-13	1245
61367	30-JUL-15	1246
61369	30-JUL-15	1246
61388	25-JAN-14	1239

17 rows in set (0.001 sec)

```
MariaDB [movieco]> insert into DETAILRENTAL(RENT_NUM, VID_NUM, DETAIL_FEE,
DETAIL_DUEDATE, DETAIL_RETURNDATE, DETAIL_DAILYLATEFEE) values
-> ('1001','34342',2,'04-MAR-16','02-MAR-16',null),
-> ('1001','61353', 2, '04-MAR-16','03-MAR-16',1),
-> ('1002','59237',3.5,'04-MAR-16','04-MAR-16',3),
-> ('1003','54325',3.5,'04-MAR-16','09-MAR-16',3),
-> ('1003','61369',2,'06-MAR-16','09-MAR-16',1),
-> ('1003','61388',0,'06-MAR-16','09-MAR-16',1),
-> ('1004','44392', 3.5, '05-MAR-16', '07-MAR-16',3),
-> ('1004','34367',3.5,'05-MAR-16','07-MAR-16', 3),
-> ('1004','34341',2,'07-MAR-16','07-MAR-16',1),
-> ('1005','34342',2,'07-MAR-16','05-MAR-16',1),
-> ('1005','44397',3.5,'05-MAR-16','05-MAR-16',3),
-> ('1006','34366',3.5,'05-MAR-16','04-MAR-16',3),
-> ('1006','61367',2,'07-MAR-16',null,1),
-> ('1007','34368',3.5,'05-MAR-16',null,3),
-> ('1008','34369', 3.5, '05-MAR-16','05-MAR-16',3),
-> ("1009","54324",3.5,"05-MAR-16",null,3),
-> ("1001","34366",3.5,"04-MAR-16","02-MAR-16",3);
Query OK, 17 rows affected (0.019 sec)
Records: 17 Duplicates: 0 Warnings: 0
```

```
MariaDB [movieco]> select * from DETAILRENTAL;
```

RENT_NUM	VID_NUM	DETAIL_FEE	DETAIL_DUEDATE	DETAIL_RETURNDATE	DETAIL_DAILYLATEFEE
1001	34342	2	04-MAR-16	02-MAR-16	
1001	34366	3.5	04-MAR-16	02-MAR-16	
1001	61353	2	04-MAR-16	03-MAR-16	1
1002	59237	3.5	04-MAR-16	04-MAR-16	3
1003	54325	3.5	04-MAR-16	09-MAR-16	3
1003	61369	2	06-MAR-16	09-MAR-16	1
1003	61388	0	06-MAR-16	09-MAR-16	1
1004	34341	2	07-MAR-16	07-MAR-16	1
1004	34367	3.5	05-MAR-16	07-MAR-16	3
1004	44392	3.5	05-MAR-16	07-MAR-16	3

1	1005	34342	2	07-MAR-16	05-MAR-16
3	1005	44397	3.5	05-MAR-16	05-MAR-16
3	1006	34366	3.5	05-MAR-16	04-MAR-16
1	1006	61367	2	07-MAR-16	NULL
3	1007	34368	3.5	05-MAR-16	NULL
3	1008	34369	3.5	05-MAR-16	05-MAR-16
3	1009	54324	3.5	05-MAR-16	NULL

17 rows in set (0.001 sec)

Question 3

MariaDB [movieco]> update MOVIE set MOVIE_YEAR = 2010 where MOVIE_NUM = "1245";

Query OK, 1 row affected (0.019 sec)

Rows matched: 1 Changed: 1 Warnings: 0

MariaDB [movieco]> select * from MOVIE;

MOVIE_NUM	MOVIE_TITLE	MOVIE_YEAR	MOVIE_COST	MOVIE_GENRE	PRICE_CODE
1234	The Cesar Family Christmas	2014	39.95	FAMILY	2
1235	Smokey Mountain Wildlife	2011	59.95	ACTION	1
1236	Richard Goodhope	2015	59.95	DRAMA	2
1237	Beatnik Fever	2014	29.95	COMEDY	2
1238	Constant Compassion	2015	89.95	DRAMA	NULL
1239	Where Hope Dies	2005	25.49	DRAMA	3
1245	Time to Burn	2010	45.49	ACTION	1
1246	What He Doesn't Know	2013	58.29	COMEDY	1

8 rows in set (0.001 sec)

Question 4

MariaDB [movieco]> update MOVIE set PRICE_CODE = "3" where MOVIE_GENRE = "Action";

Query OK, 2 rows affected (0.015 sec)

Rows matched: 2 Changed: 2 Warnings: 0

MariaDB [movieco]> select * from MOVIE;

MOVIE_NUM	MOVIE_TITLE	MOVIE_YEAR	MOVIE_COST	MOVIE_GENRE	PRICE_CODE
-----------	-------------	------------	------------	-------------	------------

1234	The Cesar Family Christmas	2014	39.95	FAMILY
2				
1235	Smokey Mountain Wildlife	2011	59.95	ACTION
3				
1236	Richard Goodhope	2015	59.95	DRAMA
2				
1237	Beatnik Fever	2014	29.95	COMEDY
2				
1238	Constant Compassion	2015	89.95	DRAMA
NULL				
1239	Where Hope Dies	2005	25.49	DRAMA
3				
1245	Time to Burn	2010	45.49	ACTION
3				
1246	What He Doesn't Know	2013	58.29	COMEDY
1				

8 rows in set (0.001 sec)

Question 5

MariaDB [movieco]> update PRICE set PRICE_RENTFEE = PRICE_RENTFEE + 0.50;
 Query OK, 4 rows affected (0.008 sec)
 Rows matched: 4 Changed: 4 Warnings: 0

MariaDB [movieco]> select * from PRICE;

PRICE_CODE	PRICE_DESCRIPTION	PRICE_RENTFEE	PRICE_DAILYATEFEE
1	Standard	2.5	1
2	New Release	4	3
3	Discount	2	1
4	Weekly Special	1.5	0.5

4 rows in set (0.001 sec)

Question 6

MariaDB [movieco]> select MOVIE_TITLE, MOVIE_YEAR, MOVIE_GENRE from MOVIE;

MOVIE_TITLE	MOVIE_YEAR	MOVIE_GENRE
The Cesar Family Christmas	2014	FAMILY
Smokey Mountain Wildlife	2011	ACTION
Richard Goodhope	2015	DRAMA
Beatnik Fever	2014	COMEDY
Constant Compassion	2015	DRAMA
Where Hope Dies	2005	DRAMA
Time to Burn	2010	ACTION
What He Doesn't Know	2013	COMEDY

8 rows in set (0.001 sec)

Question 7

MariaDB [movieco]> select MOVIE_YEAR, MOVIE_TITLE, MOVIE_COST from MOVIE
 ORDER BY MOVIE_YEAR DESC;

MOVIE_YEAR	MOVIE_TITLE	MOVIE_COST
2015	Richard Goodhope	59.95
2015	Constant Compassion	89.95
2014	The Cesar Family Christmas	39.95
2014	Beatnik Fever	29.95
2013	What He Doesn't Know	58.29
2011	Smokey Mountain Wildlife	59.95

2010	Time to Burn	45.49
2005	Where Hope Dies	25.49

8 rows in set (0.001 sec)

Question 8

MariaDB [movieco]> select MOVIE_TITLE, MOVIE_YEAR, MOVIE_GENRE from MOVIE ORDER BY MOVIE_GENRE ASC, MOVIE_YEAR DESC;

MOVIE_TITLE	MOVIE_YEAR	MOVIE_GENRE
Smokey Mountain Wildlife	2011	ACTION
Time to Burn	2010	ACTION
Beatnik Fever	2014	COMEDY
What He Doesn't Know	2013	COMEDY
Richard Goodhope	2015	DRAMA
Constant Compassion	2015	DRAMA
Where Hope Dies	2005	DRAMA
The Cesar Family Christmas	2014	FAMILY

8 rows in set (0.001 sec)

Question 9

MariaDB [movieco]> select MOVIE_NUM, MOVIE_TITLE, PRICE_CODE from MOVIE where MOVIE_TITLE like 'R%';

MOVIE_NUM	MOVIE_TITLE	PRICE_CODE
1236	Richard Goodhope	2

1 row in set (0.013 sec)

Question 10

MariaDB [movieco]> select MOVIE_TITLE, MOVIE_YEAR, MOVIE_COST from MOVIE where MOVIE_TITLE like '%Hope%' ORDER BY MOVIE_TITLE;

MOVIE_TITLE	MOVIE_YEAR	MOVIE_COST
Richard Goodhope	2015	59.95
Where Hope Dies	2005	25.49

2 rows in set (0.001 sec)

Question 11

MariaDB [movieco]> select MOVIE_TITLE, MOVIE_YEAR, MOVIE_GENRE from MOVIE where MOVIE_GENRE = 'ACTION';

MOVIE_TITLE	MOVIE_YEAR	MOVIE_GENRE
Smokey Mountain Wildlife	2011	ACTION
Time to Burn	2010	ACTION

2 rows in set (0.001 sec)

Question 12

MariaDB [movieco]> select MOVIE_NUM, MOVIE_TITLE, MOVIE_COST from MOVIE where MOVIE_COST > 40;

MOVIE_NUM	MOVIE_TITLE	MOVIE_COST
1235	Smokey Mountain Wildlife	59.95
1236	Richard Goodhope	59.95
1238	Constant Compassion	89.95

1245	Time to Burn	45.49	
1246	What He Doesn't Know	58.29	
+-----+-----+-----+			

5 rows in set (0.013 sec)

Question 13

MariaDB [movieco]> select MOVIE_NUM, MOVIE_TITLE, MOVIE_COST, MOVIE_GENRE from MOVIE
where MOVIE_GENRE IN('ACTION', 'COMEDY') and MOVIE_COST