Exploring Child care in Ontario in Toronto

1. Introduction

We are looking into the reading, math and general knowledge scores for fall 1998 and spring 1999 measurements, evaluating kindergarten students over the span of several months, based on the total house income.


- 1. Research Question 1: Are students' total house income affects their scores?
- 2. **Research Question 2:** Are students' total house income affects their general scores through months?

2. Exploratory Data Analysis (EDA)

| | fallreadingscore | fallmathscore | fallgeneralknowledgescore | springreadingscore | springmathscore | springgeneralknowledgescore | totalhouseholdincome | incomeinthousands | incomegroup |
|-------|------------------|---------------|---------------------------|--------------------|-----------------|-----------------------------|----------------------|-------------------|-------------|
| 0 | 36.58 | 39.54 | 33.822 | 49.37 | 50.10 | 40.533 | 140000.0 | 140.0 | 3 |
| 1 | 50.82 | 44.44 | 38.147 | 83.50 | 58.93 | 37.409 | 120000.0 | 120.0 | 3 |
| 2 | 40.68 | 28.57 | 28.108 | 40.41 | 32.81 | 29.312 | 90000.0 | 90.0 | 3 |
| 3 | 32.57 | 23.57 | 15.404 | 34.14 | 35.25 | 27.382 | 50000.0 | 50.0 | 2 |
| 4 | 31.98 | 19.65 | 18.727 | 32.84 | 23.60 | 26.977 | 55000.0 | 55.0 | 2 |
| | | | | | | | | | |
| 11928 | 32.51 | 25.68 | 11.694 | 45.63 | 24.27 | 20.189 | 39000.0 | 39.0 | 1 |
| 11929 | 31.96 | 25.73 | 21.461 | 47.84 | 40.35 | 32.357 | 26000.0 | 26.0 | 1 |
| 11930 | 40.44 | 30.50 | 16.836 | 49.93 | 41.00 | 19.803 | 45000.0 | 45.0 | 2 |
| 11931 | 35.51 | 28.96 | 28.864 | 51.60 | 50.27 | 35.991 | 28000.0 | 28.0 | 1 |
| 11932 | 23.47 | 14.30 | 15.256 | 31.41 | 17.49 | 18.283 | 13000.0 | 13.0 | 1 |

We proceeded with a comprehensive EDA to leverage insight that could potentially lead to interesting research questions. We started by describing our quantitative data as shown in *Figure 1* below. Additionally, we employed boxplots seen in *Figure 2* to visually represent the distribution of these features, after removing outliers. This descriptive analysis offered a clearer understanding of the general trends within each feature

Boxplot grouped by incomegroup







Figure 1 - fall scores

Boxplot grouped by incomegroup







Figure2 – spring scores

Based on the boxplot above, we can see that students has higher total house income has better average scores and all students have better average scores through month

3. Ancova for spring

| | OLS | Regres | sion R | esults | | |
|---|------------------|----------------|-------------------|--|---------|---------|
| - | springreadings | core | R-sqi | ====================================== | | ====== |
| 0.071 Model: 0.071 | | OLS | Adj. | R-squared: | | |
| Method: 304.1 | Least Squ | ares | F-statistic: | | | |
| Date: 2.89e-190 | Sun, 24 Mar 2024 | | Prob | (F-statistic) | : | |
| Time: 48259. | 03:11:39 | | Log-Likelihood: | | | _ |
| No. Observations: 9.653e+04 | 11933 | | AIC: | | | |
| Df Residuals: 9.656e+04 | 1 | 1929 | BIC: | | | |
| <pre>Df Model: Covariance Type:</pre> | nonro | 3 nonrobust | | | | |
| ======================================= | coef | std | err | t | P> + | |
| [0.025 0.975] | | | | | | |
| Intercept 41.240 42.253 | 41.7466 | 0. | .259 | 161.430 | 0.000 | |
| C(incomegroup) [T.2] 1.022 2.488 | 1.7547 | 0. | .374 | 4.691 | 0.000 | |
| C(incomegroup)[T.3] 0.366 2.957 | 1.6613 | 0. | .661 | 2.514 | 0.012 | |
| totalhouseholdincome 05 0.000 | e 8.713e-05 | 7.46 | 9-06 | 11.775 | 0.000 | 7.26e- |
| ====================================== | 6093 | 761 | Durh | ======== in-Watson: | :====== | ======= |
| 1.762 Prob(Omnibus): | 0.000 | | Jarque-Bera (JB): | | | |
| 50336.400 Skew: | 2.317 | | Prob(JB): | | | |
| 0.00 Kurtosis: 3.73e+05 | 11 | .931 | Cond. | . No. | | |

Here is an example Ancova result, C(incomegroup)[T.2] and C(incomegroup)[T.3]: These represent the differences in the mean spring reading score between each level of the incomegroup variable and the reference group (usually level 1). For example, the coefficient 1.7547 for incomegroup level 2 indicates that, on average, the spring reading score for level 2 is 1.7547 units higher than the reference group (level 1) after controlling for the effect of the covariate and other predictors.



4. Anova for Fall compare to Spring

| | 0 秒 | OLS Regression Results |
|---|------------|------------------------|
| ======================================= | ========== | |
| ========== | | |

Dep. Variable: fallgeneralknowledgescore R-squared: 0.733

Model: OLS Adj. R-squared: 0.733

Method: Least Squares F-statistic: 8196.

Date: Sun, 24 Mar 2024 Prob (F-statistic): 0.00

Time: 03:43:07 Log-Likelihood: -32926.

No. Observations: 11933 AIC: 6.586e+04

Df Residuals: 11928 BIC: 6.590e+04

Df Model: 4

Covariance Type: nonrobust

coef std err t P>|t| [0.025 0.975]

Intercept -0.4464 0.139 -3.2170.001 -0.718-0.174C(incomegroup)[T.2] 0.4068 0.104 3.907 0.000 0.203 0.611 C(incomegroup)[T.3] 0.6040 0.183 3.300 0.001 0.245 0.963

totalhouseholdincome 8.379e-06 2.07e-06 4.052 0.000 4.33e-06 1.24e-05 springgeneralknowledgescore 0.8061 0.005 161.236 0.000 0.796 0.816

======

Omnibus: 71.653 Durbin-Watson: 1.881 Prob(Omnibus): 0.000 Jarque-Bera (JB): 104.912

Skew: -0.028 Prob(JB): 1.65e-23 Kurtosis: 3.456 Cond. No. 3.78e+05

=======

The model has an R-squared value of 0.733, indicating that approximately 73.3% of the variance in fall general knowledge scores is explained by the independent variables included in the model.

The F-statistic is highly significant (p < 0.001), indicating that the overall model is statistically significant.

All coefficients, except for the intercept, are statistically significant (p < 0.05). This suggests that income group, total household income, and spring general knowledge score significantly predict fall general knowledge score.

The omnibus test result indicates that the model significantly deviates from the assumption of normality (p < 0.001). However, this might not be a concern, especially with a large sample size.

The Durbin-Watson statistic is approximately 1.881, indicating no significant autocorrelation among residuals.

The Jarque-Bera test result suggests that the residuals do not follow a normal distribution (p < 0.001).

Assumptions:

While the model is statistically significant, it's essential to consider potential violations of assumptions, such as normality of residuals and homogeneity of variances.

Overall, the ANCOVA model indicates that income group, total household income, and spring general knowledge score are significant predictors of fall general knowledge score.

However, further analysis and diagnostics are necessary to ensure that the model meets the underlying assumptions of ANCOVA.

5. Conclusion

Through quantitative analysis and visual exploration, we gained valuable insights about higher house income in total, the better scores students gain.