References:

- 1. Takala M, Luojus K, Pulliainen J, Derksen C, Lemmetyinen J, Kärnä JP, Koskinen J, Bojkov B (2011) Estimating northern hemisphere snow water equivalent for climate research through assimilation of space-borne radiometer data and ground-based measurements. Remote Sens Environ 115(12):3517–3529
- 2. Long, D. G., and M. J. Brodzik. 2016. Optimum Image Formation for Spaceborne Microwave Radiometer Products. *IEEE Transactions on Geoscience and Remote Sensing* 54(5): 2,763-2,779. doi:10.1109/TGRS.2015.2505677.
- 3. Cagnati, A., Crepaz, A., Macelloni, G., Pampaloni, P., Ranzi, R., Tedesco, M., Tomirotti, M., Valt, M., 2004. Study of the snow melt-freeze cycle using multi-sensor data and snow modelling. J. Glaciol. 50, 419–426.
- 4. Tedesco, M., Kim, E.J., England, A.W., De Roo, R.D., Hardy, J.P., 2006. Brightness temperatures of snow melting/refreezing cycles: Observations and modeling using a multilayer dense medium theory-based model. IEEE Trans. Geosci. Remote Sens. 44, 3563–3573.
- 5. Vuyovich, C. M., J. M. Jacobs, and S. F. Daly (2014), Comparison of passive microwave and modeled estimates of total watershed SWE in the continental United States, Water Resour. Res., 50, doi:10.1002/2013WR014734.
- 6. Vuyovich, C., Jacobs, J. (2011). Snowpack and runoff generation using AMSR-E passive microwave observations in the Upper Helmand Watershed, Afghanistan, Remote Sensing of Environment 115(12), 3313-3321. https://dx.doi.org/10.1016/j.rse.2011.07.014
- 7. Li, D., Durand, M., Margulis, S. (2017). Estimating snow water equivalent in a Sierra Nevada watershed via spaceborne radiance data assimilation, *Water Resources Research* 53(1), 647-671. https://dx.doi.org/10.1002/2016wr018878
- 8. Bair, E., Calfa, A., Rittger, K., Dozier, J. (2018). Using machine learning for real-time estimates of snow water equivalent in the watersheds of Afghanistan, *The Cryosphere 12*(5), 1579-1594. https://dx.doi.org/10.5194/tc-12-1579-2018
- 9. Kim, R., Durand, M., Li, D., Baldo, E., Margulis, S., Dumont, M., Morin, S. (2019). Estimating alpine snow depth by combining multifrequency passive radiance observations with ensemble snowpack modeling, *Remote Sensing of Environment* 226, 1-15. https://dx.doi.org/10.1016/j.rse.2019.03.016
- 10. Shah, R., X. Xu, S. Yueh, C.S. Chae, K. Elder, B. Starr, Y. Kim (2016). Remote sensing of snow water equivalent using P-band coherent reflection. IEEE Geoscience and remote sensing letters. doi: 10.1109/LGRS.2016.2636664.
- 11. Painter et al. 2016
- 12. Marti et al.
- 13. Mousavi et al.
- 14. Currier et al. 2019
- 15. Mazzotti et al 2019
- 16. McGrath et al. 2019