LIVE OPERATIONS OVERVIEW

HACKATHON NEXT WAVE 2026

Control Tower

MOCHE Sofia Bottino, Inés Mestres, Victoria Persico and Sofia Yabo

The problem

Image extracted from the fluctuating live graph shown on the api.

A payment failure is a customer loss.

- Operations teams discover incidents late.
- Approval rates drop
- What is failing? How much is at risk? Safest action?
- Every minute without diagnosis means lost revenue.

Separation by design: evidence, AI, and action never mix

Payment-operations platform

End-to-end visibility over an entire payment ecosystem with anomaly detection.



+ **Yuno API Manager**: Separate surface for monitoring integration health

Dashboard monitoring

3 Merchants · 3 Countries · 4 Root-cause dimensions

Mexico, Brazil, and Colombia

Rappi, Carrefour, and Despegar

- Approval rates
- Transactions
- Active incidents
- Estimated financial impact

We find common factors

Business Impact

Potentially lost transactions ≈ Expected approvals – Actual Approvals

Synthetic incident result:

- Expected approval: 93.5%
- Actual approval: 32.5%
- Approval drop: -61.0 pp
- Estimated revenue at risk: $84.9k/hour
- Affected transactions: 206

Evidence first. AI second.

Tested across 29 deterministic scenarios

- 80% incident detection recall
- 70% confirmed root-cause accuracy
- 75% multi-incident separation
- 10 min mean detection latency

  (2 monitoring windows)

Deterministic layer

Approval status · Provider & payment method · Country & issuing bank · Decline code · Transaction value

Communication agents

Diagnostic Agent · Proposal Agent · Notification Agent

Yuno API Manager

5 Synthetic webhook cases tested

- Valid webhook
- Invalid signature
- Invalid Amount
- Merchant mismatch
- Unsupported schema

Untrusted events never enter merchant payment metrics



Detect the loss. Find the cause. Protect your business.

THANK YOU