job submitted

```
lissyuse, cc(au01) pvars(pitotal)
summarize pitotal, detail
tabstat pitotal, stat(N mean sd median)
lissyuse, cc(au03) pvars(pitotal)
summarize pitotal, detail
tabstat pitotal, stat(N mean sd median)
lissyuse, cc(au04) pvars(pitotal)
summarize pitotal, detail
tabstat pitotal, stat(N mean sd median)
lissyuse, cc(au08) pvars(pitotal)
summarize pitotal, detail
tabstat pitotal, stat(N mean sd median)
lissyuse, cc(au10) pvars(pitotal)
summarize pitotal, detail
tabstat pitotal, stat(N mean sd median)
lissyuse, cc(au14) pvars(pitotal)
summarize pitotal, detail
tabstat pitotal, stat(N mean sd median)
lissyuse, cc(au16) pvars(pitotal)
summarize pitotal, detail
tabstat pitotal, stat(N mean sd median)
lissyuse, cc(au18) pvars(pitotal)
summarize pitotal, detail
tabstat pitotal, stat(N mean sd median)
```

listing

```
################################ NOTICE TO USERS ################################

  Use of the data in the LUXEMBOURG INCOME STUDY DATABASE is governed by
  regulations which do not allow copying or further distribution of the
  survey microdata.

  Anyone violating these regulations will lose all privileges to the
  databases and may be subject to prosecution under the law. In addition,
  any attempt to circumvent the LIS processing system or unauthorized entry
  into the LIS computing system will result in prosecution.

  All papers written using the LUXEMBOURG INCOME STUDY DATABASE must be
  submitted for entry into the Working Papers Series.
  Please consult our web site for more information at WWW.LISDATACENTER.ORG

################################ NOTICE TO USERS ################################


. lissyuse, cc(au01) pvars(pitotal)
lissyuse specifications:
  ccyy:     au01
  pvars:    pitotal
  hvars:
  lis:
  lws:
  erflis:
```

```
  onebyone:
  from:
  to:
  iso2:
  select:
  implicate:
  progs:

  no project defined, standard selection 'lis' database has been assigned
valid datasets:  au01

  au01p has been loaded, containing variables pitotal
your dataset run has been completed, containing variables pitotal

. summarize pitotal, detail

              total individual income, person
-------------------------------------------------------------
      Percentiles      Smallest
 1%            0        -127400
 5%            0        -115648
10%            0         -90948       Obs              13,183
25%         6136         -86736       Sum of Wgt.      13,183

50%        15184                      Mean           22426.15
                       Largest       Std. Dev.      26425.23
75%        33384         438776
90%        50544         468000       Variance       6.98e+08
95%        62400         475124       Skewness       4.232909
99%       109772         475124       Kurtosis        45.8308

. tabstat pitotal, stat(N mean sd median)

    variable |         N      mean        sd       p50
-------------+----------------------------------------
     pitotal |     13183  22426.15  26425.23     15184
----------------------------------------------------

. lissyuse, cc(au03) pvars(pitotal)
lissyuse specifications:
  ccyy:     au03
  pvars:    pitotal
  hvars:
  lis:
  lws:
  erflis:
  onebyone:
  from:
  to:
  iso2:
  select:
  implicate:
  progs:

  no project defined, standard selection 'lis' database has been assigned
valid datasets:  au03
```

```
  au03p has been loaded, containing variables pitotal
your dataset run has been completed, containing variables pitotal

. summarize pitotal, detail

               total individual income, person
-------------------------------------------------------------
      Percentiles      Smallest
 1%            0       -113932
 5%            0        -92872
10%            0        -58916       Obs              19,378
25%         7592        -57772       Sum of Wgt.      19,378

50%        16172                     Mean           24804.67
                       Largest       Std. Dev.      29815.09
75%        36400         629408
90%        55432         751764       Variance       8.89e+08
95%        69992         757692       Skewness       6.078362
99%       119496         844948       Kurtosis       104.8379

. tabstat pitotal, stat(N mean sd median)

    variable |         N      mean        sd       p50
-------------+--------------------------------------
     pitotal |     19378  24804.67  29815.09     16172
----------------------------------------------------

. lissyuse, cc(au04) pvars(pitotal)
lissyuse specifications:
  ccyy:     au04
  pvars:    pitotal
  hvars:
  lis:
  lws:
  erflis:
  onebyone:
  from:
  to:
  iso2:
  select:
  implicate:
  progs:

  no project defined, standard selection 'lis' database has been assigned
valid datasets:  au04

  au04p has been loaded, containing variables pitotal
your dataset run has been completed, containing variables pitotal

. summarize pitotal, detail

               total individual income, person
-------------------------------------------------------------
      Percentiles      Smallest
 1%            0        -75603
 5%            0        -75603
10%            0        -75603       Obs              28,547
```

```
25%            0         -75603       Sum of Wgt.      28,547

50%      11470.8                      Mean            21539.3
                        Largest       Std. Dev.       30283.84
75%        33891       614209.2
90%     55164.12       622812.3       Variance        9.17e+08
95%      70910.4       629277.7       Skewness        4.419169
99%     124979.6       642729.8       Kurtosis        51.82684

. tabstat pitotal, stat(N mean sd median)

    variable |         N      mean        sd       p50
-------------+--------------------------------------
     pitotal |     28547   21539.3  30283.84   11470.8
----------------------------------------------------

. lissyuse, cc(au08) pvars(pitotal)
lissyuse specifications:
  ccyy:     au08
  pvars:    pitotal
  hvars:
  lis:
  lws:
  erflis:
  onebyone:
  from:
  to:
  iso2:
  select:
  implicate:
  progs:

  no project defined, standard selection 'lis' database has been assigned
valid datasets:  au08

  au08p has been loaded, containing variables pitotal
your dataset run has been completed, containing variables pitotal

. summarize pitotal, detail

              total individual income, person
-------------------------------------------------------------
      Percentiles      Smallest
 1%            0        -150476
 5%            0        -150476
10%            0        -150476       Obs              22,932
25%            0      -52452.84       Sum of Wgt.      22,932

50%     14838.52                      Mean            29745.18
                        Largest       Std. Dev.       44279.83
75%        44319       912000.5
90%     73180.05       964632.2       Variance        1.96e+09
95%     98231.76        1013679       Skewness        5.701079
99%     185104.3        1123225       Kurtosis        79.52127

. tabstat pitotal, stat(N mean sd median)
```

```
    variable |         N      mean        sd       p50
-------------+--------------------------------------------
     pitotal |     22932  29745.18  44279.83  14838.52
-------------------------------------------------------

. lissyuse, cc(au10) pvars(pitotal)
lissyuse specifications:
  ccyy:     au10
  pvars:    pitotal
  hvars:
  lis:
  lws:
  erflis:
  onebyone:
  from:
  to:
  iso2:
  select:
  implicate:
  progs:

  no project defined, standard selection 'lis' database has been assigned
valid datasets:  au10

  au10p has been loaded, containing variables pitotal
your dataset run has been completed, containing variables pitotal

. summarize pitotal, detail

              total individual income, person
-------------------------------------------------------------
      Percentiles      Smallest
 1%            0      -147921.2
 5%            0      -79878.48
10%            0      -66687.06       Obs              42,531
25%            0      -62568.01       Sum of Wgt.      42,531

50%     15333.33                      Mean           28271.47
                        Largest       Std. Dev.      41528.25
75%      40929.9       962427.2
90%     73856.31       975216.7       Variance       1.72e+09
95%     97805.77        1027164       Skewness       4.997355
99%     174995.9        1029518       Kurtosis       64.85664

. tabstat pitotal, stat(N mean sd median)

    variable |         N      mean        sd       p50
-------------+--------------------------------------------
     pitotal |     42531  28271.47  41528.25  15333.33
-------------------------------------------------------

. lissyuse, cc(au14) pvars(pitotal)
lissyuse specifications:
  ccyy:     au14
  pvars:    pitotal
  hvars:
  lis:
```

```
  lws:
  erflis:
  onebyone:
  from:
  to:
  iso2:
  select:
  implicate:
  progs:

  no project defined, standard selection 'lis' database has been assigned
valid datasets:  au14

  au14p has been loaded, containing variables pitotal
your dataset run has been completed, containing variables pitotal

. summarize pitotal, detail

               total individual income, person
-------------------------------------------------------------
      Percentiles      Smallest
 1%            0      -182907.1
 5%            0      -114395.2
10%            0      -84310.38       Obs              34,063
25%            0      -73934.52       Sum of Wgt.      34,063

50%      20670.9                      Mean           36194.07
                        Largest       Std. Dev.      71001.78
75%        52140        1485521
90%     90150.06        1485521       Variance       5.04e+09
95%     120026.3        1485521       Skewness       56.23003
99%     219300.8        8717253       Kurtosis        6591.95

. tabstat pitotal, stat(N mean sd median)

    variable |         N      mean        sd       p50
-------------+--------------------------------------
     pitotal |     34063  36194.07  71001.78   20670.9
----------------------------------------------------

. lissyuse, cc(au16) pvars(pitotal)
lissyuse specifications:
  ccyy:     au16
  pvars:    pitotal
  hvars:
  lis:
  lws:
  erflis:
  onebyone:
  from:
  to:
  iso2:
  select:
  implicate:
  progs:

  no project defined, standard selection 'lis' database has been assigned
```

```
valid datasets:  au16

  au16p has been loaded, containing variables pitotal
your dataset run has been completed, containing variables pitotal

. summarize pitotal, detail

               total individual income, person
-------------------------------------------------------------
      Percentiles      Smallest
 1%            0      -111110.3
 5%            0      -111110.3
10%            0      -111110.3       Obs              41,829
25%            0      -111110.3       Sum of Wgt.      41,829

50%     22016.11                      Mean           36217.14
                        Largest       Std. Dev.      58536.82
75%        52140        1855141
90%        91245        2831567       Variance       3.43e+09
95%     119974.1        2861652       Skewness        15.1064
99%     209550.7        3373302       Kurtosis        611.046

. tabstat pitotal, stat(N mean sd median)

    variable |         N      mean        sd       p50
-------------+--------------------------------------
     pitotal |     41829  36217.14  58536.82  22016.11
----------------------------------------------------

. lissyuse, cc(au18) pvars(pitotal)
lissyuse specifications:
  ccyy:     au18
  pvars:    pitotal
  hvars:
  lis:
  lws:
  erflis:
  onebyone:
  from:
  to:
  iso2:
  select:
  implicate:
  progs:

  no project defined, standard selection 'lis' database has been assigned
valid datasets:  au18

  au18p has been loaded, containing variables pitotal
your dataset run has been completed, containing variables pitotal

. summarize pitotal, detail

               total individual income, person
-------------------------------------------------------------
      Percentiles      Smallest
 1%            0      -108138.4
```

```
 5%            0      -108138.4
10%            0      -108138.4       Obs              33,439
25%            0      -108138.4       Sum of Wgt.      33,439

50%     23257.05                      Mean           39810.78
                       Largest       Std. Dev.      60744.97
75%     58761.78       1369822
90%     99170.28       1369822       Variance       3.69e+09
95%     130037.2       1369822       Skewness       11.32964
99%     232763.9       3709187       Kurtosis       459.3993

. tabstat pitotal, stat(N mean sd median)

    variable |         N      mean        sd       p50
-------------+--------------------------------------
     pitotal |     33439  39810.78  60744.97  23257.05
----------------------------------------------------------

.
end of do-file
```