

*job submitted*

```

lissyuse, cc(pl99) hvars(nhhmem)
summarize nhhmem, detail
tabstat nhhmem, stat(N mean sd median)
lissyuse, cc(pl04) hvars(nhhmem)
summarize nhhmem, detail
tabstat nhhmem, stat(N mean sd median)
lissyuse, cc(pl05) hvars(nhhmem)
summarize nhhmem, detail
tabstat nhhmem, stat(N mean sd median)
lissyuse, cc(pl06) hvars(nhhmem)
summarize nhhmem, detail
tabstat nhhmem, stat(N mean sd median)
lissyuse, cc(pl07) hvars(nhhmem)
summarize nhhmem, detail
tabstat nhhmem, stat(N mean sd median)
lissyuse, cc(pl08) hvars(nhhmem)
summarize nhhmem, detail
tabstat nhhmem, stat(N mean sd median)
lissyuse, cc(pl09) hvars(nhhmem)
summarize nhhmem, detail
tabstat nhhmem, stat(N mean sd median)
lissyuse, cc(pl10) hvars(nhhmem)
summarize nhhmem, detail
tabstat nhhmem, stat(N mean sd median)
lissyuse, cc(pl11) hvars(nhhmem)
summarize nhhmem, detail
tabstat nhhmem, stat(N mean sd median)
lissyuse, cc(pl12) hvars(nhhmem)
summarize nhhmem, detail
tabstat nhhmem, stat(N mean sd median)
lissyuse, cc(pl13) hvars(nhhmem)
summarize nhhmem, detail
tabstat nhhmem, stat(N mean sd median)
lissyuse, cc(pl14) hvars(nhhmem)
summarize nhhmem, detail
tabstat nhhmem, stat(N mean sd median)
lissyuse, cc(pl15) hvars(nhhmem)
summarize nhhmem, detail
tabstat nhhmem, stat(N mean sd median)
lissyuse, cc(pl16) hvars(nhhmem)
summarize nhhmem, detail
tabstat nhhmem, stat(N mean sd median)
lissyuse, cc(pl17) hvars(nhhmem)
summarize nhhmem, detail
tabstat nhhmem, stat(N mean sd median)
lissyuse, cc(pl18) hvars(nhhmem)
summarize nhhmem, detail
tabstat nhhmem, stat(N mean sd median)
lissyuse, cc(pl19) hvars(nhhmem)
summarize nhhmem, detail
tabstat nhhmem, stat(N mean sd median)
lissyuse, cc(pl20) hvars(nhhmem)
summarize nhhmem, detail
tabstat nhhmem, stat(N mean sd median)

```

*listing*

##### NOTICE TO USERS #####

Use of the data in the LUXEMBOURG INCOME STUDY DATABASE is governed by regulations which do not allow copying or further distribution of the survey microdata.

Anyone violating these regulations will lose all privileges to the databases and may be subject to prosecution under the law. In addition, any attempt to circumvent the LIS processing system or unauthorized entry into the LIS computing system will result in prosecution.

All papers written using the LUXEMBOURG INCOME STUDY DATABASE must be submitted for entry into the Working Papers Series.  
Please consult our web site for more information at [WWW.LISDATACENTER.ORG](http://WWW.LISDATACENTER.ORG)

##### NOTICE TO USERS #####

```
. lisseyuse, cc(pl99) hvars(nhhmem)
```

```
lisseyuse specifications:
```

```
ccyy:      pl99
pvars:
hvars:     nhhmem
lis:
lws:
erflis:
onebyone:
from:
to:
iso2:
select:
implicate:
progs:
```

```
no project defined, standard selection 'lis' database has been assigned
valid datasets: pl99
```

```
pl99h has been loaded, containing variables nhhmem
your dataset run has been completed, containing variables nhhmem
```

```
. summarize nhhmem, detail
```

number of household members

| Percentiles |   | Smallest |             |          |
|-------------|---|----------|-------------|----------|
| 1%          | 1 | 1        |             |          |
| 5%          | 1 | 1        |             |          |
| 10%         | 1 | 1        | Obs         | 31,428   |
| 25%         | 2 | 1        | Sum of Wgt. | 31,428   |
| 50%         | 3 |          | Mean        | 3.175226 |
|             |   | Largest  | Std. Dev.   | 1.574449 |

|     |   |    |          |          |
|-----|---|----|----------|----------|
| 75% | 4 | 13 |          |          |
| 90% | 5 | 13 | Variance | 2.478889 |
| 95% | 6 | 14 | Skewness | .793513  |
| 99% | 8 | 16 | Kurtosis | 4.132015 |

```
. tabstat nhhmem, stat(N mean sd median)
```

| variable    | N     | mean     | sd       | p50 |
|-------------|-------|----------|----------|-----|
| -----+----- |       |          |          |     |
| nhhmem      | 31428 | 3.175226 | 1.574449 | 3   |
| -----+----- |       |          |          |     |

```
. lisyyuse, cc(pl04) hvars(nhhmem)
```

```
lisyyuse specifications:
```

```
ccyy:      pl04
pvars:
hvars:     nhhmem
lis:
lws:
erflis:
onebyone:
from:
to:
iso2:
select:
implicate:
progs:
```

```
no project defined, standard selection 'lis' database has been assigned
valid datasets: pl04
```

```
pl04h has been loaded, containing variables nhhmem
your dataset run has been completed, containing variables nhhmem
```

```
. summarize nhhmem, detail
```

| number of household members |   |          |             |          |
|-----------------------------|---|----------|-------------|----------|
| Percentiles                 |   | Smallest |             |          |
| 1%                          | 1 | 1        |             |          |
| 5%                          | 1 | 1        |             |          |
| 10%                         | 1 | 1        | Obs         | 32,214   |
| 25%                         | 2 | 1        | Sum of Wgt. | 32,214   |
| 50%                         | 3 |          | Mean        | 3.074378 |
|                             |   | Largest  | Std. Dev.   | 1.564592 |
| 75%                         | 4 | 13       |             |          |
| 90%                         | 5 | 14       | Variance    | 2.447949 |
| 95%                         | 6 | 14       | Skewness    | .8907737 |
| 99%                         | 8 | 16       | Kurtosis    | 4.498844 |

```
. tabstat nhhmem, stat(N mean sd median)
```

| variable    | N     | mean     | sd       | p50 |
|-------------|-------|----------|----------|-----|
| -----+----- |       |          |          |     |
| nhhmem      | 32214 | 3.074378 | 1.564592 | 3   |
| -----+----- |       |          |          |     |

```
. lisyyuse, cc(pl05) hvars(nhhmem)
lisyyuse specifications:
  ccyy:      pl05
  pvars:
  hvars:     nhhmem
  lis:
  lws:
  erflis:
  onebyone:
  from:
  to:
  iso2:
  select:
  implicate:
  progs:
```

no project defined, standard selection 'lis' database has been assigned
valid datasets: pl05

pl05h has been loaded, containing variables nhhmem
your dataset run has been completed, containing variables nhhmem

```
. summarize nhhmem, detail
```

| number of household members |   |          |             |          |
|-----------------------------|---|----------|-------------|----------|
| -----                       |   |          |             |          |
| Percentiles                 |   | Smallest |             |          |
| 1%                          | 1 | 1        |             |          |
| 5%                          | 1 | 1        |             |          |
| 10%                         | 1 | 1        | Obs         | 34,767   |
| 25%                         | 2 | 1        | Sum of Wgt. | 34,767   |
|                             |   |          |             |          |
| 50%                         | 3 |          | Mean        | 3.081198 |
|                             |   | Largest  | Std. Dev.   | 1.573871 |
| 75%                         | 4 | 13       |             |          |
| 90%                         | 5 | 13       | Variance    | 2.477069 |
| 95%                         | 6 | 13       | Skewness    | .874531  |
| 99%                         | 8 | 14       | Kurtosis    | 4.302254 |

```
. tabstat nhhmem, stat(N mean sd median)
```

| variable    | N     | mean     | sd       | p50 |
|-------------|-------|----------|----------|-----|
| -----+----- |       |          |          |     |
| nhhmem      | 34767 | 3.081198 | 1.573871 | 3   |
| -----+----- |       |          |          |     |

```
. lisyyuse, cc(pl06) hvars(nhhmem)
lisyyuse specifications:
  ccyy:      pl06
  pvars:
  hvars:     nhhmem
  lis:
  lws:
  erflis:
  onebyone:
  from:
```

```
to:
iso2:
select:
implicate:
progs:

no project defined, standard selection 'lis' database has been assigned
valid datasets: pl06

pl06h has been loaded, containing variables nhhmem
your dataset run has been completed, containing variables nhhmem

. summarize nhhmem, detail
```

| number of household members |   |          |             |          |
|-----------------------------|---|----------|-------------|----------|
| -----                       |   |          |             |          |
| Percentiles                 |   | Smallest |             |          |
| 1%                          | 1 | 1        |             |          |
| 5%                          | 1 | 1        |             |          |
| 10%                         | 1 | 1        | Obs         | 37,508   |
| 25%                         | 2 | 1        | Sum of Wgt. | 37,508   |
|                             |   |          |             |          |
| 50%                         | 3 |          | Mean        | 3.047643 |
|                             |   | Largest  | Std. Dev.   | 1.561408 |
| 75%                         | 4 | 13       |             |          |
| 90%                         | 5 | 13       | Variance    | 2.437995 |
| 95%                         | 6 | 14       | Skewness    | .8289985 |
| 99%                         | 7 | 15       | Kurtosis    | 4.03758  |

```
. tabstat nhhmem, stat(N mean sd median)

variable |      N      mean      sd      p50
-----+-----
nhhmem |  37508  3.047643  1.561408      3
-----+-----
```

```
. lisyyuse, cc(pl07) hvars(nhhmem)
lisyyuse specifications:
ccyy:    pl07
pvars:
hvars:   nhhmem
lis:
lws:
erflis:
onebyone:
from:
to:
iso2:
select:
implicate:
progs:

no project defined, standard selection 'lis' database has been assigned
valid datasets: pl07

pl07h has been loaded, containing variables nhhmem
your dataset run has been completed, containing variables nhhmem
```

```
. summarize nhhmem, detail
```

number of household members

| Percentiles |   | Smallest |             |          |
|-------------|---|----------|-------------|----------|
| 1%          | 1 | 1        |             |          |
| 5%          | 1 | 1        |             |          |
| 10%         | 1 | 1        | Obs         | 37,366   |
| 25%         | 2 | 1        | Sum of Wgt. | 37,366   |
| -----       |   |          |             |          |
| 50%         | 3 |          | Mean        | 2.997163 |
|             |   | Largest  | Std. Dev.   | 1.552539 |
| 75%         | 4 | 12       |             |          |
| 90%         | 5 | 12       | Variance    | 2.410376 |
| 95%         | 6 | 13       | Skewness    | .8767534 |
| 99%         | 7 | 15       | Kurtosis    | 4.186642 |

```
. tabstat nhhmem, stat(N mean sd median)
```

| variable | N     | mean     | sd       | p50 |
|----------|-------|----------|----------|-----|
| -----+   |       |          |          |     |
| nhhmem   | 37366 | 2.997163 | 1.552539 | 3   |
| -----    |       |          |          |     |

```
. lissyuse, cc(pl08) hvars(nhhmem)
```

```
lissyuse specifications:
```

```
ccyy:      pl08
pvars:
hvars:     nhhmem
lis:
lws:
erflis:
onebyone:
from:
to:
iso2:
select:
implicate:
progs:
```

```
no project defined, standard selection 'lis' database has been assigned
```

```
valid datasets: pl08
```

```
pl08h has been loaded, containing variables nhhmem
```

```
your dataset run has been completed, containing variables nhhmem
```

```
. summarize nhhmem, detail
```

number of household members

| Percentiles |   | Smallest |             |        |
|-------------|---|----------|-------------|--------|
| 1%          | 1 | 1        |             |        |
| 5%          | 1 | 1        |             |        |
| 10%         | 1 | 1        | Obs         | 37,358 |
| 25%         | 2 | 1        | Sum of Wgt. | 37,358 |

|     |   |         |           |          |
|-----|---|---------|-----------|----------|
| 50% | 3 |         | Mean      | 2.939638 |
|     |   | Largest | Std. Dev. | 1.540409 |
| 75% | 4 | 12      |           |          |
| 90% | 5 | 13      | Variance  | 2.372859 |
| 95% | 6 | 14      | Skewness  | .9385456 |
| 99% | 7 | 15      | Kurtosis  | 4.377848 |

```
. tabstat nhhmem, stat(N mean sd median)
```

| variable    | N     | mean     | sd       | p50 |
|-------------|-------|----------|----------|-----|
| -----+----- |       |          |          |     |
| nhhmem      | 37358 | 2.939638 | 1.540409 | 3   |
| -----+----- |       |          |          |     |

```
. lisyyuse, cc(pl09) hvars(nhhmem)
```

```
lisyyuse specifications:
```

```
ccyy:      pl09
pvars:
hvars:     nhhmem
lis:
lws:
erflis:
onebyone:
from:
to:
iso2:
select:
implicate:
progs:
```

```
no project defined, standard selection 'lis' database has been assigned
valid datasets: pl09
```

```
pl09h has been loaded, containing variables nhhmem
your dataset run has been completed, containing variables nhhmem
```

```
. summarize nhhmem, detail
```

| number of household members |   |          |             |          |
|-----------------------------|---|----------|-------------|----------|
| Percentiles                 |   | Smallest |             |          |
| 1%                          | 1 | 1        |             |          |
| 5%                          | 1 | 1        |             |          |
| 10%                         | 1 | 1        | Obs         | 37,302   |
| 25%                         | 2 | 1        | Sum of Wgt. | 37,302   |
| 50%                         | 3 |          | Mean        | 2.896306 |
|                             |   | Largest  | Std. Dev.   | 1.521698 |
| 75%                         | 4 | 13       |             |          |
| 90%                         | 5 | 13       | Variance    | 2.315566 |
| 95%                         | 6 | 13       | Skewness    | .9494258 |
| 99%                         | 7 | 14       | Kurtosis    | 4.371466 |

```
. tabstat nhhmem, stat(N mean sd median)
```

| variable    | N | mean | sd | p50 |
|-------------|---|------|----|-----|
| -----+----- |   |      |    |     |

```
nhhmem |      37302  2.896306  1.521698      3
```

```
. lisyyuse, cc(pl10) hvars(nhhmem)
```

```
lisyyuse specifications:
```

```
ccyy:      pl10
pvars:
hvars:     nhhmem
lis:
lws:
erflis:
onebyone:
from:
to:
iso2:
select:
implicate:
progs:
```

```
no project defined, standard selection 'lis' database has been assigned
valid datasets:  pl10
```

```
pl10h has been loaded, containing variables nhhmem
your dataset run has been completed, containing variables nhhmem
```

```
. summarize nhhmem, detail
```

#### number of household members

| Percentiles |   | Smallest |             |          |
|-------------|---|----------|-------------|----------|
| 1%          | 1 | 1        |             |          |
| 5%          | 1 | 1        |             |          |
| 10%         | 1 | 1        | Obs         | 37,412   |
| 25%         | 2 | 1        | Sum of Wgt. | 37,412   |
| 50%         | 3 |          | Mean        | 2.885892 |
|             |   | Largest  | Std. Dev.   | 1.513528 |
| 75%         | 4 | 12       |             |          |
| 90%         | 5 | 12       | Variance    | 2.290767 |
| 95%         | 6 | 13       | Skewness    | .9633347 |
| 99%         | 7 | 13       | Kurtosis    | 4.399813 |

```
. tabstat nhhmem, stat(N mean sd median)
```

| variable | N     | mean     | sd       | p50 |
|----------|-------|----------|----------|-----|
| nhhmem   | 37412 | 2.885892 | 1.513528 | 3   |

```
. lisyyuse, cc(pl11) hvars(nhhmem)
```

```
lisyyuse specifications:
```

```
ccyy:      pl11
pvars:
hvars:     nhhmem
lis:
lws:
erflis:
```



```

onebyone:
from:
to:
iso2:
select:
implicate:
progs:

no project defined, standard selection 'lis' database has been assigned
valid datasets: pl11

```

```

pl11h has been loaded, containing variables nhhmem
your dataset run has been completed, containing variables nhhmem

```

```
. summarize nhhmem, detail
```

| number of household members |             |          |             |          |
|-----------------------------|-------------|----------|-------------|----------|
| -----                       |             |          |             |          |
|                             | Percentiles | Smallest |             |          |
| 1%                          | 1           | 1        |             |          |
| 5%                          | 1           | 1        |             |          |
| 10%                         | 1           | 1        | Obs         | 37,375   |
| 25%                         | 2           | 1        | Sum of Wgt. | 37,375   |
| 50%                         | 3           |          | Mean        | 2.869271 |
|                             |             | Largest  | Std. Dev.   | 1.492344 |
| 75%                         | 4           | 13       |             |          |
| 90%                         | 5           | 13       | Variance    | 2.22709  |
| 95%                         | 6           | 15       | Skewness    | .9900926 |
| 99%                         | 7           | 15       | Kurtosis    | 4.729213 |

```
. tabstat nhhmem, stat(N mean sd median)
```

| variable | N     | mean     | sd       | p50 |
|----------|-------|----------|----------|-----|
| -----+   |       |          |          |     |
| nhhmem   | 37375 | 2.869271 | 1.492344 | 3   |
| -----    |       |          |          |     |

```
. lisyyuse, cc(pl12) hvars(nhhmem)
```

```
lisyyuse specifications:
```

```

ccyy:    pl12
pvars:
hvars:   nhhmem
lis:
lws:
erflis:
onebyone:
from:
to:
iso2:
select:
implicate:
progs:

```

```

no project defined, standard selection 'lis' database has been assigned
valid datasets: pl12

```

pl12h has been loaded, containing variables nhhmem  
your dataset run has been completed, containing variables nhhmem

```
. summarize nhhmem, detail
```

#### number of household members

| Percentiles |   | Smallest |             |          |
|-------------|---|----------|-------------|----------|
| 1%          | 1 | 1        |             |          |
| 5%          | 1 | 1        |             |          |
| 10%         | 1 | 1        | Obs         | 37,427   |
| 25%         | 2 | 1        | Sum of Wgt. | 37,427   |
| 50%         | 3 |          | Mean        | 2.814198 |
|             |   | Largest  | Std. Dev.   | 1.47776  |
| 75%         | 4 | 13       |             |          |
| 90%         | 5 | 13       | Variance    | 2.183774 |
| 95%         | 5 | 15       | Skewness    | .9693741 |
| 99%         | 7 | 15       | Kurtosis    | 4.497576 |

```
. tabstat nhhmem, stat(N mean sd median)
```

| variable | N     | mean     | sd      | p50 |
|----------|-------|----------|---------|-----|
| nhhmem   | 37427 | 2.814198 | 1.47776 | 3   |

```
. lisyyuse, cc(pl13) hvars(nhhmem)
```

lisyyuse specifications:

```
ccyy:    pl13
pvars:
hvars:   nhhmem
lis:
lws:
erflis:
onebyone:
from:
to:
iso2:
select:
implicate:
progs:
```

no project defined, standard selection 'lis' database has been assigned  
valid datasets: pl13

pl13h has been loaded, containing variables nhhmem  
your dataset run has been completed, containing variables nhhmem

```
. summarize nhhmem, detail
```

#### number of household members

| Percentiles |   | Smallest |     |        |
|-------------|---|----------|-----|--------|
| 1%          | 1 | 1        |     |        |
| 5%          | 1 | 1        |     |        |
| 10%         | 1 | 1        | Obs | 37,181 |

|     |   |         |             |          |
|-----|---|---------|-------------|----------|
| 25% | 2 | 1       | Sum of Wgt. | 37,181   |
| 50% | 2 |         | Mean        | 2.764315 |
|     |   | Largest | Std. Dev.   | 1.470251 |
| 75% | 4 | 13      |             |          |
| 90% | 5 | 13      | Variance    | 2.161638 |
| 95% | 5 | 14      | Skewness    | 1.029345 |
| 99% | 7 | 15      | Kurtosis    | 4.729342 |

```
. tabstat nhhmem, stat(N mean sd median)
```

| variable    | N     | mean     | sd       | p50 |
|-------------|-------|----------|----------|-----|
| -----+----- |       |          |          |     |
| nhhmem      | 37181 | 2.764315 | 1.470251 | 2   |
| -----+----- |       |          |          |     |

```
. lisyyuse, cc(pl14) hvars(nhhmem)
```

```
lisyyuse specifications:
```

```
ccyy:      pl14
pvars:
hvars:     nhhmem
lis:
lws:
erflis:
onebyone:
from:
to:
iso2:
select:
implicate:
progs:
```

```
no project defined, standard selection 'lis' database has been assigned
```

```
valid datasets: pl14
```

```
pl14h has been loaded, containing variables nhhmem
```

```
your dataset run has been completed, containing variables nhhmem
```

```
. summarize nhhmem, detail
```

| number of household members |   |          |             |          |
|-----------------------------|---|----------|-------------|----------|
| -----                       |   |          |             |          |
| Percentiles                 |   | Smallest |             |          |
| 1%                          | 1 | 1        |             |          |
| 5%                          | 1 | 1        |             |          |
| 10%                         | 1 | 1        | Obs         | 37,215   |
| 25%                         | 2 | 1        | Sum of Wgt. | 37,215   |
| 50%                         | 2 |          | Mean        | 2.731936 |
|                             |   | Largest  | Std. Dev.   | 1.449623 |
| 75%                         | 4 | 13       |             |          |
| 90%                         | 5 | 13       | Variance    | 2.101408 |
| 95%                         | 5 | 13       | Skewness    | 1.037671 |
| 99%                         | 7 | 16       | Kurtosis    | 4.769777 |

```
. tabstat nhhmem, stat(N mean sd median)
```

| variable    | N     | mean     | sd       | p50 |
|-------------|-------|----------|----------|-----|
| -----+----- |       |          |          |     |
| nhhmem      | 37215 | 2.731936 | 1.449623 | 2   |
| -----+----- |       |          |          |     |

```
. lisyyuse, cc(pl15) hvars(nhhmem)
```

```
lisyyuse specifications:
```

```
ccyy:    pl15
pvars:
hvars:   nhhmem
lis:
lws:
erflis:
onebyone:
from:
to:
iso2:
select:
implicate:
progs:
```

```
no project defined, standard selection 'lis' database has been assigned
valid datasets: pl15
```

```
pl15h has been loaded, containing variables nhhmem
your dataset run has been completed, containing variables nhhmem
```

```
. summarize nhhmem, detail
```

#### number of household members

| Percentiles |   | Smallest |             |          |
|-------------|---|----------|-------------|----------|
| 1%          | 1 | 1        |             |          |
| 5%          | 1 | 1        |             |          |
| 10%         | 1 | 1        | Obs         | 37,148   |
| 25%         | 2 | 1        | Sum of Wgt. | 37,148   |
| 50%         | 2 |          | Mean        | 2.7209   |
|             |   | Largest  | Std. Dev.   | 1.42893  |
| 75%         | 4 | 12       |             |          |
| 90%         | 5 | 12       | Variance    | 2.041842 |
| 95%         | 5 | 13       | Skewness    | .9877552 |
| 99%         | 7 | 15       | Kurtosis    | 4.47386  |

```
. tabstat nhhmem, stat(N mean sd median)
```

| variable    | N     | mean   | sd      | p50 |
|-------------|-------|--------|---------|-----|
| -----+----- |       |        |         |     |
| nhhmem      | 37148 | 2.7209 | 1.42893 | 2   |
| -----+----- |       |        |         |     |

```
. lisyyuse, cc(pl16) hvars(nhhmem)
```

```
lisyyuse specifications:
```

```
ccyy:    pl16
pvars:
hvars:   nhhmem
lis:
```

```

lws:
erflis:
onebyone:
from:
to:
iso2:
select:
implicate:
progs:

```

no project defined, standard selection 'lis' database has been assigned  
valid datasets: pl16

pl16h has been loaded, containing variables nhhmem  
your dataset run has been completed, containing variables nhhmem

```
. summarize nhhmem, detail
```

#### number of household members

| Percentiles |   | Smallest |             |          |
|-------------|---|----------|-------------|----------|
| 1%          | 1 | 1        |             |          |
| 5%          | 1 | 1        |             |          |
| 10%         | 1 | 1        | Obs         | 36,886   |
| 25%         | 2 | 1        | Sum of Wgt. | 36,886   |
| 50%         | 2 |          | Mean        | 2.690181 |
|             |   | Largest  | Std. Dev.   | 1.407752 |
| 75%         | 4 | 11       |             |          |
| 90%         | 5 | 11       | Variance    | 1.981764 |
| 95%         | 5 | 11       | Skewness    | .9380997 |
| 99%         | 7 | 12       | Kurtosis    | 4.065952 |

```
. tabstat nhhmem, stat(N mean sd median)
```

| variable | N     | mean     | sd       | p50 |
|----------|-------|----------|----------|-----|
| nhhmem   | 36886 | 2.690181 | 1.407752 | 2   |

```
. lisyyuse, cc(pl17) hvars(nhhmem)
```

lisyyuse specifications:

```

ccyy:    pl17
pvars:
hvars:   nhhmem
lis:
lws:
erflis:
onebyone:
from:
to:
iso2:
select:
implicate:
progs:

```

no project defined, standard selection 'lis' database has been assigned

valid datasets: pl17

pl17h has been loaded, containing variables nhhmem  
your dataset run has been completed, containing variables nhhmem

. summarize nhhmem, detail

| number of household members |   |          |             |          |
|-----------------------------|---|----------|-------------|----------|
| -----                       |   |          |             |          |
| Percentiles                 |   | Smallest |             |          |
| 1%                          | 1 | 1        |             |          |
| 5%                          | 1 | 1        |             |          |
| 10%                         | 1 | 1        | Obs         | 36,655   |
| 25%                         | 2 | 1        | Sum of Wgt. | 36,655   |
| 50%                         | 2 |          | Mean        | 2.658137 |
|                             |   | Largest  | Std. Dev.   | 1.399681 |
| 75%                         | 4 | 12       |             |          |
| 90%                         | 4 | 13       | Variance    | 1.959107 |
| 95%                         | 5 | 13       | Skewness    | .9509069 |
| 99%                         | 7 | 13       | Kurtosis    | 4.145238 |

. tabstat nhhmem, stat(N mean sd median)

| variable | N     | mean     | sd       | p50 |
|----------|-------|----------|----------|-----|
| -----+   |       |          |          |     |
| nhhmem   | 36655 | 2.658137 | 1.399681 | 2   |
| -----    |       |          |          |     |

. lissyuse, cc(pl18) hvars(nhhmem)

lissyuse specifications:

```
ccyy:    pl18
pvars:
hvars:   nhhmem
lis:
lws:
erflis:
onebyone:
from:
to:
iso2:
select:
implicate:
progs:
```

no project defined, standard selection 'lis' database has been assigned  
valid datasets: pl18

pl18h has been loaded, containing variables nhhmem  
your dataset run has been completed, containing variables nhhmem

. summarize nhhmem, detail

| number of household members |   |          |
|-----------------------------|---|----------|
| -----                       |   |          |
| Percentiles                 |   | Smallest |
| 1%                          | 1 | 1        |

|     |   |         |             |          |
|-----|---|---------|-------------|----------|
| 5%  | 1 | 1       |             |          |
| 10% | 1 | 1       | Obs         | 36,166   |
| 25% | 2 | 1       | Sum of Wgt. | 36,166   |
| 50% | 2 |         | Mean        | 2.639827 |
|     |   | Largest | Std. Dev.   | 1.413533 |
| 75% | 4 | 12      |             |          |
| 90% | 5 | 13      | Variance    | 1.998075 |
| 95% | 5 | 13      | Skewness    | 1.006886 |
| 99% | 7 | 13      | Kurtosis    | 4.31013  |

```
. tabstat nhhmem, stat(N mean sd median)
```

| variable    | N     | mean     | sd       | p50 |
|-------------|-------|----------|----------|-----|
| -----+----- |       |          |          |     |
| nhhmem      | 36166 | 2.639827 | 1.413533 | 2   |
| -----+----- |       |          |          |     |

```
. lisyyuse, cc(pl19) hvars(nhhmem)
```

```
lisyyuse specifications:
```

```
ccyy:      pl19
pvars:
hvars:     nhhmem
lis:
lws:
erflis:
onebyone:
from:
to:
iso2:
select:
implicate:
progs:
```

```
no project defined, standard selection 'lis' database has been assigned
```

```
valid datasets: pl19
```

```
pl19h has been loaded, containing variables nhhmem
```

```
your dataset run has been completed, containing variables nhhmem
```

```
. summarize nhhmem, detail
```

| number of household members |   |          |             |          |
|-----------------------------|---|----------|-------------|----------|
| -----                       |   |          |             |          |
| Percentiles                 |   | Smallest |             |          |
| 1%                          | 1 | 1        |             |          |
| 5%                          | 1 | 1        |             |          |
| 10%                         | 1 | 1        | Obs         | 35,923   |
| 25%                         | 2 | 1        | Sum of Wgt. | 35,923   |
| 50%                         | 2 |          | Mean        | 2.607633 |
|                             |   | Largest  | Std. Dev.   | 1.411678 |
| 75%                         | 4 | 11       |             |          |
| 90%                         | 4 | 11       | Variance    | 1.992834 |
| 95%                         | 5 | 13       | Skewness    | 1.040134 |
| 99%                         | 7 | 13       | Kurtosis    | 4.315476 |

```
. tabstat nhhmem, stat(N mean sd median)
```

| variable | N     | mean     | sd       | p50 |
|----------|-------|----------|----------|-----|
| nhhmem   | 35923 | 2.607633 | 1.411678 | 2   |

```
. lisyyuse, cc(pl20) hvars(nhhmem)
```

```
lisyyuse specifications:
```

```
ccyy:      pl20
pvars:
hvars:     nhhmem
lis:
lws:
erflis:
onebyone:
from:
to:
iso2:
select:
implicate:
progs:
```

```
no project defined, standard selection 'lis' database has been assigned
valid datasets: pl20
```

```
pl20h has been loaded, containing variables nhhmem
your dataset run has been completed, containing variables nhhmem
```

```
. summarize nhhmem, detail
```

#### number of household members

| Percentiles |   | Smallest |             |          |
|-------------|---|----------|-------------|----------|
| 1%          | 1 | 1        |             |          |
| 5%          | 1 | 1        |             |          |
| 10%         | 1 | 1        | Obs         | 33,529   |
| 25%         | 2 | 1        | Sum of Wgt. | 33,529   |
| 50%         | 2 |          | Mean        | 2.612753 |
|             |   | Largest  | Std. Dev.   | 1.402736 |
| 75%         | 4 | 12       |             |          |
| 90%         | 4 | 13       | Variance    | 1.967668 |
| 95%         | 5 | 13       | Skewness    | 1.012832 |
| 99%         | 7 | 13       | Kurtosis    | 4.300608 |

```
. tabstat nhhmem, stat(N mean sd median)
```

| variable | N     | mean     | sd       | p50 |
|----------|-------|----------|----------|-----|
| nhhmem   | 33529 | 2.612753 | 1.402736 | 2   |

```
.
end of do-file
```