## *job submitted*

```
lissyuse, cc(cz96) pvars(pitotal)
summarize pitotal, detail
tabstat pitotal, stat(N mean sd median)
lissyuse, cc(cz02) pvars(pitotal)
summarize pitotal, detail
tabstat pitotal, stat(N mean sd median)
lissyuse, cc(cz04) pvars(pitotal)
summarize pitotal, detail
tabstat pitotal, stat(N mean sd median)
lissyuse, cc(cz07) pvars(pitotal)
summarize pitotal, detail
tabstat pitotal, stat(N mean sd median)
lissyuse, cc(cz10) pvars(pitotal)
summarize pitotal, detail
tabstat pitotal, stat(N mean sd median)
lissyuse, cc(cz13) pvars(pitotal)
summarize pitotal, detail
tabstat pitotal, stat(N mean sd median)
lissyuse, cc(cz16) pvars(pitotal)
summarize pitotal, detail
tabstat pitotal, stat(N mean sd median)
```

## *listing*

```
################################ NOTICE TO USERS ################################

  Use of the data in the LUXEMBOURG INCOME STUDY DATABASE is governed by
  regulations which do not allow copying or further distribution of the
  survey microdata.

  Anyone violating these regulations will lose all privileges to the
  databases and may be subject to prosecution under the law. In addition,
  any attempt to circumvent the LIS processing system or unauthorized entry
  into the LIS computing system will result in prosecution.

  All papers written using the LUXEMBOURG INCOME STUDY DATABASE must be
  submitted for entry into the Working Papers Series.
  Please consult our web site for more information at WWW.LISDATACENTER.ORG

################################ NOTICE TO USERS ################################


. lissyuse, cc(cz96) pvars(pitotal)
lissyuse specifications:
  ccyy:     cz96
  pvars:    pitotal
  hvars:
  lis:
  lws:
  erflis:
  onebyone:
  from:
  to:
```

```
  iso2:
  select:
  implicate:
  progs:

  no project defined, standard selection 'lis' database has been assigned
valid datasets:  cz96

  cz96p has been loaded, containing variables pitotal
your dataset run has been completed, containing variables pitotal

. summarize pitotal, detail

               total individual income, person
-------------------------------------------------------------
      Percentiles      Smallest
 1%            0              0
 5%            0              0
10%            0              0       Obs              71,836
25%            0              0       Sum of Wgt.      71,836

50%        51600                      Mean           61618.24
                        Largest       Std. Dev.      70196.77
75%        96500        1332100
90%       143900        1447100       Variance       4.93e+09
95%       179300        1500000       Skewness       2.961287
99%       284300        1743600       Kurtosis       30.56748

. tabstat pitotal, stat(N mean sd median)

    variable |         N      mean        sd       p50
-------------+--------------------------------------------
     pitotal |     71836  61618.24  70196.77     51600
----------------------------------------------------------

. lissyuse, cc(cz02) pvars(pitotal)
lissyuse specifications:
  ccyy:     cz02
  pvars:    pitotal
  hvars:
  lis:
  lws:
  erflis:
  onebyone:
  from:
  to:
  iso2:
  select:
  implicate:
  progs:

  no project defined, standard selection 'lis' database has been assigned
valid datasets:  cz02

  cz02p has been loaded, containing variables pitotal
your dataset run has been completed, containing variables pitotal
```

```
. summarize pitotal, detail

                total individual income, person
-------------------------------------------------------------
      Percentiles      Smallest
 1%            0              0
 5%            0              0
10%            0              0       Obs              18,965
25%            0              0       Sum of Wgt.      18,965

50%        87840                      Mean              110204
                        Largest       Std. Dev.       128121.6
75%       155400        2091600
90%       239040        2409280       Variance        1.64e+10
95%       310128        3000000       Skewness        5.109902
99%       540000        3667200       Kurtosis        76.85423

. tabstat pitotal, stat(N mean sd median)

    variable |         N      mean        sd       p50
-------------+--------------------------------------
     pitotal |     18965    110204  128121.6     87840
----------------------------------------------------------

. lissyuse, cc(cz04) pvars(pitotal)
lissyuse specifications:
  ccyy:     cz04
  pvars:    pitotal
  hvars:
  lis:
  lws:
  erflis:
  onebyone:
  from:
  to:
  iso2:
  select:
  implicate:
  progs:

  no project defined, standard selection 'lis' database has been assigned
valid datasets:  cz04

  cz04p has been loaded, containing variables pitotal
your dataset run has been completed, containing variables pitotal

. summarize pitotal, detail

                total individual income, person
-------------------------------------------------------------
      Percentiles      Smallest
 1%            0              0
 5%            0              0
10%            0              0       Obs              10,333
25%            0              0       Sum of Wgt.      10,333

50%        95800                      Mean           116946.9
```

```
                        Largest       Std. Dev.      148497.2
75%       164652        3347009
90%       244827        3471229       Variance       2.21e+10
95%       313705        4394759       Skewness       10.23102
99%       541855        5078152       Kurtosis       251.9743

. tabstat pitotal, stat(N mean sd median)

    variable |         N      mean        sd       p50
-------------+--------------------------------------
     pitotal |     10333  116946.9  148497.2     95800
----------------------------------------------------

. lissyuse, cc(cz07) pvars(pitotal)
lissyuse specifications:
  ccyy:     cz07
  pvars:    pitotal
  hvars:
  lis:
  lws:
  erflis:
  onebyone:
  from:
  to:
  iso2:
  select:
  implicate:
  progs:

  no project defined, standard selection 'lis' database has been assigned
valid datasets:  cz07

  cz07p has been loaded, containing variables pitotal
your dataset run has been completed, containing variables pitotal

. summarize pitotal, detail

              total individual income, person
-------------------------------------------------------------
      Percentiles      Smallest
 1%            0              0
 5%            0              0
10%            0              0       Obs              26,933
25%            0              0       Sum of Wgt.      26,933

50%       114324                     Mean           141394.5
                        Largest       Std. Dev.      162211.5
75%       202245        3281300
90%       302507        4500000       Variance       2.63e+10
95%       376468        5790924       Skewness       7.150627
99%       633929        5820000       Kurtosis       163.9377

. tabstat pitotal, stat(N mean sd median)

    variable |         N      mean        sd       p50
-------------+--------------------------------------
     pitotal |     26933  141394.5  162211.5    114324
```

```
-----------------------------------------------------

. lissyuse, cc(cz10) pvars(pitotal)
lissyuse specifications:
  ccyy:     cz10
  pvars:    pitotal
  hvars:
  lis:
  lws:
  erflis:
  onebyone:
  from:
  to:
  iso2:
  select:
  implicate:
  progs:

  no project defined, standard selection 'lis' database has been assigned
valid datasets:  cz10

  cz10p has been loaded, containing variables pitotal
your dataset run has been completed, containing variables pitotal

. summarize pitotal, detail

               total individual income, person
-------------------------------------------------------------
      Percentiles      Smallest
 1%            0              0
 5%            0              0
10%            0              0       Obs              20,629
25%         7000              0       Sum of Wgt.      20,629

50%       132000                      Mean           158762.4
                        Largest       Std. Dev.      169578.1
75%       225196        2221900
90%       340833        3000000       Variance       2.88e+10
95%       425012        3039789       Skewness       3.694883
99%       750000        4088424       Kurtosis       40.55792

. tabstat pitotal, stat(N mean sd median)

    variable |         N      mean        sd       p50
-------------+----------------------------------------
     pitotal |     20629  158762.4  169578.1    132000
-----------------------------------------------------

. lissyuse, cc(cz13) pvars(pitotal)
lissyuse specifications:
  ccyy:     cz13
  pvars:    pitotal
  hvars:
  lis:
  lws:
  erflis:
  onebyone:
```

```
  from:
  to:
  iso2:
  select:
  implicate:
  progs:

  no project defined, standard selection 'lis' database has been assigned
valid datasets:  cz13

  cz13p has been loaded, containing variables pitotal
your dataset run has been completed, containing variables pitotal

. summarize pitotal, detail

              total individual income, person
-------------------------------------------------------------
      Percentiles      Smallest
 1%            0              0
 5%            0              0
10%            0              0       Obs              18,210
25%        36000              0       Sum of Wgt.      18,210

50%       138984                      Mean           171295.2
                        Largest       Std. Dev.      192393.2
75%       237600        4263879
90%       356037        5200000       Variance       3.70e+10
95%       452800        5360000       Skewness       6.744727
99%       805597        5753647       Kurtosis       130.8261

. tabstat pitotal, stat(N mean sd median)

    variable |         N      mean        sd       p50
-------------+--------------------------------------
     pitotal |     18210  171295.2  192393.2    138984
----------------------------------------------------

. lissyuse, cc(cz16) pvars(pitotal)
lissyuse specifications:
  ccyy:     cz16
  pvars:    pitotal
  hvars:
  lis:
  lws:
  erflis:
  onebyone:
  from:
  to:
  iso2:
  select:
  implicate:
  progs:

  no project defined, standard selection 'lis' database has been assigned
valid datasets:  cz16

  cz16p has been loaded, containing variables pitotal
```

```
your dataset run has been completed, containing variables pitotal

. summarize pitotal, detail

               total individual income, person
-------------------------------------------------------------
      Percentiles      Smallest
 1%            0              0
 5%            0              0
10%            0              0       Obs              19,205
25%        66000              0       Sum of Wgt.      19,205

50%       156240                     Mean           193881.6
                        Largest       Std. Dev.      206009.6
75%       270000        3309193
90%       409747        4327984       Variance       4.24e+10
95%       531438        6250681       Skewness       5.713594
99%       881694        6921365       Kurtosis       120.9859

. tabstat pitotal, stat(N mean sd median)

    variable |         N      mean        sd       p50
-------------+--------------------------------------
     pitotal |     19205  193881.6  206009.6    156240
----------------------------------------------------

.
end of do-file
```