

job submitted

```

lissyuse, cc(il97) hvars(nhhmem)
tabstat nhhmem, stat(N mean sd median)
*For il01:
lissyuse, cc(il01) hvars(nhhmem)
tabstat nhhmem, stat(N mean sd median)
*For il02:
lissyuse, cc(il02) hvars(nhhmem)
tabstat nhhmem, stat(N mean sd median)
*For il03:
lissyuse, cc(il03) hvars(nhhmem)
tabstat nhhmem, stat(N mean sd median)
*For il04:
lissyuse, cc(il04) hvars(nhhmem)
tabstat nhhmem, stat(N mean sd median)
*For il05:
lissyuse, cc(il05) hvars(nhhmem)
tabstat nhhmem, stat(N mean sd median)
*For il06:
lissyuse, cc(il06) hvars(nhhmem)
tabstat nhhmem, stat(N mean sd median)
*For il07:
lissyuse, cc(il07) hvars(nhhmem)
tabstat nhhmem, stat(N mean sd median)
*For il08:
lissyuse, cc(il08) hvars(nhhmem)
tabstat nhhmem, stat(N mean sd median)
*For il09:
lissyuse, cc(il09) hvars(nhhmem)
tabstat nhhmem, stat(N mean sd median)
*For il10:
lissyuse, cc(il10) hvars(nhhmem)
tabstat nhhmem, stat(N mean sd median)
*For il11:
lissyuse, cc(il11) hvars(nhhmem)
tabstat nhhmem, stat(N mean sd median)
*For il12:
lissyuse, cc(il12) hvars(nhhmem)
tabstat nhhmem, stat(N mean sd median)
*For il13:
lissyuse, cc(il13) hvars(nhhmem)
tabstat nhhmem, stat(N mean sd median)
*For il14:
lissyuse, cc(il14) hvars(nhhmem)
tabstat nhhmem, stat(N mean sd median)
*For il15:
lissyuse, cc(il15) hvars(nhhmem)
tabstat nhhmem, stat(N mean sd median)
*For il16:
lissyuse, cc(il16) hvars(nhhmem)
tabstat nhhmem, stat(N mean sd median)
*For il17:
lissyuse, cc(il17) hvars(nhhmem)
tabstat nhhmem, stat(N mean sd median)
*For il18:

```

```

lissyuse, cc(il18) hvars(nhhmem)
tabstat nhhmem, stat(N mean sd median)

```

listing

NOTICE TO USERS

Use of the data in the LUXEMBOURG INCOME STUDY DATABASE is governed by regulations which do not allow copying or further distribution of the survey microdata.

Anyone violating these regulations will lose all privileges to the databases and may be subject to prosecution under the law. In addition, any attempt to circumvent the LIS processing system or unauthorized entry into the LIS computing system will result in prosecution.

All papers written using the LUXEMBOURG INCOME STUDY DATABASE must be submitted for entry into the Working Papers Series.
Please consult our web site for more information at WWW.LISDATACENTER.ORG

NOTICE TO USERS

```

. lissyuse, cc(il97) hvars(nhhmem)
lissyuse specifications:

```

```

ccy:      il97
pvars:
hvars:    nhhmem
lis:
lws:
erflis:
onebyone:
from:
to:
iso2:
select:
implicate:
progs:

```

```

no project defined, standard selection 'lis' database has been assigned
valid datasets:  il97

```

```

il97h has been loaded, containing variables nhhmem
your dataset run has been completed, containing variables nhhmem

```

```

. tabstat nhhmem, stat(N mean sd median)

```

variable	N	mean	sd	p50
nhhmem	5230	3.436329	2.002976	3

```

. *For il01:
. lissyuse, cc(il01) hvars(nhhmem)
lissyuse specifications:

```

```
ccyy:      il01
pvars:
hvars:     nhhmem
lis:
lws:
erflis:
onebyone:
from:
to:
iso2:
select:
implicate:
progs:
```

no project defined, standard selection 'lis' database has been assigned
valid datasets: il01

il01h has been loaded, containing variables nhhmem
your dataset run has been completed, containing variables nhhmem

```
. tabstat nhhmem, stat(N mean sd median)
```

variable	N	mean	sd	p50
nhhmem	5787	3.369967	1.922491	3

```
. *For il02:
. lisyyuse, cc(il02) hvars(nhhmem)
lisyyuse specifications:
ccyy:      il02
pvars:
hvars:     nhhmem
lis:
lws:
erflis:
onebyone:
from:
to:
iso2:
select:
implicate:
progs:
```

no project defined, standard selection 'lis' database has been assigned
valid datasets: il02

il02h has been loaded, containing variables nhhmem
your dataset run has been completed, containing variables nhhmem

```
. tabstat nhhmem, stat(N mean sd median)
```

variable	N	mean	sd	p50
nhhmem	6227	3.345431	1.965081	3

```
. *For il03:
. lissyuse, cc(il03) hvars(nhhmem)
```

```
lissyuse specifications:
```

```
ccyy:      il03
pvars:
hvars:     nhhmem
lis:
lws:
erflis:
onebyone:
from:
to:
iso2:
select:
implicate:
progs:
```

```
no project defined, standard selection 'lis' database has been assigned
valid datasets:  il03
```

```
il03h has been loaded, containing variables nhhmem
your dataset run has been completed, containing variables nhhmem
```

```
. tabstat nhhmem, stat(N mean sd median)
```

variable	N	mean	sd	p50
nhhmem	6218	3.376005	1.985912	3

```
. *For il04:
. lissyuse, cc(il04) hvars(nhhmem)
```

```
lissyuse specifications:
```

```
ccyy:      il04
pvars:
hvars:     nhhmem
lis:
lws:
erflis:
onebyone:
from:
to:
iso2:
select:
implicate:
progs:
```

```
no project defined, standard selection 'lis' database has been assigned
valid datasets:  il04
```

```
il04h has been loaded, containing variables nhhmem
your dataset run has been completed, containing variables nhhmem
```

```
. tabstat nhhmem, stat(N mean sd median)
```

variable	N	mean	sd	p50
----------	---	------	----	-----

nhhmem	6132	3.313764	1.926403	3
--------	------	----------	----------	---

```
. *For il05:
```

```
. lisyyuse, cc(il05) hvars(nhhmem)
```

```
lisyyuse specifications:
```

```
ccyy:      il05
```

```
pvars:
```

```
hvars:     nhhmem
```

```
lis:
```

```
lws:
```

```
erflis:
```

```
onebyone:
```

```
from:
```

```
to:
```

```
iso2:
```

```
select:
```

```
implicate:
```

```
progs:
```

```
no project defined, standard selection 'lis' database has been assigned
```

```
valid datasets:  il05
```

```
il05h has been loaded, containing variables nhhmem
```

```
your dataset run has been completed, containing variables nhhmem
```

```
. tabstat nhhmem, stat(N mean sd median)
```

variable	N	mean	sd	p50
nhhmem	6272	3.345823	2.010771	3

```
. *For il06:
```

```
. lisyyuse, cc(il06) hvars(nhhmem)
```

```
lisyyuse specifications:
```

```
ccyy:      il06
```

```
pvars:
```

```
hvars:     nhhmem
```

```
lis:
```

```
lws:
```

```
erflis:
```

```
onebyone:
```

```
from:
```

```
to:
```

```
iso2:
```

```
select:
```

```
implicate:
```

```
progs:
```

```
no project defined, standard selection 'lis' database has been assigned
```

```
valid datasets:  il06
```

```
il06h has been loaded, containing variables nhhmem
```

```
your dataset run has been completed, containing variables nhhmem
```

```
. tabstat nhhmem, stat(N mean sd median)
```

variable	N	mean	sd	p50
-----+-----				
nhhmem	6259	3.299569	2.005239	3
-----+-----				

```
. *For il07:
. lissyuse, cc(il07) hvars(nhhmem)
lissyuse specifications:
  ccyy:      il07
  pvars:
  hvars:     nhhmem
  lis:
  lws:
  erflis:
  onebyone:
  from:
  to:
  iso2:
  select:
  implicate:
  progs:

no project defined, standard selection 'lis' database has been assigned
valid datasets:  il07
```

il07h has been loaded, containing variables nhhmem
your dataset run has been completed, containing variables nhhmem

```
. tabstat nhhmem, stat(N mean sd median)
```

variable	N	mean	sd	p50
-----+-----				
nhhmem	6173	3.284303	1.967166	3
-----+-----				

```
. *For il08:
. lissyuse, cc(il08) hvars(nhhmem)
lissyuse specifications:
  ccyy:      il08
  pvars:
  hvars:     nhhmem
  lis:
  lws:
  erflis:
  onebyone:
  from:
  to:
  iso2:
  select:
  implicate:
  progs:

no project defined, standard selection 'lis' database has been assigned
valid datasets:  il08
```

il08h has been loaded, containing variables nhhmem

your dataset run has been completed, containing variables nhhmem

```
. tabstat nhhmem, stat(N mean sd median)
```

variable	N	mean	sd	p50
nhhmem	5971	3.295595	1.970013	3

```
. *For il09:
```

```
. lissyuse, cc(il09) hvars(nhhmem)
```

lissyuse specifications:

```
ccyy:      il09
pvars:
hvars:     nhhmem
lis:
lws:
erflis:
onebyone:
from:
to:
iso2:
select:
implicate:
progs:
```

no project defined, standard selection 'lis' database has been assigned
valid datasets: il09

il09h has been loaded, containing variables nhhmem
your dataset run has been completed, containing variables nhhmem

```
. tabstat nhhmem, stat(N mean sd median)
```

variable	N	mean	sd	p50
nhhmem	6270	3.294737	1.98693	3

```
. *For il10:
```

```
. lissyuse, cc(il10) hvars(nhhmem)
```

lissyuse specifications:

```
ccyy:      il10
pvars:
hvars:     nhhmem
lis:
lws:
erflis:
onebyone:
from:
to:
iso2:
select:
implicate:
progs:
```

no project defined, standard selection 'lis' database has been assigned

valid datasets: il10

il10h has been loaded, containing variables nhhmem
your dataset run has been completed, containing variables nhhmem

. tabstat nhhmem, stat(N mean sd median)

variable	N	mean	sd	p50
-----+-----				
nhhmem	6168	3.264754	1.933324	3
-----+-----				

. *For il11:

. lissyuse, cc(il11) hvars(nhhmem)

lissyuse specifications:

ccyy: il11
pvars:
hvars: nhhmem
lis:
lws:
erflis:
onebyone:
from:
to:
iso2:
select:
implicate:
progs:

no project defined, standard selection 'lis' database has been assigned

valid datasets: il11

il11h has been loaded, containing variables nhhmem
your dataset run has been completed, containing variables nhhmem

. tabstat nhhmem, stat(N mean sd median)

variable	N	mean	sd	p50
-----+-----				
nhhmem	6051	3.225087	1.915376	3
-----+-----				

. *For il12:

. lissyuse, cc(il12) hvars(nhhmem)

lissyuse specifications:

ccyy: il12
pvars:
hvars: nhhmem
lis:
lws:
erflis:
onebyone:
from:
to:
iso2:
select:
implicate:

progs:

no project defined, standard selection 'lis' database has been assigned
valid datasets: il12

il12h has been loaded, containing variables nhhmem
your dataset run has been completed, containing variables nhhmem

. tabstat nhhmem, stat(N mean sd median)

variable	N	mean	sd	p50
nhhmem	8742	3.288836	1.943655	3

. *For il13:

. lisyyuse, cc(il13) hvars(nhhmem)

lisyyuse specifications:

ccyy: il13
pvars:
hvars: nhhmem
lis:
lws:
erflis:
onebyone:
from:
to:
iso2:
select:
implicate:
progs:

no project defined, standard selection 'lis' database has been assigned
valid datasets: il13

il13h has been loaded, containing variables nhhmem
your dataset run has been completed, containing variables nhhmem

. tabstat nhhmem, stat(N mean sd median)

variable	N	mean	sd	p50
nhhmem	9507	3.31461	1.925064	3

. *For il14:

. lisyyuse, cc(il14) hvars(nhhmem)

lisyyuse specifications:

ccyy: il14
pvars:
hvars: nhhmem
lis:
lws:
erflis:
onebyone:
from:
to:

```
iso2:
select:
implicate:
progs:
```

no project defined, standard selection 'lis' database has been assigned
valid datasets: ill14

ill14h has been loaded, containing variables nhhmem
your dataset run has been completed, containing variables nhhmem

```
. tabstat nhhmem, stat(N mean sd median)
```

variable	N	mean	sd	p50
-----+-----				
nhhmem	8465	3.287773	1.922069	3
-----+-----				

```
. *For ill15:
. lisyyuse, cc(ill15) hvars(nhhmem)
```

lisyyuse specifications:

```
ccyy:      ill15
pvars:
hvars:     nhhmem
lis:
lws:
erflis:
onebyone:
from:
to:
iso2:
select:
implicate:
progs:
```

no project defined, standard selection 'lis' database has been assigned
valid datasets: ill15

ill15h has been loaded, containing variables nhhmem
your dataset run has been completed, containing variables nhhmem

```
. tabstat nhhmem, stat(N mean sd median)
```

variable	N	mean	sd	p50
-----+-----				
nhhmem	8550	3.370643	1.947865	3
-----+-----				

```
. *For ill16:
. lisyyuse, cc(ill16) hvars(nhhmem)
```

lisyyuse specifications:

```
ccyy:      ill16
pvars:
hvars:     nhhmem
lis:
lws:
erflis:
```

```

onebyone:
from:
to:
iso2:
select:
implicate:
progs:

```

no project defined, standard selection 'lis' database has been assigned
valid datasets: ill6

ill6h has been loaded, containing variables nhhmem
your dataset run has been completed, containing variables nhhmem

```
. tabstat nhhmem, stat(N mean sd median)
```

variable	N	mean	sd	p50
nhhmem	8903	3.340335	1.998898	3

```
. *For ill7:
. lisyyuse, cc(ill7) hvars(nhhmem)
```

lisyyuse specifications:

```

ccyy:      ill7
pvars:
hvars:     nhhmem
lis:
lws:
erflis:
onebyone:
from:
to:
iso2:
select:
implicate:
progs:

```

no project defined, standard selection 'lis' database has been assigned
valid datasets: ill7

ill7h has been loaded, containing variables nhhmem
your dataset run has been completed, containing variables nhhmem

```
. tabstat nhhmem, stat(N mean sd median)
```

variable	N	mean	sd	p50
nhhmem	9017	3.368083	2.033257	3

```
. *For ill8:
. lisyyuse, cc(ill8) hvars(nhhmem)
```

lisyyuse specifications:

```

ccyy:      ill8
pvars:
hvars:     nhhmem

```

```
lis:
lws:
erflis:
onebyone:
from:
to:
iso2:
select:
implicate:
progs:

no project defined, standard selection 'lis' database has been assigned
valid datasets:  il18
```

il18h has been loaded, containing variables nhhmem
your dataset run has been completed, containing variables nhhmem

```
. tabstat nhhmem, stat(N mean sd median)
```

variable	N	mean	sd	p50
nhhmem	8792	3.30687	2.041824	3

```
.
end of do-file
```