

*job submitted*

```

lissyuse, cc(no00) pvars(pitotal)
summarize pitotal, detail
tabstat pitotal, stat(N mean sd median)
lissyuse, cc(no04) pvars(pitotal)
summarize pitotal, detail
tabstat pitotal, stat(N mean sd median)
lissyuse, cc(no07) pvars(pitotal)
summarize pitotal, detail
tabstat pitotal, stat(N mean sd median)
lissyuse, cc(no10) pvars(pitotal)
summarize pitotal, detail
tabstat pitotal, stat(N mean sd median)
lissyuse, cc(no10) pvars(pitotal)
summarize pitotal, detail
tabstat pitotal, stat(N mean sd median)
lissyuse, cc(no16) pvars(pitotal)
summarize pitotal, detail
tabstat pitotal, stat(N mean sd median)
lissyuse, cc(no19) pvars(pitotal)
summarize pitotal, detail
tabstat pitotal, stat(N mean sd median)
lissyuse, cc(no20) pvars(pitotal)
summarize pitotal, detail
tabstat pitotal, stat(N mean sd median)

```

*listing*

##### NOTICE TO USERS #####

Use of the data in the LUXEMBOURG INCOME STUDY DATABASE is governed by regulations which do not allow copying or further distribution of the survey microdata.

Anyone violating these regulations will lose all privileges to the databases and may be subject to prosecution under the law. In addition, any attempt to circumvent the LIS processing system or unauthorized entry into the LIS computing system will result in prosecution.

All papers written using the LUXEMBOURG INCOME STUDY DATABASE must be submitted for entry into the Working Papers Series.  
Please consult our web site for more information at [WWW.LISDATACENTER.ORG](http://WWW.LISDATACENTER.ORG)

##### NOTICE TO USERS #####

```

. lissyuse, cc(no00) pvars(pitotal)
lissyuse specifications:
  ccyy:      no00
  pvars:     pitotal
  hvars:
  lis:
  lws:
  erflis:

```

```

onebyone:
from:
to:
iso2:
select:
implicate:
progs:

```

```

no project defined, standard selection 'lis' database has been assigned
valid datasets: no00

```

```

no00p has been loaded, containing variables pitotal
your dataset run has been completed, containing variables pitotal

```

```
. summarize pitotal, detail
```

```
total individual income, person
```

-----				
Percentiles		Smallest		
1%	0	-1971861		
5%	0	-1392636		
10%	0	-418065	Obs	34,851
25%	1558	-328931	Sum of Wgt.	34,851
50%	142602		Mean	176327.6
		Largest	Std. Dev.	235900.5
75%	265691	5625384		
90%	374953	6326917	Variance	5.56e+10
95%	485506	1.19e+07	Skewness	12.39752
99%	877677	1.29e+07	Kurtosis	480.9728

```
. tabstat pitotal, stat(N mean sd median)
```

variable	N	mean	sd	p50
-----+-----				
pitotal	34851	176327.6	235900.5	142602
-----+-----				

```
. lisyyuse, cc(no04) pvars(pitotal)
```

```
lisyyuse specifications:
```

```

ccyy:    no04
pvars:   pitotal
hvars:
lis:
lws:
erflis:
onebyone:
from:
to:
iso2:
select:
implicate:
progs:

```

```

no project defined, standard selection 'lis' database has been assigned
valid datasets: no04

```

no04p has been loaded, containing variables pitotal  
your dataset run has been completed, containing variables pitotal

. summarize pitotal, detail

total individual income, person

Percentiles		Smallest		
1%	0	-938046		
5%	0	-602174		
10%	0	-194714	Obs	33,989
25%	0	-178186	Sum of Wgt.	33,989
-----				
50%	167780		Mean	194361.1
		Largest	Std. Dev.	217990.8
75%	302332	4416351		
90%	415153	5420272	Variance	4.75e+10
95%	517922	6073720	Skewness	6.516744
99%	847255	1.04e+07	Kurtosis	191.572

. tabstat pitotal, stat(N mean sd median)

variable	N	mean	sd	p50
-----+-----				
pitotal	33989	194361.1	217990.8	167780
-----				

. lissyuse, cc(no07) pvars(pitotal)

lissyuse specifications:

```
ccyy:      no07
pvars:     pitotal
hvars:
lis:
lws:
erflis:
onebyone:
from:
to:
iso2:
select:
implicate:
progs:
```

no project defined, standard selection 'lis' database has been assigned  
valid datasets: no07

no07p has been loaded, containing variables pitotal  
your dataset run has been completed, containing variables pitotal

. summarize pitotal, detail

total individual income, person

Percentiles		Smallest		
1%	0	-4295184		
5%	0	-1568075		
10%	0	-1412015	Obs	468,033

25%	9900	-1411634	Sum of Wgt.	468,033
50%	198189		Mean	230967.2
		Largest	Std. Dev.	277047.5
75%	350300	1.78e+07		
90%	487939	1.88e+07	Variance	7.68e+10
95%	614097	2.47e+07	Skewness	19.26256
99%	1016762	4.51e+07	Kurtosis	1929.95

```
. tabstat pitotal, stat(N mean sd median)
```

variable	N	mean	sd	p50
-----+-----				
pitotal	468033	230967.2	277047.5	198189
-----+-----				

```
. lissyuse, cc(nol0) pvars(pitotal)
```

```
lissyuse specifications:
```

```
ccyy:      nol0
pvars:     pitotal
hvars:
lis:
lws:
erflis:
onebyone:
from:
to:
iso2:
select:
implicate:
progs:
```

```
no project defined, standard selection 'lis' database has been assigned
valid datasets: nol0
```

```
nol0p has been loaded, containing variables pitotal
your dataset run has been completed, containing variables pitotal
```

```
. summarize pitotal, detail
```

total individual income, person				
Percentiles		Smallest		
1%	-20	-2.43e+08		
5%	0	-1.14e+07		
10%	0	-5767405	Obs	489,750
25%	18395	-5582401	Sum of Wgt.	489,750
50%	234776		Mean	268408.4
		Largest	Std. Dev.	465382.9
75%	400000	1.17e+07		
90%	558154.5	1.17e+07	Variance	2.17e+11
95%	706269	1.17e+07	Skewness	-288.2514
99%	1169142	1.17e+07	Kurtosis	151752.4

```
. tabstat pitotal, stat(N mean sd median)
```

variable	N	mean	sd	p50
-----+-----				
pitotal	489750	268408.4	465382.9	234776
-----+-----				

```
. lisyyuse, cc(nol0) pvars(pitotal)
```

```
lisyyuse specifications:
```

```
ccyy: nol0
```

```
pvars: pitotal
```

```
hvars:
```

```
lis:
```

```
lws:
```

```
erflis:
```

```
onebyone:
```

```
from:
```

```
to:
```

```
iso2:
```

```
select:
```

```
implicate:
```

```
progs:
```

```
no project defined, standard selection 'lis' database has been assigned
valid datasets: nol0
```

```
nol0p has been loaded, containing variables pitotal
your dataset run has been completed, containing variables pitotal
```

```
. summarize pitotal, detail
```

```
total individual income, person
```

Percentiles		Smallest		
1%	-20	-2.43e+08		
5%	0	-1.14e+07		
10%	0	-5767405	Obs	489,750
25%	18395	-5582401	Sum of Wgt.	489,750
50%	234776		Mean	268408.4
		Largest	Std. Dev.	465382.9
75%	400000	1.17e+07		
90%	558154.5	1.17e+07	Variance	2.17e+11
95%	706269	1.17e+07	Skewness	-288.2514
99%	1169142	1.17e+07	Kurtosis	151752.4

```
. tabstat pitotal, stat(N mean sd median)
```

variable	N	mean	sd	p50
-----+-----				
pitotal	489750	268408.4	465382.9	234776
-----+-----				

```
. lisyyuse, cc(nol6) pvars(pitotal)
```

```
lisyyuse specifications:
```

```
ccyy: nol6
```

```
pvars: pitotal
```

```
hvars:
```

```
lis:
```

```

lws:
erflis:
onebyone:
from:
to:
iso2:
select:
implicate:
progs:

```

no project defined, standard selection 'lis' database has been assigned  
valid datasets: nol6

nol6p has been loaded, containing variables pitotal  
your dataset run has been completed, containing variables pitotal

```
. summarize pitotal, detail
```

total individual income, person

Percentiles		Smallest		
1%	-29	-2.48e+07		
5%	0	-1.27e+07		
10%	0	-3475775	Obs	522,940
25%	41	-3176591	Sum of Wgt.	522,940
50%	262000		Mean	313608.2
		Largest	Std. Dev.	384935.3
75%	486652	2.07e+07		
90%	690183.5	2.13e+07	Variance	1.48e+11
95%	871063	2.15e+07	Skewness	7.826151
99%	1430356	2.57e+07	Kurtosis	308.0869

```
. tabstat pitotal, stat(N mean sd median)
```

variable	N	mean	sd	p50
pitotal	522940	313608.2	384935.3	262000

```
. lisyyuse, cc(nol9) pvars(pitotal)
```

lisyyuse specifications:

```

ccyy:      nol9
pvars:     pitotal
hvars:
lis:
lws:
erflis:
onebyone:
from:
to:
iso2:
select:
implicate:
progs:

```

no project defined, standard selection 'lis' database has been assigned

valid datasets: no19

no19p has been loaded, containing variables pitotal  
your dataset run has been completed, containing variables pitotal

. summarize pitotal, detail

total individual income, person

Percentiles		Smallest		
1%	-28.5	-2.03e+07		
5%	0	-3768356		
10%	0	-3343226	Obs	543,154
25%	31953	-3053719	Sum of Wgt.	543,154
50%	331397.5		Mean	387299.1
		Largest	Std. Dev.	610910.6
75%	541725	2.96e+07		
90%	767693	3.07e+07	Variance	3.73e+11
95%	973500	3.07e+07	Skewness	15.7646
99%	1669032	3.09e+07	Kurtosis	440.3396

. tabstat pitotal, stat(N mean sd median)

variable	N	mean	sd	p50
-----+				
pitotal	543154	387299.1	610910.6	331397.5
-----				

. lissyuse, cc(no20) pvars(pitotal)

lissyuse specifications:

```
ccyy:      no20
pvars:     pitotal
hvars:
lis:
lws:
erflis:
onebyone:
from:
to:
iso2:
select:
implicate:
progs:
```

no project defined, standard selection 'lis' database has been assigned  
valid datasets: no20

no20p has been loaded, containing variables pitotal  
your dataset run has been completed, containing variables pitotal

. summarize pitotal, detail

total individual income, person

Percentiles		Smallest
1%	-29	-2.62e+07

5%	0	-8750127		
10%	0	-6250932	Obs	546,943
25%	34337	-4434684	Sum of Wgt.	546,943
50%	341301		Mean	400534.9
		Largest	Std. Dev.	643304.9
75%	558328	3.14e+07		
90%	788266	3.17e+07	Variance	4.14e+11
95%	1000079	3.22e+07	Skewness	16.35992
99%	1739015	4.76e+07	Kurtosis	490.7004

. tabstat pitotal, stat(N mean sd median)

variable	N	mean	sd	p50
-----+-----				
pitotal	546943	400534.9	643304.9	341301
-----+-----				

.  
end of do-file