

Energy system telemetry

BMS and inverter report

Data interval: 2026-08-02 13:13:05 EEST — 2026-08-06 13:30:49 EEST

Generated: 2026-08-06 13:30:54 EEST

Database: /home/pi/Documents/Inverter_Board/data/telemetry.sqlite3


Type	Device	Samples	First sample	Last sample	Latest values
BMS	JK BMS	11,540	2026-08-02 13:13:05 EEST	2026-08-06 13:30:49 EEST	27.09 V, 0.00 A, 99%
BMS	Daly BMS	11,540	2026-08-02 13:13:05 EEST	2026-08-06 13:30:49 EEST	27.10 V, 0.00 A, 93%
BMS	Seplos BMS	11,540	2026-08-02 13:13:05 EEST	2026-08-06 13:30:49 EEST	54.01 V, 0.00 A, 99%
Inverter	Anenji	11,408	2026-08-02 14:24:05 EEST	2026-08-06 13:30:20 EEST	109 W, 43 W, 100%
Inverter	EASUN	11,395	2026-08-02 14:21:19 EEST	2026-08-06 13:30:22 EEST	0 W, 92 W, 100%

Charts include valid BMS samples only. Missing intervals are shown as line breaks; stored source rows are never changed by this report.


BMS overview

Pack voltage, current and state of charge


JK BMS — Pack voltage




JK BMS — Battery current




JK BMS — State of charge



Daly BMS — Pack voltage




Daly BMS — Battery current




Daly BMS — State of charge



Seplos BMS — Pack voltage



Seplos BMS — Battery current




Seplos BMS — State of charge




BMS detail — JK BMS

11,540 valid samples · 2026-08-02 13:13:05 EEST — 2026-08-06 13:30:49 EEST


Pack voltage




Battery current




State of charge




Temperatures



Cell voltage envelope



Latest individual cell voltages




Inverter Board telemetry


BMS detail — Daly BMS

11,540 valid samples · 2026-08-02 13:13:05 EEST — 2026-08-06 13:30:49 EEST


Pack voltage




Battery current




State of charge




Temperatures



Cell voltage envelope




Latest individual cell voltages




BMS detail — Seplos BMS

11,540 valid samples · 2026-08-02 13:13:05 EEST — 2026-08-06 13:30:49 EEST


Pack voltage




Battery current




State of charge




Temperatures



Cell voltage envelope




Latest individual cell voltages




Inverter overview

Power production, load and battery behavior


Anenji — Power




Anenji — Battery current




Anenji — SOC and load




EASUN — Power



EASUN — Battery current




EASUN — SOC and load




Inverter detail — Anenji

11,408 samples · 2026-08-02 14:24:05 EEST — 2026-08-06 13:30:20 EEST


Power flow




Battery voltage




Battery current




State of charge and load



AC voltages




Temperatures




Inverter detail — EASUN

11,395 samples · 2026-08-02 14:21:19 EEST — 2026-08-06 13:30:22 EEST


Power flow




Battery voltage




Battery current



State of charge and load



AC voltages



Temperatures

