

就一题

webpack engine




在源代码看到 flag_is_here

A screenshot of a web browser's developer tools interface. The 'Sources' tab is active, showing a file tree on the left with 'src' > 'views' > 'Fl4g_1s_h' selected. The main pane displays the source code of 'Fl4g_1s_her3.vue'. The code is a Vue component with a template and a data object. The data object contains a property 'filiililil4g' with a long, colorful string value. The string is: 'YUdkaGJXVjdSREJ1ZEY5bU1ISTVaWFJmTWw!'. The string is highlighted in red in the original image. The code is as follows:

```
1 <template>
2   <h1>{{filiililil4g}}</h1>
3 </template>
4
5 <script>
6
7 export default {
8   data() {
9     return {
10       filiililil4g: 'YUdkaGJXVjdSREJ1ZEY5bU1ISTVaWFJmTWw!'
11     }
12   }
13 }
14 </script>
```

flag两次base64加密

YU4kaGIX9d5SREJ1ZEY5bU1ISTVaWfImTWwSRGjFOXpNMtIUUhWeVkyImZIVUJ3ZIE9PQe=

☒ Text ☐ Hex 

Decode as --

Encode as --

Hash --

Smart decode

xGdhbWV78Deu8F9mMHISXRfMj9DbE9uM19TMHvY2VYkU8wrfQe=

☒ Text ☐ Hex

Decode as --

Encode as --

Hash --

Smart decode

hgame[D0nt_f0r9et_2_CIOs3_S0urce_m@p]

☒ Text ☐ Hex

Decode as --

Encode as --

Hash --

Smart decode