Blood

1 yr old labrador


- · being spayed
- · ovarian artery ruptures
- · massive bleeding


things that can go wrong


- ·bleeding
- -surgery
- -fluids
- blood
- · plasma / substitutes
- · coagulants / anticoagulant antidotes
- · clotting in blood vessels
- -anticoagulants
- · anaemia


clotting


- · blood vessel damage
- · platelet clot
- · fibrin clot
- fibrinolysis











aims of treatment

- encourage clotting at site of injury
- · prevent clotting in circulation

haemostasis

- · good surgical technique
- pressure

haemostasis

- · blood vessels
- -topical vasoconstrictors
- · platelets
- -artificial substrates
- · clotting factors
- -fresh frozen plasma
- -fresh whole blood

parenteral haemostatics

- · generally useless
- -tranexamic acid for plasminogen overdose

preventing clots

- · anti platelet drugs
- -aspirin
- · parenteral anticoagulants
- -heparin antidote protamine
- · oral anticoagulants
- -warfarin
- -antidote vit K1 phytomenadione

treating clots

- · alteplase (rTPA)
- streptokinase
- ·urokinase
- · must be given within minutes
- · overdose fatal
- · too expensive to use

in vitro anticoagulants


- · used for blood collection
- -acid citrate dextrose
- -citrate phosphate dextrose
- -citrate
- -(EDTA)
- · chelate calcium
- also after administration

anaemia

- iron
- · vitamin B12 / cobalt
- · folic acid

anaemia

- iron
- -piglets
- -(chronic bleeding)
- overdose give desferrioxamine
- · vitamin B12 / cobalt
- · folic acid



anaemia

- · iron
- · vitamin B12 / cobalt
- gut disease / antibiotics in small animals
- Co deficiency in ruminants
- · folic acid
- gut disease

anaemia

- · anabolic steroids
- nandrolone etc
- do not use in food animals
- -abused by people
- · erythropoietin
- -too expensive to use
- -counterproductive in horses
- -abused by people
- · lithium?

1 yr old labrador

- · being speyed
- · ovarian artery ruptures
- · massive bleeding

problems

hypovolaemia

treatment

- · surgical ligation
- · iv fluids

30 mins later...

- · artery finally ligated
- · 3L fluids given
- PCV 12%



problems

- · anaemia
- · diluted clotting factors
- prolonged clotting times

treatment?

- · wait and hope
- · whole blood
- -ACD/PCD?
- · fresh frozen plasma

monitoring

- ·CVP
- · PCV
- · clotting times

blood

- in vivo anticoagulants aspirin, heparin, warfarin
- · catheters heparin
- blood collection ACD / CPD
- coumarin poisoning fresh whole blood & vitamin K1
- anaemia blood, iron, vit B12, anabolic steroids