

Sports Academy Management System

Submitted to

**SHRI JAIN KANYA P.G. MAHADHYLIYA,
Bikaner**

Affiliated to

Maharaja Ganga Singh University, Bikaner



**Partial Fulfillment of
MSc PART IV**

Submitted by:

Vidhi Sukhlecha

Shri Jain Kanya P.G. Mahavidhyaliya, Bikaner

CERTIFICATE

This is to certify that **Vidhi Sukhlecha D/O Shashindra Sukhlecha**, who is a regular student of this college of the **MSc Semester IV** Computer Science Department, has been permitted to submit the project of **Sports Academy Management System** as per the Maharaja Ganga Singh University, BIKANER rules and regulations. I wish every success in her life.

DR. SANDHYASAXENA
Principal

Date

Shree Jain Kanya P.G. Mahavidyalaya,
Bikaner

Shri Jain Kanya P.G. Mahavidhyaliya, Bikaner

DEPARTMENT OF COMPUTER SCIENCE

CERTIFICATE

This is certifying that **Vidhi Sukhlecha D/O Shashindra Sukhlecha** a regular student of MSc, Computer Science Department of our college has conducted Project on **Sports Academy Management System**. By her sincere efforts and zeal for deep-rooted Investigation, **Vidhi Sukhlecha** has demonstrated her knowledge, skill and Capacity for hand work. She has done justice to the subject entrusted to her.

In my opinion this work is original and it is up to my Satisfaction. I hope it to be useful in computers sector as well as for our department. I wish all success & happiness to her life.

DR. PANKAJ DADHICH
Head of Department (Computer Science)

Shri Jain Kanya P.G. Mahavidhyalya,
Bikaner

Shri Jain Kanya P.G. Mahavidhyaliya, Bikaner

DEPARTMENT OF COMPUTER SCIENCE

SUPERVISOR'S CERTIFICATE

This is to certify that the work embodied in the accompanying thesis entitled **Sports Academy Management System** has been carried out entirely by the candidate as a research scholar under my direct supervision and guidance and that the candidate has fulfilled the requirements of the regulations laid down for the **MSc Degree** examination of the MGSU, Bikaner.

The information and data presented by her are derived from our college. She has taken great pains in collecting the material, analyzing it and presenting it in an intelligible way by giving table and code etc. I wish all success & happiness to her life.

DR. PANKAJ DADHICH
Supervisor, Computer science
ShriJain Kanya P.G.Mahavidhyalya,
Bikaner

Shri Jain Kanya P.G. Mahavidhyaliya, Bikaner

DECLARATION

This is to certify that the Project Report entitled Sports Academy Management System is an original work and has not been submitted in part or full to any other university/institution for the award of any degree or diploma.

Signature of candidate

NAME Vidhi Sukhlecha

SESSION (2025-26)

ACKNOWLEDGEMENT

We express our deepest gratitude to our **COLLEGE MANAGEMENT BODY** for invaluable computer lab infrastructure and blessings.

We are very grateful to our **Principal Dr. Sandhya Saxena** for providing us with an environment to complete our project successfully.

We are deeply indebted to our **Head of the Department of Computer Science Dr. Pankaj Dadhich**, who modeled us conceptually, technically and morally for achieving greater success in life and support during the entire course of this project work.

I am also grateful to **DR. PANKAJ DADHICH**, Project supervisor - faculty in DOCS who has technical guidance of my project.

We express our sincere thanks to **Dr. Vandana Rajashvansi, Engineer** encouragement and support throughout our course, especially for the useful suggestions given during the course of the project period.
We also thank all the staff members of our college and technicians for their help in making this project a successful one.

Finally, we take this opportunity to extend our deep appreciation to our **family** and **friends**, for all that they meant to us during the crucial times of the completion of our project.

Student signature

INDEX

CONTENTS

Sr.No.	Topics	Page No.
1.	System Development Life Cycle	8-13
2.	Introduction of Front-end	14
3.	Introduction of Back-end	15
4.	Database Designing	15-18
5.	Data Dictionary	19-20
6.	Database Tables	21-22
7.	Website Designing	23-68
8.	Bibliography	69

SYSTEM DEVELOPMENT LIFE CYCLE

- A. Overviewe
- B. System Development Phases
 - a. Information Planning
 - b. Requirement Gathering And Analysis
 - c. Design
 - d. Coding
 - e. Testing
- C. Feasibility Study
 - a. Technology Feasibility
 - b. Economic Feasibility
 - c. Legal Feasibility
 - d. Operational Feasibility
 - e. Schedule Feasibility
 - f. Market and Real State Feasibility
 - g. Resource Feasibility
 - h. Cultural Feasibility

A. Overview:-

Systems Development Life Cycle (SDLC) is any logical process used by a systems analyst to develop an information system, including requirements, validation, training, and user ownership. A SDLC should result in a high quality system that meets or exceeds customer expectations, reaches completion within time and cost estimates, works effectively and efficiently in the current and planned Information Technology infrastructure, and is inexpensive to maintain and cost-effective to enhance.

System Development Phases:-

Systems Development Life Cycle (SDLC) adheres to important phases that are essential for developers, such as planning, analysis, design, and implementation, and are explained in the section below. There are several Systems Development Life Cycle Models in existence. The oldest model, that was originally regarded as "the Systems Development Life Cycle" is the waterfall model: a sequence of stages in which the output of each stage becomes the input for the next. These stages generally follow the same basic steps but many different waterfall methodologies give the steps different names and the numbers of steps seem to vary between 4 and 7. There is no definitively correct Systems Development Life Cycle model, but the steps can be characterized and divided in several steps.

a. Information Planning:-

To generate a high-level view of the intended project and determine the goals of the project. The feasibility study is sometimes used to present the project to upper management in an attempt to gain funding. Projects are typically evaluated in three areas of feasibility: economical, operational, and technical.

b. Requirement Gathering and Analysis:-

The goal of systems analysis is to determine where the problem is in an attempt to fix the system. This step involves breaking down the system in different pieces and drawing diagrams to analyze the situation. Analyze project goals, break down functions that need to be created, and

attempt to engage users so that definite requirements can be defined.

c. Design :-

In systems design functions and operations are described in detail, including screen layouts, business rules, process diagrams and other documentation. The output of this stage will describe the new system as a collection of modules or subsystems.

d. Coding:-

Modular and subsystem programming code will be accomplished during this stage. Unit testing and module testing are done in this stage by the developers. This stage is intermingled with the next in that individual modules will need testing before integration to the main project. Planning in software life cycle involves setting goals, defining targets, establishing schedules, and estimating budgets for an entire software project.

e. **Testing**

:-

The code is tested at various levels in software testing. Unit,

system and user acceptance testing are often performed. This is a grey area as many different opinions exist as to what the stages of testing are and how much if any iteration occurs. Iteration is not generally part of the waterfall model, but usually some occurs at this stage.

B. Feasibility Study:-

a. **Technology and system feasibility:-**

The assessment is based on an outline design of system requirements in terms of Input, Processes, Output, Fields, Programs, and Procedures. This can be quantified in terms of volumes of data, trends, frequency of updating, etc. in order to estimate whether the new system will perform adequately or not this means that feasibility is the study of the based in outline.

b. **Economic feasibility:-**

Economic analysis is the most frequently used method for evaluating the effectiveness of a new system. More commonly known as cost/benefit analysis, the procedure is to determine the benefits and savings that are expected from a candidate system and compare them with costs. If benefits outweigh costs, then the decision is made to design and implement the system.

Legal feasibility:-

Determines whether the proposed system conflicts with legal requirements, e.g. a data processing system must comply with the local Data Protection Acts.

Operational feasibility:-

Is a measure of how well a proposed system solves the problems, and takes advantages of the opportunities identified during scope definition and how it satisfies the requirements identified in the requirements analysis phase of system development.

c. Schedule feasibility:-

A project will fail if it takes too long to be completed before it is useful. Typically this means estimating how long the system will take to develop, and if it can be completed in a given time period using some methods like payback period. Schedule feasibility is a measure of how reasonable the project timetable is. Given our technical expertise, are the project deadlines reasonable? Some projects are initiated with specific deadlines.

d. Market and real estate feasibility:-

Market Feasibility Study typically involves testing geographic locations for a real estate development project, and usually involves parcels of real estate land. Developers often conduct market studies to determine the best location within a jurisdiction, and to test alternative land uses for a given parcels. Jurisdictions often require developers to complete feasibility studies before they will approve a permit application for retail, commercial, industrial, manufacturing, housing, office or mixed-use project.

e. Resource feasibility:-

This involves questions such as how much time is available to build the new system, when it can be built,



whether it interferes with normal business operations, type and amount of resources required, dependencies, etc. Contingency and mitigation plans should also be stated here.

Cultural feasibility:-

In this stage, the project's alternatives are evaluated for their impact on the local and general culture. For example, environmental factors need to be considered and these factors are to be well known. Further an enterprise's own culture can clash with the results of the project.

INTRODUCTION TO FRONT END APPLICATION

PHP-

PHP (Hypertext Preprocessor) is a server-side scripting language widely used for web development. It is embedded within HTML and is known for its flexibility in generating dynamic content on web pages.

HTML-

HTML, or HyperText Markup Language, is the standard language for creating and designing documents to be displayed in a web browser. It uses a system of tags to structure content and define the elements on a web page.

CSS-

CSS, or Cascading Style Sheets, is a language used for describing the presentation of a document written in HTML or XML. It defines how elements are styled, including layout, colors, fonts, and other visual aspects on web pages.

JS-

JavaScript (JS) is a versatile, high-level programming language commonly used for creating dynamic and interactive web applications. It enables client-side scripting to enhance user experience by manipulating web page content and behavior.

Introduction to Back-End Application

MySQL:

MySQL is an open-source relational database management system (RDBMS) that utilizes SQL (Structured Query Language) for managing and manipulating data within databases. It is widely used for web applications and provides a robust, scalable, and efficient platform for storing and retrieving structured information.

Database Design

1. Overview
2. Design Process
 - Determining Data To Be stored
 - Conceptual Schema
 - Logical Structuring Data
 - Physical Database Design

1. Overview:-

Database design is the process of producing a detailed data model of a database. This logical data model contains all the needed logical and physical design choices and physical storage parameters needed to generate a design in a Data Definition Language, which can then be used to create a database. A fully attributed data model contains detailed attributes for each entity.

The term database design can be used to describe many different parts of the design of an overall database system. Principally, and most correctly, it can be thought of as the logical design of the base data structures used to store the data. In the relational model these are the tables and views. In an object database the entities and relationships map directly to object classes and named relationships.

2. Design Process:-

The process of doing database design generally consists of a number of steps which will be carried out by the database designer. Not all of these steps will be necessary in all cases. Usually, the designer must:

- Determine the relationships between the different data elements
- Superimpose a logical structure upon the data on the basis of these relationships.

Within the relational model the final step can generally be broken down into two further steps that of determining the grouping of information within the system, generally determining what are the basic objects about which information is being stored, and then determining the relationships between these groups of information, or objects. This step is not necessary with an Object database.

The tree structure of data may enforce a hierarchical model organization, with a parent-child relationship table. An Object database will simply use a one-to-many relationship between instances of an object class. It also introduces the concept of a hierarchical relationship

between object classes, termed inheritance.

➤ **Determining data to be stored**

In a majority of cases, a person who is doing the design of a database is a person with expertise in the area of database design, rather than expertise in the domain from which the data to be stored is drawn e.g. financial information, biological information etc.

Therefore the data to be stored in the database must be determined in cooperation with a person who does have expertise in that domain, and who is aware of what data must be stored within the system.

This process is one which is generally considered part of requirements analysis, and requires skill on the part of the database designer to elicit the needed information from those with the domain knowledge. This is because those with the necessary domain knowledge frequently cannot express clearly what their system requirements for the database are as they are unaccustomed to thinking in terms of the discrete data elements which must be stored. Data to be stored can be determined by Requirement Specification.

➤ **Conceptual schema**

Once a database designer is aware of the data which is to be stored within the database, they must then determine where dependency is within the data.

Sometimes when data is changed you can be changing other data that is not visible. For example, in a list of names and addresses, assuming a situation where multiple people can have the same address, but one person cannot have more than one addresses, the name is dependent upon the address, because if the address is different than the

associated name is different too. However, the other way around is different. One attribute can change and not another.


➤ **Logically structuring data**

Once the relationships and dependencies amongst the various pieces of information have been determined, it is possible to arrange the data into a logical structure which can then be mapped into the storage objects supported by the database management system. In the case of relational databases the storage objects are tables which store data in rows and columns.

Each table may represent an implementation of either a logical object or a relationship joining one or more instances of one or more logical objects. Relationships between tables may then be stored as links connecting child tables with parents.

➤ **Physical database design**

The physical design of the database specifies the physical configuration of the database on the storage media. This includes detailed specification of data elements, data types, indexing options and other parameters residing in the DBMS data dictionary. It is the detailed design of a system that includes modules & the database's hardware & software specifications of the system.



Data Dictionary

1. Overview
2. Data Dictionary Documentation
3. Data Dictionary Middleware

1. Overview:-

A **data dictionary**, as defined in the *IBM Dictionary of Computing*, is a "centralized repository of information about data such as meaning, relationships to other data, origin, usage, and format." The term may have one of several closely related meanings pertaining to databases

and database management systems (DBMS):

- a document describing a database or collection of databases
- an integral component of a DBMS that is required to determine its structure
- a piece of middleware that extends or supplants the native data dictionary of a DBMS

2. Data Dictionary Documentation:-

Database users and application developers can benefit from an authoritative data dictionary document that catalogs the organization, contents, and conventions of one or more databases. This typically includes the names and descriptions of various tables and fields in each database, plus additional details, like the type and length of each data element. There is no universal standard as to the level of detail in such a document, but it is primarily a distillation of metadata about database structure, not the data itself. A data dictionary document also may

Include further information describing how data elements are encoded. One of the advantages of well-designed data dictionary documentation is that it helps to establish consistency throughout a complex database, or across a large collection of federated database.

3. Data Dictionary Middleware:-

IN the construction of database applications, it can be useful to introduce an additional layer of data dictionary software, i.e. middleware, which communicates with the underlying DBMS data dictionary.

Database Tables

S.No.	Table's Name	Description
1.	Login	This table will contain information about admin Id and password.
2.	Students	This table will contain information about student like name, email-id, contact number etc.
3.	Coach	This will contain information about details of coach like name timing, dob, experience.
4.	Slot	This will contain information about various schemes of slot.
5.	Fees_record	This will contain all information about fees.

Table description

1. login:-

Browse	Structure	SQL	Search	Insert	Export	Import	Privileges	Operations	Tracking	Triggers
Table structure Relation view										
#	Name	Type	Collation	Attributes	Null	Default	Comments	Extra	Action	
☐ 1	userid	int(11)			No	None		AUTO_INCREMENT	Change	Drop More
☐ 2	email	varchar(50)	utf8mb4_general_ci		No	None			Change	Drop More
☐ 3	name	char(30)	utf8mb4_general_ci		No	None			Change	Drop More
☐ 4	phone	bigint(10)			No	None			Change	Drop More
☐ 5	password	varchar(8)	utf8mb4_general_ci		No	None			Change	Drop More
☐ Check all With selected: Browse Change Drop Primary Unique Index Spatial Fulltext Add to central columns Remove from central columns										

2. student

#	Name	Type	Collation	Attributes	Null	Default	Comments	Extra	Action
☐	1	sid	int(4)		No	None		AUTO_INCREMENT	Change Drop More
☐	2	name	char(30)	utf8mb4_general_ci	No	None			Change Drop More
☐	3	parents	char(30)	utf8mb4_general_ci	No	None			Change Drop More
☐	4	sports	char(10)	utf8mb4_general_ci	No	None			Change Drop More
☐	5	dob	date		No	None			Change Drop More
☐	6	address	text	utf8mb4_general_ci	No	None			Change Drop More
☐	7	phone	bigint(10)		No	None			Change Drop More
☐	8	slot	varchar(20)	utf8mb4_general_ci	No	None			Change Drop More
☐	9	coach	char(30)	utf8mb4_general_ci	No	None			Change Drop More
☐	10	fees	int(4)		No	None			Change Drop More

☐ Check all With selected: Browse Change Drop Primary Unique Index Spatial Fulltext Add to central columns

3. coach

#	Name	Type	Collation	Attributes	Null	Default	Comments	Extra	Action
☐	1	tid	int(11)		No	None		AUTO_INCREMENT	Change Drop More
☐	2	tname	char(30)	utf8mb4_general_ci	No	None			Change Drop More
☐	3	sports	char(10)	utf8mb4_general_ci	No	None			Change Drop More
☐	4	email	varchar(30)	utf8mb4_general_ci	No	None			Change Drop More
☐	5	tphone	bigint(10)		No	None			Change Drop More
☐	6	experience	int(2)		No	None			Change Drop More
☐	7	taddress	varchar(50)	utf8mb4_general_ci	No	None			Change Drop More
☐	8	fees	int(4)		No	None			Change Drop More

☐ Check all With selected: Browse Change Drop Primary Unique Index Spatial Fulltext Add to central columns
 Remove from central columns


4. fees_record

#	Name	Type	Collation	Attributes	Null	Default	Comments	Extra	Action
☐	1	fid	int(11)		No	None		AUTO_INCREMENT	Change Drop More
☐	2	sid	int(11)		No	None			Change Drop More
☐	3	name	char(30)	utf8mb4_general_ci	No	None			Change Drop More
☐	4	sports	char(10)	utf8mb4_general_ci	No	None			Change Drop More
☐	5	jan	int(11)		Yes	NULL			Change Drop More
☐	6	feb	int(11)		Yes	NULL			Change Drop More
☐	7	mar	int(11)		Yes	NULL			Change Drop More
☐	8	apr	int(11)		Yes	NULL			Change Drop More
☐	9	may	int(11)		Yes	NULL			Change Drop More
☐	10	jun	int(11)		Yes	NULL			Change Drop More
☐	11	july	int(11)		Yes	NULL			Change Drop More
☐	12	aug	int(11)		Yes	NULL			Change Drop More
☐	13	sep	int(11)		Yes	NULL			Change Drop More
☐	14	oct	int(11)		Yes	NULL			Change Drop More
☐	15	nov	int(11)		Yes	NULL			Change Drop More
☐	16	dece	int(11)		Yes	NULL			Change Drop More

☐ Check all With selected: Browse Change Drop Primary Unique Index Spatial Fulltext Add to central columns

WebsiteDesign

1. Login Page-



Login page(source code)

Frontend code:-

```
<!DOCTYPE html>
```

```
<html lang="en">
```

```
<head>
```

```
<title>Login</title>
```

```
<style>
```

```
*{
```

```
padding: 0;
```

```
margin: 0;
```

```
}
```

```
body {  
  background-color: black;  
  overflow: hidden;  
}
```

```
.background {  
  width: 430px;  
  height: 520px;  
  position: absolute;  
  transform: translate(-50%, -50%);  
  left: 50%;  
  top: 50%;  
}
```

```
.background .shape {  
  height: 200px;  
  width: 200px;  
  position: absolute;  
  border-radius: 50%;  
}
```

```
.shape:first-child {  
  background: linear-gradient(#1845ad, #23a2f6);  
  right: 85%;  
  top: -70px;  
}
```

```
.shape:last-child {  
  background: linear-gradient(to right, #ff512f, #f09819);  
  left: 85%;  
}
```



```
    bottom: -70px;  
}
```

```
form {  
    height: auto;  
    width: 35%;  
    background-color: rgba(255, 255, 255, 0.01);  
    position: absolute;  
    transform: translate(-50%, -50%);  
    top: 50%;  
    left: 50%;  
    border-radius: 10px;  
    backdrop-filter: blur(10px);  
}
```

```
input {  
    display: block;  
    height: 50px;  
    width: 100%;  
    background-color: rgba(255, 255, 255, 0.07);  
    border-radius: 3px;  
    padding: 0 10px;  
    margin-top: 8px;  
    font-size: 14px;  
    font-weight: 300;  
}
```

```
::placeholder {  
    color: #e5e5e5;  
}
```

```

    button {
        margin-top: 50px;
        margin-left: 10px;;
        width: 100%;
        background-color: #ffffff;
        color: #080710;
        padding: 15px 0;
        font-size: 18px;
        font-weight: 600;
        border-radius: 5px;
        cursor: pointer;
    }

    @media only screen and (max-width: 1024px) {
        form {
            width: 45%;
        }
    }
</style>
</head>

<body>
    <div class="background">
        <div class="shape"></div>
        <div class="shape"></div>
    </div>
    <form action="login_backend.php" method="post">
        <h3>Login Here</h3>

        <label for="username">Email</label>

```

```
<input type="text" placeholder="Email or Phone" id="username"
name="email">
```

```
<label for="password">Password</label>
```

```
<input type="password" placeholder="Password" id="password"
name="password">
```

```
<button type="submit">Sign-in</button>
```

```
</form>
```

```
</body>
```

```
</html>
```

Backend code:-

```
<?php
```

```
session_start();
```

```
$conn = new mysqli("localhost", "root", "", "sports_academy");
```

```
if($conn->connect_error) {
```

```
    die("Connection failed: " . $conn->connect_error);
```

```
}
```

```
$email = $_POST['email'];
```

```
$password = $_POST['password'];
```

```
$sql = "SELECT * FROM login WHERE email='$email' AND
password='$password'";
```

```
$result = $conn->query($sql);
```


```

if($result->num_rows == 1) {
    $_SESSION['logged_in'] = true;
    $_SESSION['email'] = $email;

    header("Location: dashboard.php");
    exit();
}else {
    header("Location: login.html?error=invalid_credentials");
    exit();
}
?>

```

2. Dashboard-



Dashboard(source code)

Frontend code:-

```
<!DOCTYPE html>
```

```
<html lang="en">
```

```
<head>

<title>Login</title>

<style>

*{

    padding: 0;

    margin: 0;

}


body {

    background-color: black;

    overflow: hidden;

}


.background {

    width: 430px;

    height: 520px;

    position: absolute;

    transform: translate(-50%, -50%);

    left: 50%;

    top: 50%;

}


.background .shape {

    height: 200px;

    width: 200px;

    position: absolute;

    border-radius: 50%;

}
```

```
.shape:first-child {  
  background: linear-gradient(#1845ad, #23a2f6);  
  right: 85%;  
  top: -70px;  
}
```

```
.shape:last-child {  
  background: linear-gradient(to right, #ff512f, #f09819);  
  left: 85%;  
  bottom: -70px;  
}
```

```
form {  
  height: auto;  
  width: 35%;  
  background-color: rgba(255, 255, 255, 0.01);  
  position: absolute;  
  transform: translate(-50%, -50%);  
  top: 50%;  
  left: 50%;  
  border-radius: 10px;  
  backdrop-filter: blur(10px);  
}
```

```
input {  
  display: block;  
  height: 50px;  
  width: 100%;  
  background-color: rgba(255, 255, 255, 0.07);  
  border-radius: 3px;
```

```
padding: 0 10px;  
margin-top: 8px;  
font-size: 14px;  
font-weight: 300;  
}
```

```
::placeholder {  
  color: #e5e5e5;  
}
```

```
button {  
  margin-top: 50px;  
  margin-left: 10px;  
  width: 100%;  
  background-color: #ffffff;  
  color: #080710;  
  padding: 15px 0;  
  font-size: 18px;  
  font-weight: 600;  
  border-radius: 5px;  
  cursor: pointer;  
}
```

```
@media only screen and (max-width: 1024px) {  
  form {  
    width: 45%;  
  }  
}
```

```
</style>
```

```
</head>
```

```
<body>
  <div class="background">
    <div class="shape"></div>
    <div class="shape"></div>
  </div>
  <form action="login_backend.php" method="post">
    <h3>Login Here</h3>

    <label for="username">Email</label>
    <input type="text" placeholder="Email or Phone" id="username"
name="email">

    <label for="password">Password</label>
    <input type="password" placeholder="Password" id="password"
name="password">

    <button type="submit">Sign-in</button>
  </form>
</body>

</html>
```



```
<html>

<head>
<title>Student Details</title>
<style>
table {
border-collapse: collapse;
width: 100%;
height: 10%;
}

th,
td {
border: 1px solid #dddddd;
text-align: left;
padding: 8px;
height: 20px;
}

th {
background-color: #f2f2f2;
text-align: center;
}

aside {
color: #fff;
display: grid;
width: 20%;
padding-left: 20px;
height: 100vh;
background-image: linear-gradient(360deg, #5d5e66, #3d3f47);
border-top-right-radius: 80px;
box-shadow: 0 4px 8px 0 rgba(0, 0, 0, 0.2),
            0 6px 20px 0 rgba(0, 0, 0, 0.15);
}

aside a {
font-size: 13px;
font-weight: bold;
color: #fff;
display: block;
padding: 12px 3px;
text-decoration: none;
overflow: hidden;
}

.nothing:hover {
```

```
    color: #fff;
    background: none;
}
```

```
aside a:hover {
    color: #3d3f47;
    background: #fff;
    outline: none;
    position: relative;
    background-color: #fff;
    border-top-left-radius: 30px;
    border-bottom-left-radius: 30px;
    font-weight: bold;
}
```

```
aside a.clicked {
    background-color: #fff;
    color: #3d3f47;
    outline: none;
    position: relative;
    background-color: #fff;
    border-top-left-radius: 30px;
    border-bottom-left-radius: 30px;
    font-weight: bold;
}
```

```
.activ {
    background-color: #fff;
    color: #3d3f47;
    outline: none;
    position: relative;
    background-color: #fff;
    border-top-left-radius: 30px;
    border-bottom-left-radius: 30px;
    font-weight: bold;
}
```

```
aside p {
    margin: 0;
    padding: 40px 0;
}
```

```
#close {
    color: white;
    float: left;
    font-size: 28px;
```

```
font-weight: bold;
position: absolute;
display: none;
}
```

```
#close:hover,
#close:focus {
color: white;
text-decoration: none;
cursor: pointer;
}
```

```
body {
font-family: "Roboto";
width: 100%;
height: 100vh;
margin: 0;
display: flex;
flex-direction: row;
}
```

```
h1 {
text-align: center;
background-color: #3d3f47;
}
```

```
.spacee {
height: 320px;
}
```

```
@media only screen and (max-width: 768px) {
aside {
display: none;
position: absolute;
}
}
```

```
#sidebarToggle {
display: none;
background: none;
border: none;
font-size: 24px;
cursor: pointer;
}
.basketball{
display: none;
```

```

    }
    button{
        width: 100%;
        background-color: #3d3f47;
        border-radius: 7px;
    }
    a{
        text-decoration: none;
        color: #fff;
        width: 100%;
    }
}

</style>
<link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/4.7.0/css/font-awesome.min.css">
<script>
function abc() {
    document.getElementById("sidebar").style.display = "block";
    document.getElementById("sidebarToggle").style.display = "none";
    document.getElementById("close").style.display = "block";
    document.getElementById("close").style.zIndex = '10';
}
function closeAside() {
    document.getElementById("sidebar").style.display = "none";
    document.getElementById("sidebarToggle").style.display = "block";
    document.getElementById("close").style.display = "none";
}
</script>
</head>

<body>
<button id="sidebarToggle" onclick="abc()">≡</button>
<span id="close" onclick="closeAside()">&times;</span>
<aside id="sidebar">
    <p><a href="dashboard.php" class="nothing"><i class="fa fa-long-arrow-
left"></i> &nbsp;  Admin Dashboard</a></p>
    <a href="studentbasketball.php" onclick="changeColor(this)">Basketball</a>
    <a href="studentcricket.php" onclick="changeColor(this)">Cricket</a>
    <a href="studentrunning.php" onclick="changeColor(this)">Running</a>
    <a href="studentbadminton.php" onclick="changeColor(this)">Badminton</a>
    <a href="studentkarate.php" onclick="changeColor(this)">Karate</a>
    <div class="spacee"></div>
</aside>
<?php
$conn = new mysqli("localhost", "root", "", "sports_academy");
if ($conn->connect_error) {

```

```

    die("Connection failed: " . $conn->connect_error);
}
$sql = "SELECT sid, name, sports, parents, phone, address, dob, slot, coach FROM
student";
$result = $conn->query($sql);
if ($result->num_rows > 0) {
    echo "<table>";
    echo "<tr><th colspan='13'>Students Details</th></tr>";
    echo "<tr><th>ID</th><th>Name</th><th>Sports</th><th>Parents</th>
<th>Phone</th> <th>Address</th> <th>Date of birth</th> <th>Slots</th>
<th>Coachs</th> <th>fees</th> <th>Edit</th> <th>Delete</th></tr>";

    while ($row = $result->fetch_assoc()) {
        echo "<tr>";
        echo "<td>" . $row["sid"] . "</td>";
        echo "<td>" . $row["name"] . "</td>";
        echo "<td>" . $row["sports"] . "</td>";
        echo "<td>" . $row["parents"] . "</td>";
        echo "<td>" . $row["phone"] . "</td>";
        echo "<td>" . $row["address"] . "</td>";
        echo "<td>" . $row["dob"] . "</td>";
        echo "<td>" . $row["slot"] . "</td>";
        echo "<td>" . $row["coach"] . "</td>";
        $sid = "stufees_form.php?code=".$row['sid'];
        echo "<td><button><a href='$sid'>fees deposit</a></button></td>";
        $sid = "updatestu.php?code=".$row['sid'];
        echo "<td><button><a href='$sid'>Edit</a></button></td>";
        $sid = "deletebackendstu.php?code=".$row['sid'];
        echo "<td><button><a href='$sid'>Delete</a></button></td>";
        echo "</tr>";
    }
    echo "</table>";
} else {
    echo "0 results";
}
$conn->close();
?>
</body>
</html>

<!DOCTYPE html>

<html lang="en">

<head>

```

```
<title>Login</title>
```

```
<style>
```

```
*{
```

```
padding: 0;
```

```
margin: 0;
```

```
}
```

```
body {
```

```
background-color: black;
```

```
overflow: hidden;
```

```
}
```

```
.background {
```

```
width: 430px;
```

```
height: 520px;
```

```
position: absolute;
```

```
transform: translate(-50%, -50%);
```

```
left: 50%;
```

```
top: 50%;
```

```
}
```

```
.background .shape {
```

```
height: 200px;
```

```
width: 200px;
```

```
position: absolute;
```

```
border-radius: 50%;
```

```
}
```

```
.shape:first-child {
```

```
background: linear-gradient(#1845ad, #23a2f6);
```

```
right: 85%;  
top: -70px;  
}
```

```
.shape:last-child {  
background: linear-gradient(to right, #ff512f, #f09819);  
left: 85%;  
bottom: -70px;  
}
```

```
form {  
height: auto;  
width: 35%;  
background-color: rgba(255, 255, 255, 0.01);  
position: absolute;  
transform: translate(-50%, -50%);  
top: 50%;  
left: 50%;  
border-radius: 10px;  
backdrop-filter: blur(10px);  
}
```

```
input {  
display: block;  
height: 50px;  
width: 100%;  
background-color: rgba(255, 255, 255, 0.07);  
border-radius: 3px;  
padding: 0 10px;  
margin-top: 8px;
```

```
font-size: 14px;  
font-weight: 300;  
}
```

```
::placeholder {  
color: #e5e5e5;  
}
```

```
button {  
margin-top: 50px;  
margin-left: 10px;  
width: 100%;  
background-color: #ffffff;  
color: #080710;  
padding: 15px 0;  
font-size: 18px;  
font-weight: 600;  
border-radius: 5px;  
cursor: pointer;  
}
```

```
@media only screen and (max-width: 1024px) {  
form {  
width: 45%;  
}  
}
```

```
</style>
```

```
</head>
```

```
<body>
```

```
<div class="background">
```



```

        <div class="shape"></div>
        <div class="shape"></div>
    </div>
    <form action="login_backend.php" method="post">
        <h3>Login Here</h3>

        <label for="username">Email</label>
        <input type="text" placeholder="Email or Phone" id="username"
name="email">

        <label for="password">Password</label>
        <input type="password" placeholder="Password" id="password"
name="password">

        <button type="submit">Sign-in</button>
    </form>
</body>

</html>

```

Backend code:-

```

<?php

$conn=new mysqli("localhost","root","","sports_academy");
$id=null;
if(isset($_GET['code'])) {
    $id=$_GET['code'];
    $id=intval($id);
}
$query="delete from student where sid=$id";
if($conn->query($query) === TRUE)
{

```

```

        header("Location: fetch_stu_details.php");
    }
    else{
        echo "<br>". "something wrong happens";
    }
?>

```

4. Coach details-

← Admin Dashboard

Basketball

Cricket

Running

Badminton

Karate

Coach Details									
ID	Name	Sports	Email	Phone	Address	Experience	Edit	Delete	
1	virat koli	Cricket	virat@gmail.com	9876543210	hjjgikgkjbh	15	Edit	Delete	
2	neha jain	Badminton	neha@gmail.com	7654098321	jhgj nhjj jhk,	4	Edit	Delete	
3	vidhi sukhlecha	Karate	vidhi0@gmail.com	9876012345	jg jh juh	6	Edit	Delete	
4	priyanshi	Basketball	priyanshi@gmail.com	1234567890	vpotr jhg; gfh	5	Edit	Delete	
5	priyanka	Running	priyanka@gmail.com	9870123654	:po:p hdgg hfh	18	Edit	Delete	

Coach details(source code

Frontend code:-

```
<!DOCTYPE html>
```

```
<html>
```

```
<head>
```

```
<title>Coach Details</title>
```

```
<link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/4.7.0/css/font-awesome.min.css">
```

```
<style>
```

```
table {
```

```
border-collapse: collapse;
```

```
width: 100%;
```

```
height: 10%;
```

```
}
```

```
th,
```

```
td {
```

```
border: 1px solid #dddddd;
```

```
text-align: left;
```

```
padding:8px;
height: 20px;
}
```

```
th{
background-color: #f2f2f2;
text-align:center;
}
```

```
aside{
color:#fff;
display: grid;
width:20%;
padding-left:20px;
height: 100vh;
background-image: linear-gradient(360deg, #5d5e66, #3d3f47);
border-top-right-radius: 80px;
box-shadow:04px 8px 0 rgba(0, 0, 0, 0.2),
    06px20px0rgba(0, 0, 0, 0.15);
}
```

```
asidea {
font-size: 13px;
font-weight:bold;
color:#fff;
display: block;
padding:12px3px;
text-decoration:none;
overflow:hidden;
}
.nothing:hover {
color:#fff;
background:none;
}
```

```
asidea:hover{
color:#3d3f47;
background:#fff;
outline: none;
position:relative;
background-color: #fff;
border-top-left-radius: 30px;
border-bottom-left-radius: 30px;
font-weight:bold;
}
```

```
aside a.clicked {  
  background-color: #fff;  
  color: #3d3f47;  
  outline: none;  
  position: relative;  
  background-color: #fff;  
  border-top-left-radius: 30px;  
  border-bottom-left-radius: 30px;  
  font-weight: bold;  
}
```

```
.activ {  
  background-color: #fff;  
  color: #3d3f47;  
  outline: none;  
  position: relative;  
  background-color: #fff;  
  border-top-left-radius: 30px;  
  border-bottom-left-radius: 30px;  
  font-weight: bold;  
}
```

```
aside p {  
  margin: 0;  
  padding: 40px 0;  
}
```

```
#close {  
  color: white;  
  float: left;  
  font-size: 28px;  
  font-weight: bold;  
  position: absolute;  
  display: none;  
}
```

```
#close:hover,  
#close:focus {  
  color: white;  
  text-decoration: none;  
  cursor: pointer;  
}
```

```
body {  
  font-family: "Roboto";  
  width: 100%;
```

```
height: 100vh;
margin: 0;
display: flex;
flex-direction: row;
}

h1{
text-align: center;
background-color: #3d3f47;
}

.spaceee {
height: 320px;
}

@media only screen and (max-width: 768px) {
aside {
display: none;
position: absolute;
}
}

#sidebarToggle {
display: none;
background: none;
border: none;
font-size: 24px;
cursor: pointer;
}
.basketball{
display: none;
}
button{
width: 100%;
background-color: #3d3f47;
border-radius: 7px;
}
a{
text-decoration: none;
color: #fff;
width: 100%;
}

</style>
</head>
```

```

<body>
<button id="sidebarToggle" onclick="abc()">≡</button>
  <span id="close" onclick="closeAside()">&times;</span>
  <aside id="sidebar">
    <p><a href="dashboard.php" class="nothing"><i class="fa fa-long-arrow-
left"></i> &nbsp;  Admin Dashboard</a></p>
    <a href="coachbasketball.php">Basketball</a>
    <a href="coachcricket.php">Cricket</a>
    <a href="coachrunning.php">Running</a>
    <a href="coachbadminton.php">Badminton</a>
    <a href="coach-karate.php">Karate</a>
    <div class="spacee"></div>
  </aside>
<?php
$conn = new mysqli("localhost", "root", "", "sports_academy");
if ($conn->connect_error) {
    die("Connection failed: " . $conn->connect_error);
}
$sql = "SELECT tid, tname, sports, email, tphone, taddress, experience FROM
coach";
$result = $conn->query($sql);
if ($result->num_rows > 0) {
    echo "<table>";
    echo "<tr><th colspan='10'>Coach Details</th></tr>";
    echo
    "<tr><th>ID</th><th>Name</th><th>Sports</th><th>Email</th><th>Phone</th>
<th>Address</th><th>Experience</th><th>Edit</th><th>Delete</th></tr>";

    while ($row = $result->fetch_assoc()) {
        echo "<tr>";
        echo "<td>" . $row["tid"] . "</td>";
        echo "<td>" . $row["tname"] . "</td>";
        echo "<td>" . $row["sports"] . "</td>";
        echo "<td>" . $row["email"] . "</td>";
        echo "<td>" . $row["tphone"] . "</td>";
        echo "<td>" . $row["taddress"] . "</td>";
        echo "<td>" . $row["experience"] . "</td>";
        $id = "updatecoach.php?code=" . $row['tid'];
        echo " <td><button><a href='$id'>Edit</a></button></td>";
        $id = "deletebackendcoach.php?code=" . $row['tid'];
        echo " <td><button><a href='$id'>Delete</a></button></td>";
        echo "</tr>";
    }
    echo "</table>";
} else {
    echo "0 results";
}

```

```

}
$conn->close();
?>
</body>
</html>

```

Backend code:-

```

<?php

$conn = new mysqli("localhost","root","","sports_academy");
$id = null;
if (isset($_GET['code'])) {
    $id = $_GET['code'];
    $id = intval($id);
}
$query="delete from coach where tid=$id";
if($conn->query($query) === TRUE)
{
    header("Location: fetch_coach_details.php");
}
else{
    echo "<br>". "something wrong happens";
}
?>

```

5.View slot-

	Sports	Time Slot	Total Seats	Available Seats
← Admin Dashboard View Slot Player Info Coach Info Dashboard Log out	Badminton	4PM - 5PM	15	14
	Badminton	5PM -6PM	15	15
	Basketball	4PM - 5PM	15	14
	Basketball	5PM -6PM	15	15
	Cricket	4PM - 5PM	15	14
	Cricket	5PM -6PM	15	15
	Karate	4PM - 5PM	15	14
	Karate	5PM -6PM	15	15
	Running	4PM - 5PM	15	14
	Running	5PM -6PM	15	15

View slot(source code)

Frontend code:-

```
<!DOCTYPE html>
<html>

<head>
  <title>Student Details</title>
  <style>
    table {
      border-collapse: collapse;
      width: 100%;
      height: 10%;
    }

    th,
    td {
      border: 1px solid #dddddd;
      text-align: left;
      padding: 8px;
      height: 20px;
    }

    th {
      background-color: #f2f2f2;
      text-align: center;
    }

    aside {
      color: #fff;
      display: grid;
      width: 20%;
      padding-left: 20px;
      height: 100vh;
      background-image: linear-gradient(360deg, #5d5e66, #3d3f47);
      border-top-right-radius: 80px;
      box-shadow: 0 4px 8px 0 rgba(0, 0, 0, 0.2),
        0 6px 20px 0 rgba(0, 0, 0, 0.15);
    }

    aside a {
      font-size: 13px;
      font-weight: bold;
      color: #fff;
      display: block;
      padding: 12px 3px;
      text-decoration: none;
```



```
    overflow: hidden;
}

.nothing:hover {
    color: #fff;
    background: none;
}

aside a:hover {
    color: #3d3f47;
    background: #fff;
    outline: none;
    position: relative;
    background-color: #fff;
    border-top-left-radius: 30px;
    border-bottom-left-radius: 30px;
    font-weight: bold;
}

aside a.clicked {
    background-color: #fff;
    color: #3d3f47;
    outline: none;
    position: relative;
    background-color: #fff;
    border-top-left-radius: 30px;
    border-bottom-left-radius: 30px;
    font-weight: bold;
}

.activ {
    background-color: #fff;
    color: #3d3f47;
    outline: none;
    position: relative;
    background-color: #fff;
    border-top-left-radius: 30px;
    border-bottom-left-radius: 30px;
    font-weight: bold;
}

aside p {
    margin: 0;
    padding: 40px 0;
}
```

```
#close {
  color: white;
  float:left;
  font-size: 28px;
  font-weight: bold;
  position: absolute;
  display: none;
}

#close:hover,
#close:focus {
  color: white;
  text-decoration: none;
  cursor: pointer;
}

body{
  font-family: "Roboto";
  width: 100%;
  height: 100vh;
  margin:0;
  display: flex;
  flex-direction: row;
}

h1{
  text-align: center;
  background-color:#3d3f47;
}

.spaceee {
  height: 320px;
}

@mediaonlyscreenand(max-width: 768px) {
  aside {
    display: none;
    position: absolute;
  }
}

#sidebarToggle {
  display: none;
  background:none;
  border: none;
  font-size: 24px;
```

```

        cursor: pointer;
    }

    .basketball {
        display: none;
    }

    button {
        width: 100%;
        background-color: #3d3f47;
        border-radius: 7px;
    }

    a {
        text-decoration: none;
        color: #fff;
        width: 100%;
    }
    .nothing:hover {
        color: #fff;
        background: none;
    }
}
</style>
<link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/4.7.0/css/font-awesome.min.css">
<script>
    function abc() {
        document.getElementById("sidebar").style.display = "block";
        document.getElementById("sidebarToggle").style.display = "none";
        document.getElementById("close").style.display = "block";
        document.getElementById("close").style.zIndex = '10';
    }
    function closeAside() {
        document.getElementById("sidebar").style.display = "none";
        document.getElementById("sidebarToggle").style.display = "block";
        document.getElementById("close").style.display = "none";
    }
</script>
</head>

<body>
    <button id="sidebarToggle" onclick="displaySidebar()">≡</button>
    <span id="close" onclick="closeAside()">&times;</span>
    <aside id="sidebar">
        <p><a href="dashboard.php" class="nothing"><i class="fa fa-long-arrow-left"></i> &nbsp;Admin Dashboard</a></p>

```

```

<a href="view_slot.php">View Slot</a>
<a href="fetch_stu_details.php">Player Info</a>
<a href="fetch_coach_details.php">Coach Info</a>
<a href="dashboard.php">Dashboard</a>
<a href="logout.php">Log-out</a>
<div class="spacee"></div>
</aside>
<?php
$con = new mysqli("localhost", "root", "", "sports_academy");
if ($con->connect_error) {
    die("Connection failed: " . $con->connect_error);
}
$games = array(
    "Badminton" => array("4PM - 5PM", "5PM -6PM"),
    "Basketball" => array("4PM - 5PM", "5PM -6PM"),
    "Cricket" => array("4PM - 5PM", "5PM -6PM"),
    "Karate" => array("4PM - 5PM", "5PM -6PM"),
    "Running" => array("4PM - 5PM", "5PM -6PM")
);

echo '<table border="1">';
echo '<tr><th>Sports</th><th>Time Slot</th><th>Total Seats</th><th>Available
Seats</th></tr>';

foreach ($games as $game => $slots) {
    foreach ($slots as $slot) {
        $sql = "SELECT COUNT(*) AS total_students FROM student WHERE
sports = '$game' AND slot = '$slot'";
        $result = $con->query($sql);

        if ($result) {
            $row = $result->fetch_assoc();
            $total_students = $row['total_students'];
            $available_seats = 15 - $total_students;

            echo '<tr>';
            echo '<td>' . $game . '</td>';
            echo '<td>' . $slot . '</td>';
            echo '<td> 15</td>';
            echo '<td>' . $available_seats . '</td>';
            echo '</tr>';

        } else {
            echo "Error: " . $conn->error;
        }
    }
}
}

```

```
echo '</table>';
```

```
$con->close();
```

```
?>
```

6.UpdateStudent

The image shows a web form titled "Update Student Details". It contains the following fields and controls:

- Name:** A text input field containing the value "anny".
- Sports:** A dropdown menu with "Basketball" selected.
- Parents:** A text input field containing the value "abcd".
- Phone No.:** A text input field containing the value "1234567890".
- dob:** A date picker field showing "10 / 01 / 2024".
- Address:** A text input field containing the value "wertgyhujiko dfgghn".
- Submit:** A dark blue button with the text "Submit".

Update Student(source code)

Frontend code:-

```
<?php
$con = new mysqli('localhost', 'root', '', 'sports_academy');
$хid;

if (isset($_GET['code'])) {
    $хid = $_GET['code'];
} else {
    echo "no";
}
$хry = "select * from student where sid = '$хid'";
$хres = $con->query($хry);
$хresult = $хres->fetch_assoc();
?>
<!DOCTYPE html>
<html lang="en">

<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>update coach</title>
    <style>
```

```
body {
  display: flex;
  justify-content: center;
}

form {
  margin-top: 20px;
  background-color: #fff;
  padding: 40px;
  border-radius: 8px;
  box-shadow: 0 4px 8px 0 rgba(0, 0, 0, 0.2), 0 6px 20px 0 rgba(0, 0, 0, 0.15);
  width: 100%;
  max-width: 600px;
}

input,
select,
textarea {
  display: block;
  margin-bottom: 20px;
  width: 100%;
  padding: 5px;
  box-sizing: border-box;
}

input[type="submit"] {
  width: 50%;
  margin: 0 auto;
  padding: 10px;
  border: none;
  border-radius: 10px;
  background-color: #3D3F47;
  color: white;
  cursor: pointer;
  transition: background-color 0.3s ease;
}

input[type="submit"]:hover {
  background-color: #3D3F47;
}

input[type="checkbox"] {
  display: inline;
  width: 5%;
}
```

```
fieldset {  
    margin-bottom: 20px;  
    padding-top: 10px;  
}
```

```
label {  
    margin-bottom: 10px;  
}
```

```
h3{  
    margin-bottom: 20px;  
}
```

```
</style>
```

```
</head>
```

```
<body>
```

```
<form action="updatebackendstudent.php?code=<?php echo $id; ?>"  
method="post">
```

```
<h3>Update Student Details</h3>
```

```
<label>Name:</label>
```

```
<input type="text" id="name" name="name" value="<?php echo  
$result['name'] ?>" required>
```

```
<label>Sports:</label>
```

```
<select id="sports" name="sports" required>
```

```
<option value="<?php $result['sports'] ?>">
```

```
<?php echo $result['sports'] ?>
```

```
</option>
```

```
<option value="Basketball">Basketball</option>
```

```
<option value="Cricket">Cricket</option>
```

```
<option value="Running">Running</option>
```

```
<option value="Badminton">Badminton</option>
```

```
<option value="Karate">Karate</option>
```

```
</select>
```

```
<label>Parents:</label> <input type="text" id="parents" name="parents"  
value="<?php echo $result['parents'] ?>" required>
```

```
<label>Phone No.:</label> <input type="tel" id="phone" name="phone"  
value="<?php echo $result['phone'] ?>" required>
```

```
<label>dob:</label> <input type="Date" id="dob" name="dob"  
value="<?php echo $result['dob'] ?>" required>
```

```
<label>Address:</label><input type="text" value="<?php echo  
$result['address'] ?>" required>
```

```
<input type="submit" name="submit" value="Submit">
```

```
</form>
```

```
</body>
```

```
</html>
```

Update Coach Details

Name:

Sports:

Mail:

Phone No.:

Exprience:

Address:

Submit

Update Coach(source code)

Frontend code:-

```

<?php
$con = new mysqli('localhost', 'root', '', 'sports_academy');
$id;

if (isset($_GET['code'])) {
    $id = $_GET['code'];
} else {
    echo "no";
}

$query = "select * from coach where tid = '$id'";
$res = $con->query($query);
$result = $res->fetch_assoc();
?>
<!DOCTYPE html>
<html lang="en">

<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-
scale=1.0">
    <title>update coach</title>
    <style>
        body {
            display: flex;

```



```

    justify-content: center;
}

form {
    margin-top: 20px;
    background-color: #fff;
    padding: 40px;
    border-radius: 8px;
    box-shadow: 0 4px 8px 0 rgba(0, 0, 0, 0.2), 0 6px 20px 0 rgba(0, 0, 0, 0.15);
    width: 100%;
    max-width: 600px;
}

input,
select,
textarea {
    display: block; margin-
    bottom: 20px; width:
    100%;
    padding: 5px; box-
    sizing: border-box;
}

input[type="submit"] {
    width: 50%;
    margin: 0 auto;
    padding: 10px;
    border: none;
    border-radius: 10px;
    background-color: #3D3F47;
    color: white;
    cursor: pointer;
    transition: background-color 0.3s ease;
}

input[type="submit"]:hover {
    background-color: #3D3F47;
}

```

```
input[type="checkbox"] {  
    display: inline;  
    width: 5%;  
}
```

```
fieldset {  
    margin-bottom: 20px;  
    padding-top: 10px;  
}
```

```
label {  
    margin-bottom: 10px;  
}  
h3{  
    margin-bottom: 20px;  
}
```

```
</style>
```

```
</head>
```

```
<body>
```

```
<form action="updatebackendcoach.php?code=<?php echo $id; ?>"  
method="post">
```

```
<h3>Update Coach Details</h3>
```

```
<label for="tname1">Name:</label>
```

```
<input type="text" id="tname1" name="tname" value="<?php echo  
$result['tname'] ?>" required>
```

```
<label for="sports">Sports:</label>
```

```
<select id="sports" name="sports" required>
```

```
<option value="<?php $result['sports'] ?>">
```

```
<?php echo $result['sports'] ?>
```

```
</option>
```

```
<option value="Basketball">Basketball</option>
```

```
<option value="Cricket">Cricket</option>
```

```
<option value="Running">Running</option>
```

```
<option value="Badminton">Badminton</option>
```

```
<option value="Karate">Karate</option>
```

```
</select>
```

```
<label for="mail">Mail:</label> <input type="email" id="email"  
name="email"
```

```

        value="<?php echo $result['email'] ?>" required>
        <label for="phone_no">Phone No.:</label> <input type="tel"
id="tphone" name="tphone"
        value="<?php echo $result['tphone'] ?>" required>
        <label for="exprience">Exprience:</label> <input type="number"
id="experience" name="experience"
        value="<?php echo $result['experience'] ?>" required>
        <label>Address:</label><input type="text" value="<?php echo
$result['taddress'] ?>" required>
        <input type="submit" name="submit" value="Submit">
    </form>
</div>
<script src="../../dashboard/tempFinal.js"></script>
</body>
</html>

```

Backend code:-

```

<?php
    $con = new mysqli("localhost", "root", "", "sports_academy");
    $id = null;
    if (isset($_GET['code'])) {
        $id = $_GET['code'];
        $id = intval($id);
    }
    array_pop($_POST);
    print_r($_POST);
    if ($_SERVER["REQUEST_METHOD"] == "POST") {
        $sanitizedValues = [];
        foreach ($_POST as $key => $value) {
            if (is_array($value)) {
                $sanitizedValues[$key] = implode(',', array_map('intval',
                $value));
            } else {
                $sanitizedValues[$key] = $con->real_escape_string($value);
            }
        }
        $updateFields = [];
        foreach ($sanitizedValues as $key => $value) {
            $updateFields[] = "$key = '$value'";
        }
    }

```

```

    }

    $updateFieldsStr = implode(' ', $updateFields);
    $qry="UPDATE coach SET $updateFieldsStr WHERE tid = $id";
    $res=$con->query($qry);

    if($res=== true) {
        header("Location:    fetch_coach_details.php");
        exit;
    } else {
        echo"Error: " . $con->error;
    }
} else {
    echo"Invalid request method";
}
?>

```

8.Fees_record-

Student Fees Record														
ID	Name	Sports	January	February	March	April	May	June	July	August	September	October	November	December
18	bunny	Cricket	1000	1000										
17	anny	Basketball	900	900										
19	oiujh	Running	600											
21	ghjkl	karate	800											

Fee record(source code)

Frontend code:-

```

<!DOCTYPE html>
<html>

<head>
    <title>Coach Details</title>

```

```

<style>
table{
  border-collapse: collapse;
  width: 100%;
  height: 10%;
}

th,
td{
  border: 1px solid #dddddd;
  text-align: left;
  padding:8px;
  height: 20px;
}

th{
  background-color: #f2f2f2;
  text-align: center;
}

aside{
  color:#fff;
  display: grid;
  width:20%;
  padding-left: 20px;
  height: 100vh;
  background-image:linear-gradient(360deg, #5d5e66, #3d3f47);
  border-top-right-radius:80px;
  box-shadow:04px8px0rgba(0, 0, 0, 0.2),
    06px20px0rgba(0,0,0,0.15);
}

asidea {
  font-size: 13px;
  font-weight: bold;
  color:#fff;
  display: block;
  padding:12px3px;
  text-decoration: none;
  overflow: hidden;
}

.nothing:hover {
  color:#fff;
  background: none;
}

```

```
aside a:hover {  
  color: #3d3f47;  
  background: #fff;  
  outline: none;  
  position: relative;  
  background-color: #fff;  
  border-top-left-radius: 30px;  
  border-bottom-left-radius: 30px;  
  font-weight: bold;  
}
```

```
aside a.clicked {  
  background-color: #fff;  
  color: #3d3f47;  
  outline: none;  
  position: relative;  
  background-color: #fff;  
  border-top-left-radius: 30px;  
  border-bottom-left-radius: 30px;  
  font-weight: bold;  
}
```

```
.activ {  
  background-color: #fff;  
  color: #3d3f47;  
  outline: none;  
  position: relative;  
  background-color: #fff;  
  border-top-left-radius: 30px;  
  border-bottom-left-radius: 30px;  
  font-weight: bold;  
}
```

```
aside p {  
  margin: 0;  
  padding: 40px 0;  
}
```

```
#close {  
  color: white;  
  float: left;  
  font-size: 28px;  
  font-weight: bold;  
  position: absolute;  
  display: none;  
}
```

```
#close:hover,
#close:focus {
  color: white;
  text-decoration:none;
  cursor: pointer;
}

body{
  font-family:"Roboto";
  width: 100%;
  height: 100vh;
  margin:0;
  display: flex;
  flex-direction:row;
}

h1{
  text-align:center;
  background-color: #3d3f47;
}

.spaceee{
  height: 320px;
}

@media only screen and (max-width: 768px) {
  aside{
    display:none;
    position:absolute;
  }
}

#sidebarToggle {
  display: none;
  background:none;
  border: none;
  font-size: 24px;
  cursor:pointer;
}

.basketball{
  display: none;
}

button{
  width: 100%;
  background-color: #3d3f47;
```

```

    border-radius: 7px;
}
a{
    text-decoration: none;
    color: #fff;
    width: 100%;
}

</style>
<link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/4.7.0/css/font-awesome.min.css">
</head>

<body>
<button id="sidebarToggle" onclick="abc()">≡</button>
<span id="close" onclick="closeAside()">&times;</span>
<aside id="sidebar">
    <p><a href="dashboard.php" class="nothing"><i class="fa fa-long-arrow-
left"></i> &nbsp;Admin Dashboard</a></p>
    <a href="feesbasketball.php">Basketball</a>
    <a href="feescricket.php">Cricket</a>
    <a href="feesrunning.php">Running</a>
    <a href="feesbadminton.php">Badminton</a>
    <a href="feeskarate.php">Karate</a>
    <div class="spacee"></div>
</aside>
<?php
$conn = new mysqli("localhost", "root", "", "sports_academy");
if ($conn->connect_error) {
    die("Connection failed: " . $conn->connect_error);
}
$sql = "SELECT sid, name, sports, jan, feb, mar, apr, may, jun, july, aug, sep, oct,
nov, dece FROM fees_record";
$result = $conn->query($sql);
if ($result->num_rows > 0) {
    echo "<table>";
    echo "<tr><th colspan='15'>Student Fees Record</th></tr>";
    echo
"<tr><th>ID</th><th>Name</th><th>Sports</th><th>January</th><th>Febuary</
th><th>March</th><th>April</th><th>May</th><th>June</th><th>July</th><th>
August</th><th>September</th><th>Octomber</th><th>Novomber</th><th>Dece
mber</th></tr>";

    while ($row = $result->fetch_assoc()) {
        echo "<tr>";
        echo "<td>" . $row["sid"] . "</td>";

```



```

echo "<td>" . $row["name"] . "</td>";
echo "<td>" . $row["sports"] . "</td>";
echo "<td>" . $row["jan"] . "</td>";
echo "<td>" . $row["feb"] . "</td>";
echo "<td>" . $row["mar"] . "</td>";
echo "<td>" . $row["apr"] . "</td>";
echo "<td>" . $row["may"] . "</td>";
echo "<td>" . $row["jun"] . "</td>";
echo "<td>" . $row["july"] . "</td>";
echo "<td>" . $row["aug"] . "</td>";
echo "<td>" . $row["sep"] . "</td>";
echo "<td>" . $row["oct"] . "</td>";
echo "<td>" . $row["nov"] . "</td>";
echo "<td>" . $row["dece"] . "</td>";
echo "</tr>";

}
echo "</table>";
} else {
    echo "0 results";
}
$conn->close();
?>
</body>
</html>

```

Signup

```

<!DOCTYPE html>
<html lang="en">
<head>
<title>Login</title>
<style>
* {
    padding: 0;
    margin: 0;
}

body {
    background-color: black;
    overflow: hidden;
}

.background {
    width: 430px;

```

```
height: 520px;
position: absolute;
transform: translate(-50%, -50%);
left: 50%;
top: 50%;
}
```

```
.background .shape {
height: 200px;
width: 200px;
position: absolute;
border-radius: 50%;
}
```

```
.shape:first-child {
background: linear-gradient(#1845ad, #23a2f6);
left: 90%;
top: -100px;
}
```

```
.shape:last-child {
background: linear-gradient(to right, #ff512f, #f09819);
right: 90%;
bottom: -110px;
}
```

```
form {
height: auto;
width: 40%;
background-color: rgba(255, 255, 255, 0.01);
position: absolute;
transform: translate(-50%, -50%);
top: 50%;
left: 50%;
border-radius: 10px;
backdrop-filter: blur(10px);
box-shadow: 0 4px 8px 0 rgba(0, 0, 0, 0.2),
    0 6px 20px 0 rgba(255, 255, 255, 0.15);
padding: 50px 35px;
}
```

```
form * {  
  font-family: "Poppins", sans-serif;  
  color: #ffffff;  
  letter-spacing: 0.5px;  
  outline: none;  
  border: none;  
}
```

```
form h3 {  
  font-size: 32px;  
  font-weight: 500;  
  line-height: 42px;  
  text-align: center;  
}
```

```
label {  
  display: block;  
  margin-top: 30px;  
  font-size: 16px;  
  font-weight: 500;  
}
```

```
input {  
  display: block;  
  height: 50px;  
  width: 100%;  
  background-color: rgba(255, 255, 255, 0.07);  
  border-radius: 3px;  
  padding: 0 10px;  
  margin-top: 8px;  
  font-size: 14px;  
  font-weight: 300;  
}
```

```
::placeholder {  
  color: #e5e5e5;  
}
```

```
button {
```

```

margin-top: 50px;
width: 100%;
background-color: #ffffff;
color: #080710;
padding: 15px 0;
font-size: 18px;
font-weight: 600;
border-radius: 5px;
cursor: pointer;
}
@media only screen and (max-width: 1024px) {
  form {
    width: 60%;
  }
}
</style>
</head>

<body>
  <div class="background">
    <div class="shape"></div>
    <div class="shape"></div>
  </div>
  <form action="#" method="POST">
    <h3>Sign-up</h3>
    <label for="name">Name</label>
    <input type="text" placeholder="Your name" id="username"
name="name">
    <label for="name">Email</label>
    <input type="text" placeholder="Email" id="email" name="email">
    <label for="name">Phone</label>
    <input type="text" placeholder="Phone" id="username"
name="phone">
    <label for="password">Password</label>
    <input type="password" placeholder="Password" id="password"
name="password">
    <button type="submit">Sign-up</button>
  </form>
  <?php
$con=new mysqli("localhost","root","","sports_academy");

```

Bibliography-

Finally we reach towards the conclusion of the project. We discussed with the total effort and knowledge acquired for basically making it to the optimum level.

We have tried to devote our full potential ability along with the optimum enthusiasm and eligibility to reach to the level that our education and knowledge requires us to be. It's a joint effort of our faculties and us. They have always helped us to get optimum from our syllabus without interpreting with any of our colleges.

"The program consist the Second hand item selling, for handle the second hand items.".

References-

1. PHP 3.5 (Dream Teach Press).
2. PHP Bible by Mridula parihar & et al (Hungry Minds, New York).
3. Pro PHP mvc3 framework(Adam freeman, Steven Sanderson)
4. Professional Design Patterns(Scott Millet)
5. Pro 4 in HTML, CSS
6. Google search.
 - a) www.chatgpt.com
 - b) www.w3school.com/sql/joins
 - c) www.w3codes.codesdigest.com
 - d) www.w3schools.com/php/control
 - e) Projectsql.com