
# Practical-5 Deployment of ML project using Flask.

Task 1: Install the required libraries


pip install Flask

**Task 2:** Follow the steps described in theory material to deploy the model using Flask. Run the flask application to execute the deployed model.

**Step:1 Create Templates** 




**User Interface:** 



Car Price	
Prediction	
Company Name	ISUZU
Hyundai	
Model	SUBARU
	HONDA
Transmission Type	
Automatic	NISSAN
Year Of Purchase	
2021	ROVER
Fuel type	8
Petrol	HYUNDAI
Kms Travelled	
Enter No of kms Driven	SUZUKI
Predict Price	SUZUKI

Step: 2 Import the Model, Dataset, and Scalar objects into the project folder.



**Step: 3** Create the app.py file to serve the deployment

```
app_final.py ×
D: > Capstone Project-1 > UI > New UI > @ app_final.py > ...
       from flask import Flask , render_template,request,url_for
       from flask_cors import CORS,cross_origin
       import pandas as pd
       import numpy as np
       import pickle
       app = Flask(__name__)
       cors=CORS(app)
       model1=pickle.load(open("D:\Capstone Project-1\Car Price Prediction\LinearRegressionModel.pkl",'rb'))
      pipe = pickle.load(open('D:\Capstone Project-1\Laptop_Price_Prediction\pipe.pkl','rb'))
      car=pd.read_csv("D:\Capstone Project-1\Car Price Prediction\cardekho_updated.csv")
       df=pd.read_csv("D:\Capstone Project-1\Laptop_Price_Prediction\lappy.csv")
       @app.route('/')
       def index():
          return render_template('index.html')
```

#### Code: app.py

```
from flask import Flask, render template, request, url for from
flask cors import CORS, cross origin
import pandas as pd import numpy as np
import pickle
app = Flask( name ) cors=CORS(app) model1=pickle.load(open("D:\Capstone Project-1\Car
Price
Prediction\LinearRegressionModel.pkl",'rb'))
car=pd.read csv("D:\Capstone Project-1\Car Price Prediction\cardekho updated.csv")
#Main Page
@app.route('/') def index():
                             return render template('index.html')
#Car Price Prediction
@app.route('/cpp') def cpp():
  #model=sorted(car['full name'].unique())
                                             car models=sorted(car['full name'].unique())
companies=(car['company'].unique())
  transmission type=sorted(car['transmission type'].unique())
```

fuel type=car['fuel type'].unique()

year=sorted(car['year'].unique(),reverse=True)


km driven=(request.form.get('km driven'))

return

render\_template('car.html',companies=companies,car\_models=car\_models,transmission\_type=trans mission\_type, year=year, fuel\_type=fuel\_type,km\_driven=km\_driven)

if \_\_name\_\_=="\_\_main\_\_": app.run(debug=True)

#### Output:



## **Car Price**

### **Prediction**





Maruti

Model

Maruti A Star

Transmission Type

Manual

Year Of Purchase

2011

Fuel type

Petrol

Kms Travelled

80000

Predicted Price : ₹76396.28



















