Rajalakshmi Engineering College

Name: vidhyalakshmi seenivasan
Email: 240801375@rajalakshmi.edu.in
Roll no: 2116240801375
Phone: 9600491260
Branch: REC
Department: I ECE AF
Batch: 2028
Degree: B.E - ECE

Scan to verify results

NeoColab_REC_CS23231_DATA STRUCTURES

REC_DS using C_Week 2_MCQ_Updated

Attempt : 1
Total Mark : 20
Marks Obtained : 18

Section 1 : MCQ

1. What will be the output of the following program?

```c
#include <stdio.h>
#include <stdlib.h>

struct Node {
    int data;
    struct Node* next;
    struct Node* prev;
};

int main() {
    struct Node* head = NULL;
    struct Node* tail = NULL;
    for (int i = 0; i < 5; i++) {
        struct Node* temp = (struct Node*)malloc(sizeof(struct Node));
```

```
    temp->data = i + 1;
    temp->prev = tail;
    temp->next = NULL;
    if (tail != NULL) {
        tail->next = temp;
    } else {
        head = temp;
    }
    tail = temp;
}
struct Node* current = head;
while (current != NULL) {
    printf("%d ", current->data);
    current = current->next;
}
return 0;
}
```

Answer

1 2 3 4 5

Status : Correct   *Marks : 1/1*

2. What will be the effect of setting the prev pointer of a node to NULL in a doubly linked list?

Answer

The node will become the new head

Status : Correct   *Marks : 1/1*

3. Consider the following function that refers to the head of a Doubly Linked List as the parameter. Assume that a node of a doubly linked list has the previous pointer as prev and the next pointer as next.

Assume that the reference of the head of the following doubly linked list is passed to the below function 1 <--> 2 <--> 3 <--> 4 <--> 5 <-->6. What should be the modified linked list after the function call?

Procedure fun(head_ref: Pointer to Pointer of node)
    temp = NULL
    current = *head_ref

    While current is not NULL
        temp = current->prev
        current->prev = current->next
        current->next = temp
        current = current->prev
    End While

    If temp is not NULL
        *head_ref = temp->prev
    End If
End Procedure

Answer

6 <--> 5 <--> 4 <--> 3 <--> 2 <--> 1.

Status : Correct   *Marks : 1/1*

4. Which of the following statements correctly creates a new node for a doubly linked list?

Answer

struct Node* newNode = (struct Node*) malloc(sizeof(struct Node));

Status : Correct   *Marks : 1/1*

5. What will be the output of the following code?

```
#include <stdio.h>
#include <stdlib.h>

struct Node {
    int data;
    struct Node* next;
    struct Node* prev;
```

```
};
int main() {
    struct Node* head = NULL;
    struct Node* temp = (struct Node*)malloc(sizeof(struct Node));
    temp->data = 2;
    temp->next = NULL;
    temp->prev = NULL;
    head = temp;
    printf("%d\n", head->data);
    free(temp);
    return 0;
}
```

Answer

2

Status : Correct   *Marks : 1/1*

6. What is the correct way to add a node at the beginning of a doubly linked list?

Answer

void addFirst(int data){   Node* newNode = new Node(data);   newNode-
>next = head;   if (head != NULL) {   head->prev =
newNode;   }   head = newNode;   }

Status : Correct   *Marks : 1/1*

7. Which of the following is true about the last node in a doubly linked list?

Answer

Its next pointer is NULL

Status : Correct   *Marks : 1/1*

8. Where Fwd and Bwd represent forward and backward links to the adjacent elements of the list. Which of the following segments of code

deletes the node pointed to by X from the doubly linked list, if it is assumed that X points to neither the first nor the last node of the list?

A doubly linked list is declared as

```
struct Node {
    int Value;
    struct Node *Fwd;
    struct Node *Bwd;
);
```

Answer

X->Bwd->Fwd = X->Bwd ; X->Fwd->Bwd = X->Fwd;

Status : Wrong   ***Marks : 0/1***

9.   Which pointer helps in traversing a doubly linked list in reverse order?

Answer

prev

Status : Correct   ***Marks : 1/1***

10.   Which of the following is false about a doubly linked list?

Answer

Implementing a doubly linked list is easier than singly linked list

Status : Correct   ***Marks : 1/1***

11.   What does the following code snippet do?

```
struct Node* newNode = (struct Node*)malloc(sizeof(struct Node));
newNode->data = value;
newNode->next = NULL;
newNode->prev = NULL;
```

Answer

Creates a new node and initializes its data to 'value'

Status : Correct   *Marks : 1/1*

12. Which of the following information is stored in a doubly-linked list's nodes?

Answer

All of the mentioned options

Status : Correct   *Marks : 1/1*

13. What is a memory-efficient double-linked list?

Answer

A doubly linked list that uses bitwise AND operator for storing addresses

Status : Correct   *Marks : 1/1*

14. Which code snippet correctly deletes a node with a given value from a doubly linked list?

```
void deleteNode(Node** head_ref, Node* del_node) {
    if (*head_ref == NULL || del_node == NULL) {
        return;
    }
    if (*head_ref == del_node) {
        *head_ref = del_node->next;
    }
    if (del_node->next != NULL) {
        del_node->next->prev = del_node->prev;
    }
    if (del_node->prev != NULL) {
        del_node->prev->next = del_node->next;
    }
    free(del_node);
}
```

Answer

Deletes the node at a given position in a doubly linked list.

Status : Wrong   *Marks : 0/1*

15. How many pointers does a node in a doubly linked list have?

Answer

2

Status : Correct   *Marks : 1/1*

16. What happens if we insert a node at the beginning of a doubly linked list?

Answer

The previous pointer of the new node is NULL

Status : Correct   *Marks : 1/1*

17. Consider the provided pseudo code. How can you initialize an empty two-way linked list?

```
Define Structure Node
    data: Integer
    prev: Pointer to Node
    next: Pointer to Node
End Define

Define Structure TwoWayLinkedList
    head: Pointer to Node
    tail: Pointer to Node
End Define
```

Answer

struct TwoWayLinkedList* list = malloc(sizeof(struct TwoWayLinkedList)); list->head = NULL; list->tail = NULL;

18. What is the main advantage of a two-way linked list over a one-way linked list?

Answer

Two-way linked lists allow for traversal in both directions.

Status : Correct   *Marks : 1/1*

19. How do you reverse a doubly linked list?

Answer

By swapping the next and previous pointers of each node

Status : Correct   *Marks : 1/1*

20. How do you delete a node from the middle of a doubly linked list?

Answer

All of the mentioned options

Status : Correct   *Marks : 1/1*

Rajalakshmi Engineering College

Name: vidhyalakshmi seenivasan
Email: 240801375@rajalakshmi.edu.in
Roll no: 2116240801375
Phone: 9600491260
Branch: REC
Department: I ECE AF
Batch: 2028
Degree: B.E - ECE

NeoColab_REC_CS23231_DATA STRUCTURES

REC_DS using C_Week 2_COD_Question 1

Attempt : 2
Total Mark : 10
Marks Obtained : 0

Section 1 : Coding

1. Problem Statement

Your task is to create a program to manage a playlist of items. Each item is represented as a character, and you need to implement the following operations on the playlist.

Here are the main functionalities of the program:

Insert Item: The program should allow users to add items to the front and end of the playlist. Items are represented as characters.Display Playlist: The program should display the playlist containing the items that were added.

To implement this program, a doubly linked list data structure should be used, where each node contains an item character.

Input Format

The input consists of a sequence of space-separated characters, representing the items to be inserted into the doubly linked list.

The input is terminated by entering - (hyphen).

Output Format

The first line of output prints "Forward Playlist: " followed by the linked list after inserting the items at the end.

The second line prints "Backward Playlist: " followed by the linked list after inserting the items at the front.

Refer to the sample output for formatting specifications.

Sample Test Case

Input: a b c -
Output: Forward Playlist: a b c
Backward Playlist: c b a

Answer

-

Status :   -   *Marks : 0/10*

Rajalakshmi Engineering College

Name: vidhyalakshmi seenivasan
Email: 240801375@rajalakshmi.edu.in
Roll no: 2116240801375
Phone: 9600491260
Branch: REC
Department: I ECE AF
Batch: 2028
Degree: B.E - ECE

NeoColab_REC_CS23231_DATA STRUCTURES

REC_DS using C_Week 2_COD_Question 2

Attempt : 1
Total Mark : 10
Marks Obtained : 0

Section 1 : Coding

1.   Problem Statement

Moniksha, a chess coach organizing a tournament, needs a program to manage participant IDs efficiently. The program maintains a doubly linked list of IDs and offers two functions: Append to add IDs as students register, and Print Maximum ID to identify the highest ID for administrative tasks.

This tool streamlines tournament organization, allowing Moniksha to focus on coaching her students effectively.

Input Format

The first line consists of an integer n, representing the number of participant IDs to be added.

The second line consists of n space-separated integers representing the participant IDs.

Output Format

The output displays a single integer, representing the maximum participant ID.

If the list is empty, the output prints "Empty list!".

Refer to the sample output for the formatting specifications.

Sample Test Case

Input: 3
163 137 155
Output: 163

Answer

-

Status : Skipped   *Marks : 0/10*