

Criminal Risk Assessment Form Generation

<https://gemini.google.com/app/58cff2a94f746cca>

User prompt: Context & Role: You are an expert full-stack developer specializing in Node.js, Express, Pug templating, and Puppeteer PDF generation. **Task:** Generate a strict, print-ready Pug template (form.pug) for a "Criminal Risk Assessment" form, along with the accompanying vanilla JavaScript required for its dynamic front-end behaviors. The form represents a 2-page physical document and must be styled and structured so that Puppeteer can export it to a perfect Letter-sized PDF. **Strict Pug Requirements:** You MUST use exactly 2 spaces for all indentation. Do not mix tabs and spaces. The file must extend layout.pug and include mixins/header and mixins/footer. Wrap the main document in two .page divs (representing page 1 and page 2 of the PDF). **Data Integration (Server-Side Rendering):** The template receives the following objects from the Express server: **user:** The logged-in user (e.g., user.username). **client:** An optional object containing pre-populated data (firstName, secondName, lastName, dob, gender). If client is null, fields should render empty. **searchQuery and searchMessage:** Used for a client-lookup feature. **UI Component 1: Web-Only Header & Search (Not for PDF)** At the top of the page, create a .web-top-bar showing the logged-in user and a logout button. Create a .search-section with a simple GET form pointing to /form containing a search input (name="clientName") and a submit button. Display searchMessage below it if it exists. **UI Component 2: Page 1 Layout** Include a +pdfHeader(true) mixin. **Consent Section (.bordered-section):** A document title, a paragraph of legal text, and a grid (.consent-grid) containing: Date, Signature of Assessed, an "Unconsented" checkbox (#unconsented_check), and a Witness signature (#witness_signature_container). **Personal Info (Rendered in .field-row compact rows):** First Name, 2. Second Name, 3. Last Name, 4. Date of Birth, 5. Gender (Radio buttons: Male, Female, Other). Other Last Names, 7. Other First Names. Current Address. Primary Phone (#phone_1). Next to it, a "Yes/No" radio group asking "Add another?". A hidden Secondary Phone input (#phone_2) wrapped in #screen_4_2. City/Province of Birth. Include a +pdfFooter(1, false) mixin. **UI Component 3: Page 2 Layout** Include a +pdfHeader(false) mixin. **Name Sync:** A read-only text input (#person_name_display, name="person_name_display") that will automatically display the First and Last name typed on Page 1. A paragraph of legal text (regarding CPIC and RCMP searches). Agency Fields (Rendered in .field-row rows): Agency Name. Reason for Risk Assessment (Checkboxes: Child Protection Concerns, Place of Safety, Kinship). Assigned Worker, Date of Last Assessment. Submitting Designate (Read-only, auto-filled with user.username), Designate Phone, Designate Email. Designate Fax. Request Date. Include a +pdfFooter(2, true) mixin. A Web-only Submit button at the very bottom wrapped in .submit-section. **Input Formatting & Validation Requirements:** Dates: Do not use type="date". All date fields must be type="text", have a class of .date-mask, a placeholder="DD/MM/YYYY", and maxlength="10". Phones: All phone fields must be type="tel", have a class of .phone-mask, and maxlength="10". **Required fields:** Name fields, Primary Phone, Agency Name, Assigned Worker, Submitting Designate, Request Date, Consent Date, Assessed Signature, Witness Signature. **JavaScript Requirements (Provide this as a script to go in main.js):** Write vanilla JS wrapped in DOMContentLoaded to handle the following: **Consent Logic:** If #unconsented_check is checked, hide the witness signature container, and actively remove the required attribute from the consent date, assessed signature, and witness signature fields (and clear their values). Add required back if unchecked. **Phone Toggle:** If the "Yes" radio button for secondary phone is clicked, remove the hidden class from #screen_4_2 and enable the #phone_2 input. If "No", hide it, disable it, and clear its value. **Regex Phone Mask:** Attach an input listener to all .phone-mask elements that actively strips out any non-digit characters (\D). **Regex Date Mask:** Attach an input listener to all .date-mask elements that strips non-digits, limits to 8 digits, and actively injects slashes to format as DD/MM/YYYY as the user types. **Name Sync:** Listen for input changes on the First Name and Last Name fields on Page 1, and dynamically update the value of #person_name_display on Page 2. Output the Pug code and the JavaScript code in separate code blocks.

Response: Here are the Pug template (form.pug) and the vanilla JavaScript code tailored to meet all of your strict specifications for the Express and Puppeteer integration.

Pug Template (form.pug)

```
extends layout.pug
include mixins/header
include mixins/footer

block content
  .web-top-bar
    if user
      span Logged in as: #{user.username}
      a.logout-btn(href="/logout") Logout

  .search-section
    form(method="GET" action="/form")
      input(type="text" name="clientName" placeholder="Search Client Name" value=(searchQuery ? searchQuery : ''))
      button(type="submit") Search
    if searchMessage
      p.search-message= searchMessage

  form(method="POST" action="/submit")
    //- PAGE 1
    .page
      +pdfHeader(true)

    .bordered-section
      h3 CONSENT FOR CRIMINAL RISK ASSESSMENT AND RELEASE OF INFORMATION
      p As a person who has, or may have, care, custody, control or charge of a child in receipt of services under The

    .consent-grid
      .field
        label Date:
        input.date-mask#consent_date(type="text" name="consent_date" placeholder="DD/MM/YYYY" maxlength="10" required)
      .field
        label Signature of Assessed:
        input#assessed_signature(type="text" name="assessed_signature" required)
      .field
```

```

        label
            input#unconsented_check(type="checkbox" name="unconsented")
            | Unconsented
        .field#witness_signature_container
        label Witness Signature:
        input#witness_signature(type="text" name="witness_signature" required)

h4 PLEASE PRINT CLEARLY
.field-row.compact
    .field
        label 1. FIRST NAME:
        input#first_name(type="text" name="first_name" value=(client ? client.firstName : '') required)
    .field
        label 2. SECOND NAME:
        input#second_name(type="text" name="second_name" value=(client ? client.secondName : ''))
    .field
        label 3. LAST NAME:
        input#last_name(type="text" name="last_name" value=(client ? client.lastName : '') required)

.field-row.compact
    .field
        label 4. DATE OF BIRTH:
        input.date-mask#dob(type="text" name="dob" placeholder="DD/MM/YYYY" maxlength="10" value=(client ? client.dob
    .field
        label 5. GENDER:
        label
            input(type="radio" name="gender" value="Male" checked=(client && client.gender === 'Male'))
            | Male
        label
            input(type="radio" name="gender" value="Female" checked=(client && client.gender === 'Female'))
            | Female
        label
            input(type="radio" name="gender" value="Other" checked=(client && client.gender === 'Other'))
            | Other

.field-row.compact
    .field
        label 6. OTHER LAST NAMES USED:
        input#other_last_names(type="text" name="other_last_names")
    .field
        label 7. OTHER FIRST NAMES USED:
        input#other_first_names(type="text" name="other_first_names")

.field-row.compact
    .field
        label 8. CURRENT ADDRESS:
        input#current_address(type="text" name="current_address")

.field-row.compact
    .field
        label 9. CURRENT PH#s:
        input.phone-mask#phone_1(type="tel" name="phone_1" maxlength="10" required)
    .field
        label Add another?
        label
            input#add_phone_yes(type="radio" name="add_phone" value="yes")
            | Yes
        label
            input#add_phone_no(type="radio" name="add_phone" value="no" checked)
            | No
    .field#screen_4_2.hidden
        label Secondary Phone:
        input.phone-mask#phone_2(type="tel" name="phone_2" maxlength="10" disabled)

.field-row.compact
    .field
        label 10. City/Province of Birth:
        input#birth_location(type="text" name="birth_location")

+pdfFooter(1, false)

//- PAGE 2
.page
+pdfHeader(false)

```

```

.name-sync-section
  label NAME OF PERSON BEING ASSESSED:
  input#person_name_display(type="text" name="person_name_display" readonly)

.legal-text-section
  p The identifying information supplied on page 1 will be researched through the Canadian Police Information Cent

.field-row
  .field
    label Agency Name:
    input#agency_name(type="text" name="agency_name" required)

.field-row
  .field
    label Reason for Risk Assessment:
    label
      input(type="checkbox" name="reason" value="Child Protection Concerns")
      | Child Protection Concerns
    label
      input(type="checkbox" name="reason" value="Place of Safety")
      | Place of Safety
    label
      input(type="checkbox" name="reason" value="Kinship")
      | Kinship

.field-row
  .field
    label Assigned Worker:
    input#assigned_worker(type="text" name="assigned_worker" required)
  .field
    label Date of Last Assessment:
    input.date-mask#last_assessment_date(type="text" name="last_assessment_date" placeholder="DD/MM/YYYY" maxlength=

.field-row
  .field
    label Submitting Designate:
    input#submitting_designate(type="text" name="submitting_designate" value=(user ? user.username : '') readonly)
  .field
    label Designate Phone:
    input.phone-mask#designate_phone(type="tel" name="designate_phone" maxlength="10")
  .field
    label Designate Email:
    input#designate_email(type="email" name="designate_email")

.field-row
  .field
    label Designate Fax:
    input.phone-mask#designate_fax(type="tel" name="designate_fax" maxlength="10")
  .field
    label Request Date:
    input.date-mask#request_date(type="text" name="request_date" placeholder="DD/MM/YYYY" maxlength="10" required)

+pdfFooter(2, true)

.submit-section
  button(type="submit") Submit Assessment

```

JavaScript (main.js)

```

document.addEventListener('DOMContentLoaded', () => {
  // 1. Consent Logic
  const unconsentedCheck = document.getElementById('unconsented_check');
  const witnessContainer = document.getElementById('witness_signature_container');
  const consentDate = document.getElementById('consent_date');
  const assessedSignature = document.getElementById('assessed_signature');
  const witnessSignature = document.getElementById('witness_signature');

  function handleConsentToggle() {
    if (unconsentedCheck.checked) {
      witnessContainer.style.display = 'none';
      consentDate.removeAttribute('required');
      assessedSignature.removeAttribute('required');
      witnessSignature.removeAttribute('required');
    }
  }

```

```

    consentDate.value = '';
    assessedSignature.value = '';
    witnessSignature.value = '';
  } else {
    witnessContainer.style.display = '';
    consentDate.setAttribute('required', 'required');
    assessedSignature.setAttribute('required', 'required');
    witnessSignature.setAttribute('required', 'required');
  }
}

if (unconsentedCheck) {
  unconsentedCheck.addEventListener('change', handleConsentToggle);
  handleConsentToggle(); // Sync initial state
}

// 2. Secondary Phone Toggle
const radioYes = document.getElementById('add_phone_yes');
const radioNo = document.getElementById('add_phone_no');
const screen42 = document.getElementById('screen_4_2');
const phone2 = document.getElementById('phone_2');

function handlePhoneToggle() {
  if (radioYes && radioYes.checked) {
    screen42.classList.remove('hidden');
    phone2.removeAttribute('disabled');
  } else {
    screen42.classList.add('hidden');
    phone2.setAttribute('disabled', 'disabled');
    phone2.value = '';
  }
}

if (radioYes && radioNo) {
  radioYes.addEventListener('change', handlePhoneToggle);
  radioNo.addEventListener('change', handlePhoneToggle);
  handlePhoneToggle(); // Sync initial state
}

// 3. Regex Phone Mask (10 digits)
const phoneInputs = document.querySelectorAll('.phone-mask');
phoneInputs.forEach(input => {
  input.addEventListener('input', function() {
    // Actively strip out non-digits
    this.value = this.value.replace(/\D/g, '').slice(0, 10);
  });
});

// 4. Regex Date Mask (DD/MM/YYYY)
const dateInputs = document.querySelectorAll('.date-mask');
dateInputs.forEach(input => {
  input.addEventListener('input', function() {
    // Strip non-digits and cap at 8 max digits for processing
    let val = this.value.replace(/\D/g, '');
    if (val.length > 8) val = val.slice(0, 8);

    // Inject slashes intelligently
    if (val.length >= 5) {
      this.value = val.slice(0, 2) + '/' + val.slice(2, 4) + '/' + val.slice(4);
    } else if (val.length >= 3) {
      this.value = val.slice(0, 2) + '/' + val.slice(2);
    } else {
      this.value = val;
    }
  });
});

// 5. Name Sync (First Name + Last Name -> Page 2 Readonly field)
const firstName = document.getElementById('first_name');
const lastName = document.getElementById('last_name');
const personNameDisplay = document.getElementById('person_name_display');

function syncNames() {

```

```

    if (personNameDisplay) {
      const fName = firstName ? firstName.value : '';
      const lName = lastName ? lastName.value : '';
      personNameDisplay.value = `${fName} ${lName}`.trim();
    }
  }

  if (firstName) firstName.addEventListener('input', syncNames);
  if (lastName) lastName.addEventListener('input', syncNames);
  syncNames(); // Synchronize on page load to catch pre-populated values
});

```

User prompt: there are some fields missing where they should be added

Response: You are absolutely right, and I appreciate you catching that! I completely missed the **Two Pieces of Identification** block at the bottom of Page 1, and I overlooked the exact wording and grouping for the **Reason for Risk Assessment** section on Page 2. I also missed a few of the required asterisks (*) explicitly noted on the second page for fields like the Designate Phone and Email.

Here is the fully revised form.pug file with those missing fields carefully integrated, strict 2-space indentation maintained, and labels matched exactly to the source document.

Updated Pug Template (form.pug)

```

extends layout.pug
include mixins/header
include mixins/footer

block content
  .web-top-bar
    if user
      span Logged in as: #{user.username}
      a.logout-btn(href="/logout") Logout

  .search-section
    form(method="GET" action="/form")
      input(type="text" name="clientName" placeholder="Search Client Name" value=(searchQuery ? searchQuery : ''))
      button(type="submit") Search
    if searchMessage
      p.search-message= searchMessage

  form(method="POST" action="/submit")
    //- PAGE 1
    .page
      +pdfHeader(true)

    .bordered-section
      h3 CONSENT FOR CRIMINAL RISK ASSESSMENT AND RELEASE OF INFORMATION
      p As a person who has, or may have, care, custody, control or charge of a child in receipt of services under The

    .consent-grid
      .field
        label Date:
        input.date-mask#consent_date(type="text" name="consent_date" placeholder="DD/MM/YYYY" maxlength="10" require
      .field
        label Signature of person being assessed:
        input#assessed_signature(type="text" name="assessed_signature" required)
      .field
        label
          input#unconsented_check(type="checkbox" name="unconsented")
          | Unconsented
      .field#witness_signature_container
        label Witness (if consenting):
        input#witness_signature(type="text" name="witness_signature" required)

    h4 PLEASE PRINT CLEARLY
    .field-row.compact
      .field
        label 1. FIRST NAME:
        input#first_name(type="text" name="first_name" value=(client ? client.firstName : '') required)
      .field
        label 2. SECOND NAME:
        input#second_name(type="text" name="second_name" value=(client ? client.secondName : ''))

```

```

.field
  label 3. LAST NAME:
  input#last_name(type="text" name="last_name" value=(client ? client.lastName : '' ) required)

.field-row.compact
.field
  label 4. DATE OF BIRTH:
  input.date-mask#dob(type="text" name="dob" placeholder="DD/MM/YYYY" maxlength="10" value=(client ? client.dob
.field
  label 5. GENDER:
  label
    input(type="radio" name="gender" value="Male" checked=(client && client.gender === 'Male'))
    | MALE
  label
    input(type="radio" name="gender" value="Female" checked=(client && client.gender === 'Female'))
    | FEMALE
  label
    input(type="radio" name="gender" value="Other" checked=(client && client.gender === 'Other'))
    | OTHER

.field-row.compact
.field
  label 6. OTHER LAST NAMES USED:
  input#other_last_names(type="text" name="other_last_names")
.field
  label 7. OTHER FIRST NAMES USED/ALSO GOES BY:
  input#other_first_names(type="text" name="other_first_names")

.field-row.compact
.field
  label 8. CURRENT ADDRESS (include postal code):
  input#current_address(type="text" name="current_address")

.field-row.compact
.field
  label 9. CURRENT PH#s:
  input.phone-mask#phone_1(type="tel" name="phone_1" maxlength="10" required)
.field
  label Add another?
  label
    input#add_phone_yes(type="radio" name="add_phone" value="yes")
    | Yes
  label
    input#add_phone_no(type="radio" name="add_phone" value="no" checked)
    | No
.field#screen_4_2.hidden
  label Secondary Phone:
  input.phone-mask#phone_2(type="tel" name="phone_2" maxlength="10" disabled)

.field-row.compact
.field
  label 10. City/Province or Country of Birth:
  input#birth_location(type="text" name="birth_location")

.identification-section
p *PLEASE NOTE: Subject's name must be identified with TWO PIECES OF IDENTIFICATION (MB D/L & photo ID is prefer
.field-row
  label
    input(type="checkbox" name="id_type" value="Birth Certificate")
    | Birth Certificate
  label
    input(type="checkbox" name="id_type" value="Manitoba Health Card")
    | Manitoba Health Card
  label
    input(type="checkbox" name="id_type" value="Social Insurance Card")
    | Social Insurance Card
  label
    input(type="checkbox" name="id_type" value="Treaty Card")
    | Treaty Card
.field-row
.field
  label
    input(type="checkbox" name="id_type" value="Other")
    | Other (specify ID):

```

```

        input#other_id_specify(type="text" name="other_id_specify")
    .field-row
    .field
    label
        input(type="checkbox" name="id_type" value="MB Drivers License")
        | MB Driver's License with Photo - licence number (section 4d on licence):
        input#mb_drivers_license_num(type="text" name="mb_drivers_license_num")

+pdfFooter(1, false)

//- PAGE 2
.page
+pdfHeader(false)

.name-sync-section
    label NAME OF PERSON BEING ASSESSED:
    p *Must match information on page 1
    input#person_name_display(type="text" name="person_name_display" readonly)

.legal-text-section
    p IT IS IMPORTANT THAT THE CFS AGENCY DESIGNATE READS AND UNDERSTANDS THE FOLLOWING:
    p The identifying information supplied on page 1 will be researched through the Canadian Police Information Cent

p NOTE - SECTIONS MARKED WITH AN ASTERISK (*) ARE REQUIRED

.field-row
    .field
    label *NAME OF AGENCY SUBMITTING REQUEST:
    input#agency_name(type="text" name="agency_name" required)

.field-row
    .field
    label *REASON FOR RISK ASSESSMENT:
    .reason-group
    label
        input(type="checkbox" name="reason" value="Child Protection Concerns")
        | With or Without Consent: Child Protection Concerns
    .reason-group
    label Must have consent:
    label
        input(type="checkbox" name="reason" value="Place of Safety")
        | Place of Safety
    label
        input(type="checkbox" name="reason" value="Kinship or Customary Care Agreement")
        | Kinship or Customary Care Agreement

.field-row
    .field
    label *ASSIGNED WORKER:
    input#assigned_worker(type="text" name="assigned_worker" required)
    .field
    label DATE OF LAST CRIMINAL RISK ASSESSMENT (if known):
    input.date-mask#last_assessment_date(type="text" name="last_assessment_date" placeholder="DD/MM/YYYY" maxlength=

.field-row
    .field
    label *SUBMITTING DESIGNATE:
    input#submitting_designate(type="text" name="submitting_designate" value=(user ? user.username : '') readonly)
    .field
    label *DESIGNATE PH#:
    input.phone-mask#designate_phone(type="tel" name="designate_phone" maxlength="10" required)
    .field
    label *DESIGNATE EMAIL#:
    input#designate_email(type="email" name="designate_email" required)

.field-row
    .field
    label DESIGNATE FAX#:
    input.phone-mask#designate_fax(type="tel" name="designate_fax" maxlength="10")
    .field
    label *REQUEST DATE:
    input.date-mask#request_date(type="text" name="request_date" placeholder="DD/MM/YYYY" maxlength="10" required)

.legal-text-section

```

p NOTE: The assessment completed by the Criminal Risk Assessment Unit of the Department of Families Child Protec

```
+pdfFooter(2, true)
```

```
.submit-section
  button(type="submit") Submit Assessment
```

Do you want me to write a quick JavaScript snippet to auto-disable the "Specify ID" and "License Number" text fields unless their corresponding checkboxes are ticked?

User prompt: add mixins also for header footer etc

Response: Here are the strict, print-ready Pug mixins for the header and footer, matching the exact text and structural layout of the Manitoba Criminal Risk Assessment document.

To make this fully operational for your Puppeteer PDF generation, I have also included a baseline `layout.pug` file containing the core CSS print styles required to ensure a perfect 2-page Letter-sized layout.

Header Mixin (mixins/header.pug)

```
mixin pdfHeader(isFirstPage)
  .pdf-header(class=isFirstPage ? 'first-page-header' : 'subsequent-page-header')
    .header-main-row
      .logo-block
        span.logo-province Manitoba
        span.logo-department Families
      .title-block
        h1 CRIMINAL RISK ASSESSMENT
        h2 REQUEST

    if isFirstPage
      .agency-address-block
        h3 MANITOBA FAMILIES - CRIMINAL RISK ASSESSMENT UNIT
        p Child Protection Branch
        p 201-114 Garry Street
        p Winnipeg, Manitoba R3C 4V5
```

Footer Mixin (mixins/footer.pug)

```
mixin pdfFooter(pageNumber, isLastPage)
  .pdf-footer
    .footer-meta
      span.doc-title Criminal Risk Assessment Request
      span.rev-date Revision date: 2025-01-10
    .footer-pagination
      span.page-num= pageNumber
```

Base Layout containing Print Styles (layout.pug)

```
doctype html
html(lang="en")
  head
    meta(charset="UTF-8")
    title Criminal Risk Assessment Form
    style.
      /* --- Typography & Global Print Resets --- */
      @page {
        size: letter;
        margin: 0;
      }
      body {
        margin: 0;
        padding: 0;
        font-family: 'Helvetica Neue', Helvetica, Arial, sans-serif;
        color: #333;
        font-size: 11px;
        line-height: 1.4;
        -webkit-print-color-adjust: exact;
      }

      /* --- Puppeteer Page Budgeting --- */
      .page {
```



```
width: 8.5in;
height: 11in;
box-sizing: border-box;
padding: 0.5in 0.6in;
position: relative;
page-break-after: always;
display: flex;
flex-direction: column;
}
.page:last-of-type {
  page-break-after: avoid;
}

/* --- Header Layout Styles --- */
.pdf-header {
  border-bottom: 2px solid #000;
  padding-bottom: 8px;
  margin-bottom: 12px;
}
.header-main-row {
  display: flex;
  justify-content: space-between;
  align-items: flex-end;
}
.logo-block {
  display: flex;
  flex-direction: column;
}
.logo-province {
  font-size: 20px;
  font-weight: bold;
  letter-spacing: -0.5px;
}
.logo-department {
  font-size: 14px;
  color: #555;
  margin-top: -4px;
}
.title-block {
  text-align: right;
}
.title-block h1 {
  font-size: 18px;
  margin: 0;
  font-weight: 800;
  letter-spacing: 0.5px;
}
.title-block h2 {
  font-size: 14px;
  margin: 0;
  font-weight: 600;
  color: #444;
}
.agency-address-block {
  margin-top: 8px;
  text-align: center;
  font-size: 10px;
}
.agency-address-block h3 {
  margin: 0 0 2px 0;
  font-size: 11px;
  font-weight: bold;
}
.agency-address-block p {
  margin: 0;
}

/* --- Footer Layout Styles --- */
.pdf-footer {
  position: absolute;
  bottom: 0.4in;
  left: 0.6in;
  right: 0.6in;
  border-top: 1px solid #aaa;
```

```
padding-top: 6px;
display: flex;
justify-content: space-between;
font-size: 9px;
color: #555;
}
.footer-meta .rev-date {
margin-left: 15px;
}
.footer-pagination {
font-weight: bold;
}

/* --- Utility UI / Web Bar Styles --- */
.web-top-bar, .search-section, .submit-section {
background: #f4f4f4;
padding: 10px 20px;
border-bottom: 1px solid #ddd;
}
.hidden {
display: none !important;
}

@media print {
.web-top-bar, .search-section, .submit-section {
display: none !important;
}
}
body
block content
```

Integration Notes

1. **Dynamic Content Area:** The layout sets up an explicit flex layout with absolute bounds so that the `.page` div stays restricted to strict structural Letter bounds.
 2. **Puppeteer Flags:** When printing via Puppeteer, ensure you initialize using `preferCSSPageSize: true` and pass an empty configuration object for margins (`margin: { top: 0, bottom: 0, left: 0, right: 0 }`), letting these mixins natively drive the canvas layouts.
-