

## Autograder Results

Results

Code

## Does it compile?: Compilation (1/1)

```
+ find . -name '*.tar*' -exec tar -xvf '{}' ';'
HW08.pdf
Makefile
README.txt
font.c
gba.c
gba.h
images/
images/garbage.c
images/rules.png
images/.DS_Store
images/congrats.h
images/rules.c
images/lose.c
images/welcome.c
images/lose.png
images/garbage.h
images/garbage.png
images/congrats.c
images/congrats.png
images/lose.h
images/rules.h
images/welcome.h
images/welcome.png
main.c
main.h
+ find . -name '*.zip' -exec unzip '{}' ';'
++ find . -maxdepth 1 -name '*.o' -or -name '*.elf' -or -name '*.gba'
+ obj=
+ '[' -n '' ']'
++ find . -type f -name Makefile
++ head -n1
+ makefile_location=./Makefile
+ '[' -z ./Makefile ']'
++ dirname ./Makefile
+ cd .
+ make
arm-none-eabi-gcc -Wall -Werror -std=c99 -pedantic -Wextra -fno-common
arm-none-eabi-gcc -Wall -Werror -std=c99 -pedantic -Wextra -fno-common
arm-none-eabi-gcc -Wall -Werror -std=c99 -pedantic -Wextra -fno-common
arm-none-eabi-gcc -Wall -Werror -std=c99 -pedantic -Wextra -fno-common
arm-none-eabi-gcc -Wall -Werror -std=c99 -pedantic -Wextra -fno-common
arm-none-eabi-gcc -Wall -Werror -std=c99 -pedantic -Wextra -fno-common
arm-none-eabi-gcc -Wall -Werror -std=c99 -pedantic -Wextra -fno-common
```

```
arm-none-eabi-gcc -Wall -Werror -std=c99 -pedantic -Wextra -fno-common  
arm-none-eabi-gcc -o App.elf crt0.o /usr/lib/gcc/arm-none-eabi/9.2.1/cr  
[LINK] Linking objects together to create App.gba  
[FINISH] Created App.gba  
++ find . -name '*.gba'  
+ gbas=./App.gba  
+ '[' -z ./App.gba ']'
```

## Homework 8: GBA

● Graded

### Student

Vidit Dharmendra Pokharna

### Total Points

105 / 100 pts

### Autograder Score

1.0 / 1.0

### Passed Tests

Does it compile?: Compilation (1/1)

### Question 2

[Demo](#)

50 / 50 pts

### Question 3

[Requirements](#)

54 / 49 pts