Autograder Results

Results | Code

---

hw7-checks: test_my_strlen_1 (1/1)

```
Running suite my_string_suite
suites/my_string_suite.c:35:P:test_my_strlen_1:test_my_strlen_1:0: Pass
Results for all suites run:
100%: Checks: 1, Failures: 0, Errors: 0
```

---

hw7-checks: test_my_strlen_2 (2/2)

```
Running suite my_string_suite
suites/my_string_suite.c:46:P:test_my_strlen_2:test_my_strlen_2:0: Pass
Results for all suites run:
100%: Checks: 1, Failures: 0, Errors: 0
```

---

hw7-checks: test_my_strlen_3 (1/1)

```
Running suite my_string_suite
suites/my_string_suite.c:56:P:test_my_strlen_3:test_my_strlen_3:0: Pass
Results for all suites run:
100%: Checks: 1, Failures: 0, Errors: 0
```

---

hw7-checks: test_my_strlen_4 (1/1)

```
Running suite my_string_suite
suites/my_string_suite.c:79:P:test_my_strlen_4:test_my_strlen_4:0: Pass
Results for all suites run:
100%: Checks: 1, Failures: 0, Errors: 0
```

---

hw7-checks: test_my_strlen_5 (1/1)

```
Running suite my_string_suite
suites/my_string_suite.c:89:P:test_my_strlen_5:test_my_strlen_5:0: Pass
Results for all suites run:
100%: Checks: 1, Failures: 0, Errors: 0
```

---

hw7-checks: test_my_strncmp_equal (1/1)

```
Running suite my_string_suite
suites/my_string_suite.c:130:P:test_my_strncmp_equal:test_my_strncmp_eq
Results for all suites run:
100%: Checks: 1, Failures: 0, Errors: 0
```

hw7-checks: test_my_strncmp_null_terminator_in_middle_almost_same (1/1)

```
Running suite my_string_suite
suites/my_string_suite.c:163:P:test_my_strncmp_null_terminator_in_middl
Results for all suites run:
100%: Checks: 1, Failures: 0, Errors: 0
```

hw7-checks: test_my_strncmp_null_terminator_in_middle_different (1/1)

```
Running suite my_string_suite
suites/my_string_suite.c:196:P:test_my_strncmp_null_terminator_in_middl
Results for all suites run:
100%: Checks: 1, Failures: 0, Errors: 0
```

hw7-checks: test_my_strncmp_letters_shuffled (1/1)

```
Running suite my_string_suite
suites/my_string_suite.c:278:P:test_my_strncmp_letters_shuffled:test_my
Results for all suites run:
100%: Checks: 1, Failures: 0, Errors: 0
```

hw7-checks: test_my_strncmp_random (1/1)

```
Running suite my_string_suite
suites/my_string_suite.c:242:P:test_my_strncmp_random:test_my_strncmp_r
Results for all suites run:
100%: Checks: 1, Failures: 0, Errors: 0
```

hw7-checks: test_my_strncmp_first_half_same_end_different_large_n (1/1)

```
Running suite my_string_suite
suites/my_string_suite.c:310:P:test_my_strncmp_first_half_same_end_diff
Results for all suites run:
100%: Checks: 1, Failures: 0, Errors: 0
```

hw7-checks: test_my_strncmp_first_half_same_end_different_small_n (1/1)

```
Running suite my_string_suite
suites/my_string_suite.c:342:P:test_my_strncmp_first_half_same_end_diff
Results for all suites run:
100%: Checks: 1, Failures: 0, Errors: 0
```

hw7-checks: test_my_strncmp_almost_equal (1/1)

```
Running suite my_string_suite
suites/my_string_suite.c:374:P:test_my_strncmp_almost_equal:test_my_str
Results for all suites run:
100%: Checks: 1, Failures: 0, Errors: 0
```

hw7-checks: test_my_strncpy_basic (1/1)

```
Running suite my_string_suite
suites/my_string_suite.c:398:P:test_my_strncpy_basic:test_my_strncpy_ba
Results for all suites run:
100%: Checks: 1, Failures: 0, Errors: 0
```

hw7-checks: test_my_strncpy_destination_larger (1/1)

```
Running suite my_string_suite
suites/my_string_suite.c:419:P:test_my_strncpy_destination_larger:test_
Results for all suites run:
100%: Checks: 1, Failures: 0, Errors: 0
```

hw7-checks: test_my_strncpy_random_basic_256 (1/1)

```
Running suite my_string_suite
suites/my_string_suite.c:444:P:test_my_strncpy_random_basic_256:test_my
Results for all suites run:
100%: Checks: 1, Failures: 0, Errors: 0
```

hw7-checks: test_my_strncpy_null_terminator_in_middle (1/1)

```
Running suite my_string_suite
suites/my_string_suite.c:475:P:test_my_strncpy_null_terminator_in_middl
Results for all suites run:
100%: Checks: 1, Failures: 0, Errors: 0
```

hw7-checks: test_my_strncpy_overwrite (1/1)

```
Running suite my_string_suite
suites/my_string_suite.c:497:P:test_my_strncpy_overwrite:test_my_strncp
Results for all suites run:
100%: Checks: 1, Failures: 0, Errors: 0
```

hw7-checks: test_my_strncpy_adv (2/2)

```
Running suite my_string_suite
suites/my_string_suite.c:531:P:test_my_strncpy_adv:test_my_strncpy_adv:
```

```
Results for all suites run:
100%: Checks: 1, Failures: 0, Errors: 0
```

hw7-checks: test_my_strncat_basic (1/1)

```
Running suite my_string_suite
suites/my_string_suite.c:553:P:test_my_strncat_basic:test_my_strncat_ba
Results for all suites run:
100%: Checks: 1, Failures: 0, Errors: 0
```

hw7-checks: test_my_strncat_random (2/2)

```
Running suite my_string_suite
suites/my_string_suite.c:573:P:test_my_strncat_random:test_my_strncat_r
Results for all suites run:
100%: Checks: 1, Failures: 0, Errors: 0
```

hw7-checks: test_my_strncat_null_terminator (1/1)

```
Running suite my_string_suite
suites/my_string_suite.c:593:P:test_my_strncat_null_terminator:test_my_
Results for all suites run:
100%: Checks: 1, Failures: 0, Errors: 0
```

hw7-checks: test_my_strncat_with_empty_string_first (1/1)

```
Running suite my_string_suite
suites/my_string_suite.c:609:P:test_my_strncat_with_empty_string_first:
Results for all suites run:
100%: Checks: 1, Failures: 0, Errors: 0
```

hw7-checks: test_my_strncat_with_empty_string_second (1/1)

```
Running suite my_string_suite
suites/my_string_suite.c:626:P:test_my_strncat_with_empty_string_second
Results for all suites run:
100%: Checks: 1, Failures: 0, Errors: 0
```

hw7-checks: test_my_memset_basic (1/1)

```
Running suite my_string_suite
suites/my_string_suite.c:644:P:test_my_memset_basic:test_my_memset_basi
Results for all suites run:
100%: Checks: 1, Failures: 0, Errors: 0
```

hw7-checks: test_my_memset_random_n (1/1)

```
Running suite my_string_suite
suites/my_string_suite.c:669:P:test_my_memset_random_n:test_my_memset_r
Results for all suites run:
100%: Checks: 1, Failures: 0, Errors: 0
```

hw7-checks: test_my_memset_replace_char (1/1)

```
Running suite my_string_suite
suites/my_string_suite.c:686:P:test_my_memset_replace_char:test_my_mems
Results for all suites run:
100%: Checks: 1, Failures: 0, Errors: 0
```

hw7-checks: test_my_memset_replace_all (1/1)

```
Running suite my_string_suite
suites/my_string_suite.c:701:P:test_my_memset_replace_all:test_my_memse
Results for all suites run:
100%: Checks: 1, Failures: 0, Errors: 0
```

hw7-checks: test_remove_first_instance_basic (1/1)

```
Running suite my_string_suite
suites/my_string_suite.c:717:P:test_remove_first_instance_basic:test_re
Results for all suites run:
100%: Checks: 1, Failures: 0, Errors: 0
```

hw7-checks: test_remove_first_instance_random (1/1)

```
Running suite my_string_suite
suites/my_string_suite.c:749:P:test_remove_first_instance_random:test_r
Results for all suites run:
100%: Checks: 1, Failures: 0, Errors: 0
```

hw7-checks: test_remove_first_instance_instance_as_first_char (1/1)

```
Running suite my_string_suite
suites/my_string_suite.c:767:P:test_remove_first_instance_instance_as_f
Results for all suites run:
100%: Checks: 1, Failures: 0, Errors: 0
```

hw7-checks: test_remove_first_instance_one_char_string (1/1)

```
Running suite my_string_suite
suites/my_string_suite.c:782:P:test_remove_first_instance_one_char_stri
Results for all suites run:
100%: Checks: 1, Failures: 0, Errors: 0
```

hw7-checks: test_remove_first_instance_no_instances (1/1)

```
Running suite my_string_suite
suites/my_string_suite.c:810:P:test_remove_first_instance_no_instances:
Results for all suites run:
100%: Checks: 1, Failures: 0, Errors: 0
```

hw7-checks: test_replace_character_with_string_basic (1/1)

```
Running suite my_string_suite
suites/my_string_suite.c:827:P:test_replace_character_with_string_basic
Results for all suites run:
100%: Checks: 1, Failures: 0, Errors: 0
```

hw7-checks: test_replace_character_with_string_random (2/2)

```
Running suite my_string_suite
suites/my_string_suite.c:865:P:test_replace_character_with_string_rando
Results for all suites run:
100%: Checks: 1, Failures: 0, Errors: 0
```

hw7-checks: test_replace_character_with_string_no_character_found (1/1)

```
Running suite my_string_suite
suites/my_string_suite.c:896:P:test_replace_character_with_string_no_ch
Results for all suites run:
100%: Checks: 1, Failures: 0, Errors: 0
```

hw7-checks: test_replace_character_with_string_multiple_characters (2/2)

```
Running suite my_string_suite
suites/my_string_suite.c:934:P:test_replace_character_with_string_multi
Results for all suites run:
100%: Checks: 1, Failures: 0, Errors: 0
```

hw7-checks: test_replace_character_with_string_single_char_replace_string (1/1)

```
Running suite my_string_suite
suites/my_string_suite.c:970:P:test_replace_character_with_string_singl
```

```
Results for all suites run:
100%: Checks: 1, Failures: 0, Errors: 0
```

hw7-checks: test_replace_character_with_string_empty_replace_string (1/1)

```
Running suite my_string_suite
suites/my_string_suite.c:1005:P:test_replace_character_with_string_empt
Results for all suites run:
100%: Checks: 1, Failures: 0, Errors: 0
```

hw7-checks: test_remove_first_character_random (2/2)

```
Running suite my_string_suite
suites/my_string_suite.c:1020:P:test_remove_first_character_random:test
Results for all suites run:
100%: Checks: 1, Failures: 0, Errors: 0
```

hw7-checks: test_remove_first_character_one_char_string (2/2)

```
Running suite my_string_suite
suites/my_string_suite.c:1033:P:test_remove_first_character_one_char_st
Results for all suites run:
100%: Checks: 1, Failures: 0, Errors: 0
```

hw7-checks: test_push_single (1/1)

```
Running suite oh_queue_suite
suites/oh_queue_suite.c:81:P:test_push_single:test_push_single:0: Passe
Results for all suites run:
100%: Checks: 1, Failures: 0, Errors: 0
```

hw7-checks: test_push_two (1/1)

```
Running suite oh_queue_suite
suites/oh_queue_suite.c:131:P:test_push_two:test_push_two:0: Passed
Results for all suites run:
100%: Checks: 1, Failures: 0, Errors: 0
```

hw7-checks: test_push_multiple (2/2)

```
Running suite oh_queue_suite
suites/oh_queue_suite.c:170:P:test_push_multiple:test_push_multiple:0:
Results for all suites run:
100%: Checks: 1, Failures: 0, Errors: 0
```

hw7-checks: test_push_null_terminator (1/1)

```
Running suite oh_queue_suite
suites/oh_queue_suite.c:204:P:test_push_null_terminator:test_push_null_
Results for all suites run:
100%: Checks: 1, Failures: 0, Errors: 0
```

hw7-checks: test_push_long_name (1/1)

```
Running suite oh_queue_suite
suites/oh_queue_suite.c:232:P:test_push_long_name:test_push_long_name:0
Results for all suites run:
100%: Checks: 1, Failures: 0, Errors: 0
```

hw7-checks: test_push_too_many_students (1/1)

```
Running suite oh_queue_suite
suites/oh_queue_suite.c:278:P:test_push_too_many_students:test_push_too
Results for all suites run:
100%: Checks: 1, Failures: 0, Errors: 0
```

hw7-checks: test_pop_basic (1/1)

```
Running suite oh_queue_suite
suites/oh_queue_suite.c:322:P:test_pop_basic:test_pop_basic:0: Passed
Results for all suites run:
100%: Checks: 1, Failures: 0, Errors: 0
```

hw7-checks: test_pop_single_student (1/1)

```
Running suite oh_queue_suite
suites/oh_queue_suite.c:343:P:test_pop_single_student:test_pop_single_s
Results for all suites run:
100%: Checks: 1, Failures: 0, Errors: 0
```

hw7-checks: test_pop_no_students (1/1)

```
Running suite oh_queue_suite
suites/oh_queue_suite.c:354:P:test_pop_no_students:test_pop_no_students
Results for all suites run:
100%: Checks: 1, Failures: 0, Errors: 0
```

hw7-checks: test_pop_multiple (2/2)

```
Running suite oh_queue_suite
suites/oh_queue_suite.c:401:P:test_pop_multiple:test_pop_multiple:0: Pa
Results for all suites run:
100%: Checks: 1, Failures: 0, Errors: 0
```

hw7-checks: test_pop_everything (1/1)

```
Running suite oh_queue_suite
suites/oh_queue_suite.c:425:P:test_pop_everything:test_pop_everything:0
Results for all suites run:
100%: Checks: 1, Failures: 0, Errors: 0
```

hw7-checks: test_group_by_topic_basic (1/1)

```
Running suite oh_queue_suite
suites/oh_queue_suite.c:489:P:test_group_by_topic_basic:test_group_by_t
Results for all suites run:
100%: Checks: 1, Failures: 0, Errors: 0
```

hw7-checks: test_group_by_topic_different_topic_name_same_number (2/2)

```
Running suite oh_queue_suite
suites/oh_queue_suite.c:550:P:test_group_by_topic_different_topic_name_
Results for all suites run:
100%: Checks: 1, Failures: 0, Errors: 0
```

hw7-checks: test_group_by_topic_same_topic_different_number (2/2)

```
Running suite oh_queue_suite
suites/oh_queue_suite.c:612:P:test_group_by_topic_same_topic_different_
Results for all suites run:
100%: Checks: 1, Failures: 0, Errors: 0
```

hw7-checks: test_group_by_topic_no_student_with_topic (1/1)

```
Running suite oh_queue_suite
suites/oh_queue_suite.c:673:P:test_group_by_topic_no_student_with_topic
Results for all suites run:
100%: Checks: 1, Failures: 0, Errors: 0
```

hw7-checks: test_group_by_topic_empty_array (1/1)

```
Running suite oh_queue_suite
suites/oh_queue_suite.c:694:P:test_group_by_topic_empty_array:test_grou
```

```
Results for all suites run:
100%: Checks: 1, Failures: 0, Errors: 0
```

hw7-checks: test_hash_1 (2/2)

```
Running suite oh_queue_suite
suites/oh_queue_suite.c:710:P:test_hash_1:test_hash_1:0: Passed
Results for all suites run:
100%: Checks: 1, Failures: 0, Errors: 0
```

hw7-checks: test_hash_2 (2/2)

```
Running suite oh_queue_suite
suites/oh_queue_suite.c:726:P:test_hash_2:test_hash_2:0: Passed
Results for all suites run:
100%: Checks: 1, Failures: 0, Errors: 0
```

hw7-checks: test_update_student_basic (2/2)

```
Running suite oh_queue_suite
suites/oh_queue_suite.c:786:P:test_update_student_basic:test_update_stu
Results for all suites run:
100%: Checks: 1, Failures: 0, Errors: 0
```

hw7-checks: test_update_student_no_student_with_custom_id (2/2)

```
Running suite oh_queue_suite
suites/oh_queue_suite.c:834:P:test_update_student_no_student_with_custo
Results for all suites run:
100%: Checks: 1, Failures: 0, Errors: 0
```

hw7-checks: test_update_student_empty_array (2/2)

```
Running suite oh_queue_suite
suites/oh_queue_suite.c:856:P:test_update_student_empty_array:test_upda
Results for all suites run:
100%: Checks: 1, Failures: 0, Errors: 0
```

hw7-checks: test_remove_student_by_name_basic (2/2)

```
Running suite oh_queue_suite
suites/oh_queue_suite.c:916:P:test_remove_student_by_name_basic:test_re
Results for all suites run:
100%: Checks: 1, Failures: 0, Errors: 0
```

hw7-checks: test_remove_student_by_name_no_students_with_name (2/2)

```
Running suite oh_queue_suite
suites/oh_queue_suite.c:978:P:test_remove_student_by_name_no_students_w
Results for all suites run:
100%: Checks: 1, Failures: 0, Errors: 0
```

hw7-checks: test_remove_student_by_name_empty_array (2/2)

```
Running suite oh_queue_suite
suites/oh_queue_suite.c:997:P:test_remove_student_by_name_empty_array:t
Results for all suites run:
100%: Checks: 1, Failures: 0, Errors: 0
```

hw7-checks: test_remove_student_by_name_multiple (2/2)

```
Running suite oh_queue_suite
suites/oh_queue_suite.c:1058:P:test_remove_student_by_name_multiple:tes
Results for all suites run:
100%: Checks: 1, Failures: 0, Errors: 0
```

hw7-checks: test_remove_student_by_topic_basic (2/2)

```
Running suite oh_queue_suite
suites/oh_queue_suite.c:1120:P:test_remove_student_by_topic_basic:test_
Results for all suites run:
100%: Checks: 1, Failures: 0, Errors: 0
```

hw7-checks: test_remove_student_by_topic_no_student_with_topic (2/2)

```
Running suite oh_queue_suite
suites/oh_queue_suite.c:1184:P:test_remove_student_by_topic_no_student_
Results for all suites run:
100%: Checks: 1, Failures: 0, Errors: 0
```

hw7-checks: test_remove_student_by_topic_empty_array (2/2)

```
Running suite oh_queue_suite
suites/oh_queue_suite.c:1206:P:test_remove_student_by_topic_empty_array
Results for all suites run:
100%: Checks: 1, Failures: 0, Errors: 0
```

hw7-checks: test_office_hours_status_students_pushed (1/1)

```
Running suite oh_queue_suite
suites/oh_queue_suite.c:1226:P:test_office_hours_status_students_pushed
Results for all suites run:
100%: Checks: 1, Failures: 0, Errors: 0
```

hw7-checks: test_office_hours_status_all_students_popped (1/1)

```
Running suite oh_queue_suite
suites/oh_queue_suite.c:1248:P:test_office_hours_status_all_students_po
Results for all suites run:
100%: Checks: 1, Failures: 0, Errors: 0
```

hw7-checks: test_office_hours_status_some_students_popped (1/1)

```
Running suite oh_queue_suite
suites/oh_queue_suite.c:1270:P:test_office_hours_status_some_students_p
Results for all suites run:
100%: Checks: 1, Failures: 0, Errors: 0
```

hw7-checks: test_office_hours_status_remove_some_students_by_topic (1/1)

```
Running suite oh_queue_suite
suites/oh_queue_suite.c:1300:P:test_office_hours_status_remove_some_stu
Results for all suites run:
100%: Checks: 1, Failures: 0, Errors: 0
```

hw7-checks: test_office_hours_status_remove_all_students_by_topic (2/2)

```
Running suite oh_queue_suite
suites/oh_queue_suite.c:1330:P:test_office_hours_status_remove_all_stud
Results for all suites run:
100%: Checks: 1, Failures: 0, Errors: 0
```

hw7-checks: test_office_hours_status_remove_all_students_by_name (1/1)

```
Running suite oh_queue_suite
suites/oh_queue_suite.c:1354:P:test_office_hours_status_remove_all_stud
Results for all suites run:
100%: Checks: 1, Failures: 0, Errors: 0
```

hw7-checks: test_office_hours_status_remove_one_student_by_name (1/1)

```
Running suite oh_queue_suite
suites/oh_queue_suite.c:1383:P:test_office_hours_status_remove_one_stud
```

```
Results for all suites run:
100%: Checks: 1, Failures: 0, Errors: 0
```

Homework 7: Intro to C   ● Graded

Student

Vidit Dharmendra Pokharna

✎ View or edit group

Total Points

100 / 100 pts

Autograder Score
100.0 / 100.0

Passed Tests

hw7-checks: test_my_strlen_1 (1/1)

hw7-checks: test_my_strlen_2 (2/2)

hw7-checks: test_my_strlen_3 (1/1)

hw7-checks: test_my_strlen_4 (1/1)

hw7-checks: test_my_strlen_5 (1/1)

hw7-checks: test_my_strncmp_equal (1/1)

hw7-checks: test_my_strncmp_null_terminator_in_middle_almost_same (1/1)

hw7-checks: test_my_strncmp_null_terminator_in_middle_different (1/1)

hw7-checks: test_my_strncmp_letters_shuffled (1/1)

hw7-checks: test_my_strncmp_random (1/1)

hw7-checks: test_my_strncmp_first_half_same_end_different_large_n (1/1)

hw7-checks: test_my_strncmp_first_half_same_end_different_small_n (1/1)

hw7-checks: test_my_strncmp_almost_equal (1/1)

hw7-checks: test_my_strncpy_basic (1/1)

hw7-checks: test_my_strncpy_destination_larger (1/1)

hw7-checks: test_my_strncpy_random_basic_256 (1/1)

hw7-checks: test_my_strncpy_null_terminator_in_middle (1/1)

hw7-checks: test_my_strncpy_overwrite (1/1)

hw7-checks: test_my_strncpy_adv (2/2)

hw7-checks: test_my_strncat_basic (1/1)

hw7-checks: test_my_strncat_random (2/2)

hw7-checks: test_my_strncat_null_terminator (1/1)

hw7-checks: test_my_strncat_with_empty_string_first (1/1)

hw7-checks: test_my_strncat_with_empty_string_second (1/1)

hw7-checks: test_my_memset_basic (1/1)

hw7-checks: test_my_memset_random_n (1/1)

hw7-checks: test_my_memset_replace_char (1/1)

hw7-checks: test_my_memset_replace_all (1/1)

hw7-checks: test_remove_first_instance_basic (1/1)

hw7-checks: test_remove_first_instance_random (1/1)

hw7-checks: test_remove_first_instance_instance_as_first_char (1/1)

hw7-checks: test_remove_first_instance_one_char_string (1/1)

hw7-checks: test_remove_first_instance_no_instances (1/1)

hw7-checks: test_replace_character_with_string_basic (1/1)

hw7-checks: test_replace_character_with_string_random (2/2)

hw7-checks: test_replace_character_with_string_no_character_found (1/1)

hw7-checks: test_replace_character_with_string_multiple_characters (2/2)

hw7-checks: test_replace_character_with_string_single_char_replace_string (1/1)

hw7-checks: test_replace_character_with_string_empty_replace_string (1/1)

hw7-checks: test_remove_first_character_random (2/2)

hw7-checks: test_remove_first_character_one_char_string (2/2)

hw7-checks: test_push_single (1/1)

hw7-checks: test_push_two (1/1)

hw7-checks: test_push_multiple (2/2)

hw7-checks: test_push_null_terminator (1/1)

hw7-checks: test_push_long_name (1/1)

hw7-checks: test_push_too_many_students (1/1)

hw7-checks: test_pop_basic (1/1)

hw7-checks: test_pop_single_student (1/1)

hw7-checks: test_pop_no_students (1/1)

hw7-checks: test_pop_multiple (2/2)

hw7-checks: test_pop_everything (1/1)

hw7-checks: test_group_by_topic_basic (1/1)

hw7-checks: test_group_by_topic_different_topic_name_same_number (2/2)

hw7-checks: test_group_by_topic_same_topic_different_number (2/2)

hw7-checks: test_group_by_topic_no_student_with_topic (1/1)

hw7-checks: test_group_by_topic_empty_array (1/1)

hw7-checks: test_hash_1 (2/2)

hw7-checks: test_hash_2 (2/2)

hw7-checks: test_update_student_basic (2/2)

hw7-checks: test_update_student_no_student_with_custom_id (2/2)

hw7-checks: test_update_student_empty_array (2/2)

hw7-checks: test_remove_student_by_name_basic (2/2)

hw7-checks: test_remove_student_by_name_no_students_with_name (2/2)

hw7-checks: test_remove_student_by_name_empty_array (2/2)

hw7-checks: test_remove_student_by_name_multiple (2/2)

hw7-checks: test_remove_student_by_topic_basic (2/2)

hw7-checks: test_remove_student_by_topic_no_student_with_topic (2/2)

hw7-checks: test_remove_student_by_topic_empty_array (2/2)

hw7-checks: test_office_hours_status_students_pushed (1/1)

hw7-checks: test_office_hours_status_all_students_popped (1/1)

hw7-checks: test_office_hours_status_some_students_popped (1/1)

hw7-checks: test_office_hours_status_remove_some_students_by_topic (1/1)

hw7-checks: test_office_hours_status_remove_all_students_by_topic (2/2)

hw7-checks: test_office_hours_status_remove_all_students_by_name (1/1)

hw7-checks: test_office_hours_status_remove_one_student_by_name (1/1)