

Front End Engineering-II

Project Report

Semester-IV (Batch-2022)

CABHUB



Supervised By:

RAVEESH SAMKARIA

Submitted By:

Vidushi Kaushik
2210990958 (G-14)

**Department of Computer Science and Engineering
Chitkara University Institute of Engineering & Technology,
Chitkara University, Punjab**

ABSTRACT

Cab Hub project aims to develop a user-friendly frontend interface for an online cab booking platform. The goal is to provide users with a seamless experience from booking to ride completion, ensuring convenience, reliability, and safety.

Cab Hub is an innovative online cab booking platform designed to meet the evolving needs of modern commuters. The primary objective of this project is to develop a robust and intuitive frontend interface that simplifies the process of booking cabs, tracking rides, and managing user profiles. By focusing on user experience, accessibility, and performance, Cab Hub aims to provide a seamless and enjoyable booking experience.

The frontend interface of Cab Hub will be the cornerstone of user interaction, enabling users to effortlessly book cabs, view ride details, and access various features with ease. The design will be responsive, ensuring that the platform is accessible on multiple devices, including desktops, tablets, and smartphones. This flexibility is crucial in accommodating the diverse ways in which users engage with technology in their daily lives.

Cab Hub will incorporate essential features such as secure user registration and login, real-time cab availability, fare estimation, live ride tracking, multiple payment options, and a system for reviewing and rating rides. These features are designed to enhance user satisfaction by providing transparency, reliability, and convenience.

Accessibility is a cornerstone of Cab Hub's design philosophy. The platform will adhere to the Web Content Accessibility Guidelines (WCAG), ensuring that it is usable by individuals with disabilities.

INTRODUCTION

In today's dynamic and interconnected world, urban mobility has become a critical aspect of daily life. With the ever-increasing population in urban areas, the need for efficient, reliable, and user-friendly transportation solutions is paramount. Traditional methods of hailing a cab have become outdated, and there is a growing demand for digital solutions that offer convenience and speed. This is where Cab Hub emerges as a game-changer in the realm of online cab booking platforms.

Cab Hub is designed to revolutionize the cab booking experience by offering a seamless, efficient, and user-centric platform. The primary objective of this project is to develop a sophisticated frontend interface that facilitates effortless cab bookings, real-time ride tracking, and comprehensive user management. Our mission is to bridge the gap between passengers and drivers through technology, ensuring a hassle-free and enjoyable ride experience for all users.

The importance of a robust frontend interface cannot be overstated, as it is the first point of interaction for users. Cab Hub's frontend will be meticulously designed to provide an intuitive and responsive user experience, catering to a wide range of devices including desktops, etc.

OBJECTIVE

The objective of the Cab Hub project is to develop a sophisticated and user-friendly frontend interface for an online cab booking platform. This platform aims to streamline the process of booking cabs, enhance user convenience, and provide a reliable and secure transportation solution. The specific objectives of the project include:

Seamless User Experience:

Design and implement an intuitive and responsive user interface that ensures a smooth and efficient booking process.

Create a platform that is accessible and easy to use across multiple devices, including desktops, tablets, and smartphones.

Efficient Cab Booking System:

Develop a comprehensive booking form that allows users to quickly and easily book cabs, schedule rides in advance, and view real-time cab availability.

Integrate features for estimating fares based on distance and time, providing users with transparent pricing information.

Real-Time Ride Tracking:

Implement live tracking of cabs on a map, enabling users to monitor their ride's progress in real time.

Provide notifications for cab arrival, ride start, and ride completion to keep users informed at all times.

Secure User Management:

Establish a secure authentication system for user registration and login, including options for social media logins.

Develop a user profile management system that allows users to view and

edit their personal information, as well as access their ride history.

Multiple Payment Options:

Integrate various payment methods, including credit/debit cards, digital wallets, and cash, to offer users flexibility in payment.

Ensure that all transactions are secure, using reliable payment gateways to protect user financial data.

Feedback and Rating System:

Create a review and rating system that allows users to provide feedback on their rides and rate drivers, promoting quality service.

Utilize user feedback to continuously improve the platform and the services provided.

Accessibility and Inclusivity:

Design the platform to be accessible to users with disabilities, adhering to Web Content Accessibility Guidelines (WCAG).

Ensure that the platform's design and functionality are inclusive, making cab booking an easy and convenient process for all users.

Performance and Reliability:

Optimize the platform for fast load times and smooth performance, even in low bandwidth conditions.

Implement robust security measures to protect user data and ensure the reliability of the platform.

Technological Excellence:

Leverage modern web technologies such as HTML5, CSS3, JavaScript, and frameworks like React.js or Vue.js to build a dynamic and responsive frontend.

SIGNIFICANCE

The significance of the Cab Hub project lies in its potential to transform urban transportation by providing a reliable, user-friendly, and efficient cab booking platform. The project's impact can be understood from several perspectives:

Enhanced User Convenience:

Cab Hub simplifies the process of booking cabs, making it quick and easy for users to secure transportation at any time. This convenience is especially beneficial in busy urban environments where traditional methods of hailing a cab can be time-consuming and uncertain.

Increased Accessibility:

By ensuring compatibility across various devices, Cab Hub makes cab booking accessible to a broader audience, including those who rely on smartphones, tablets, or desktops. This inclusivity ensures that all users, regardless of their technological preferences, can benefit from the platform's services.

Improved Reliability:

Real-time tracking and notifications provide users with up-to-date information about their rides, reducing uncertainty and increasing trust in the service. Users can track their cabs in real time, receive alerts for important ride updates, and have confidence that their cab will arrive as scheduled.

Economic Efficiency:

The fare estimation feature allows users to see the cost of their ride

before booking, enabling them to make informed decisions and budget effectively. This transparency can lead to better financial planning for users and more competitive pricing in the market.

User Empowerment:

The review and rating system empowers users to provide feedback on their

experiences, holding drivers accountable and encouraging high-quality service. This feedback loop can lead to overall improvements in service standards and user satisfaction.

Safety and Security:

Cab Hub's secure authentication and payment systems protect user data and financial information, ensuring a safe transaction environment.

Users can book rides and make payments with confidence, knowing their information is secure.

Inclusivity:


Adhering to accessibility guidelines ensures that the platform can be used by

individuals with disabilities, promoting inclusivity and equal access to transportation services.

This commitment to accessibility broadens the user base and ensures that everyone can benefit from the platform.

PROBLEM STATEMENT

Despite the proliferation of cab services, there remains a gap in providing a comprehensive, user-friendly, and reliable online cab booking platform that addresses the needs of modern commuters



REQUIREMENTS

Software Requirements:

HTML: HTML provides the fundamental structure for web pages, consisting of elements enclosed in tags, which define the content and layout.

HTML documents should adhere to standards and undergo validation to ensure proper syntax, structure, and compatibility across different web browsers and device

CSS: Cascading Style Sheets (CSS) is an essential tool for designing and styling web pages, ensuring that a website looks visually appealing and functions seamlessly across various devices. For a photoshoot website, CSS plays a critical role in creating a professional and engaging user experience. By controlling the layout, typography, colors, and responsive design, CSS allows the website to showcase high-quality images and content effectively. The use of CSS ensures that elements such as headers, navigation

menus, and galleries are not only aesthetically pleasing but also intuitive and easy to navigate.

JAVASCRIPT:

JavaScript is primarily used for client-side scripting in web development, allowing developers to create dynamic and interactive web pages by manipulating the Document Object Model (DOM) based on user interactions.

JavaScript enables developers to access and modify HTML elements and attributes dynamically, facilitating tasks such as content updates, element creation, removal, and styling based on user actions or events.

REACT:

React is a powerful JavaScript library for building user interfaces, particularly well-suited for creating dynamic and responsive web applications. For a photoshoot website, React offers several advantages that enhance both the user and developer experience. By utilizing React's component-based architecture, developers can create reusable UI components such as galleries, sliders, and contact forms, ensuring consistent

design and functionality throughout the site. React's virtual DOM improves performance by efficiently updating and rendering only the necessary parts of the page, providing a smooth and fast user experience. Additionally, React's robust ecosystem, including tools like React Router for seamless navigation and state management libraries like Redux, enables the development of complex, interactive features.

OJECT DESIGN

- **Project Overview:**

This project aims to develop a responsive website Timeless Moments to make a using React . The website will utilize HTML for content structure and React + Vite for visual presentation, ensuring a user-friendly and engaging experience across various devices (desktop, mobile).


- **File Structure:**

- The project will utilize a well-organized folder structure for efficient management and future updates.

1. **App.css:** It contains css file structure which enables us to design the website.
2. **App.jsx:** serves as the root component, functioning as the central hub for managing and rendering the overall structure and content of the website.
3. **Main.jsx:** Typically serves as the entry point for rendering the root component (app.jsx) to the DOM
4. **Index.html:** serves as the primary HTML file that is loaded by the browser. It acts as the container for index.html: the React application and provides the initial structure and metadata for the website.
5. **vite.config.js:** vite.config.js is the configuration file for Vite, a build tool that provides a fast and efficient development environment for modern web applications
6. **package.json:** It is a crucial file in any Node.js project, including React applications. It serves as the manifest file that defines the project's metadata, dependencies, scripts, and other configurations.
7. **.gitignore:**

A .gitignore file specifies which files and directories should be ignored by Git. This is important to prevent sensitive information, build artifacts, and other unnecessary files from being.

File Structure:



METHODOLOGY

Project Management Approach

The Cab Hub project will follow an Agile development methodology. This approach allows for flexibility, iterative progress, and continuous feedback, ensuring the product evolves to meet user needs effectively.

2. Project Phases

Phase 1: Planning

Requirements Gathering:

Conduct stakeholder meetings to gather detailed requirements.

Develop user personas and user stories to understand user needs.

Create a product backlog with prioritized features and tasks.

Feasibility Study:

Assess technical feasibility by exploring relevant technologies and tools.

Evaluate the project's financial viability and resource requirements.

Phase 2: Design

System Architecture Design:

Define the multi-tier architecture, including presentation, business logic, data, and integration layers.

Develop detailed design documents and architecture diagrams.

UI/UX Design:

Create wireframes and mockups for all major screens (Home Page, Registration/Login Page, Booking Page, etc.).

Conduct user testing sessions with prototypes to gather feedback and refine designs.

Database Design:

Design the Entity-Relationship (ER) diagram to define database structure.

Develop database schema for tables such as users, bookings, rides, payments, and feedback.

Phase 3: Development

Frontend Development:

Set up the development environment using HTML5, CSS3, JavaScript, and frameworks like React.js or Vue.js.

Implement responsive design to ensure compatibility across various devices.

Develop core functionalities including user registration/login, booking form, and real-time ride tracking.

Backend Development:

Set up the server environment using Node.js/Express.js.

Develop API endpoints for user authentication, booking management, ride tracking, payment processing, and feedback collection.

Implement business logic and integrate with the database.

Database Implementation:

Set up the database server and configure necessary tables.

Implement data access logic for creating, reading, updating, and deleting records.

Integration:

Integrate third-party services such as Google Maps API for location tracking and payment gateway APIs for secure transactions.

Ensure seamless communication between frontend and backend components.

Phase 4: Testing

Unit Testing:

Write and run unit tests for individual components and functions using testing frameworks like Jest or Mocha.

Ensure code coverage and identify any defects early in the development cycle.

Integration Testing:

Test the interaction between different modules and APIs to ensure they work together correctly.

Validate data flow and business logic.

User Acceptance Testing (UAT):

Conduct UAT sessions with a group of real users to gather feedback on usability and functionality.

Make necessary adjustments based on user feedback to enhance the user experience.

Performance Testing:

Perform load testing and stress testing to ensure the platform can handle high traffic and data volumes.

Optimize performance based on test results.

Phase 5: Deployment

Deployment Planning:

Prepare the deployment environment and configure necessary servers.

Set up continuous integration/continuous deployment (CI/CD) pipelines to automate the build, testing, and deployment processes.

Go-Live:

Deploy the application to a production environment.

Monitor the initial launch closely to address any issues that arise promptly.

Phase 6: Maintenance and Updates

Monitoring:

Implement monitoring tools (e.g., Prometheus, Grafana) to track system performance and health.

Use logging frameworks (e.g., ELK stack) for detailed logging and error tracking.

Regular Updates:

Schedule regular maintenance windows for updates, bug fixes, and performance improvements.

Continuously gather user feedback to inform future enhancements.

Security Audits:

Conduct regular security audits to identify and mitigate potential vulnerabilities.

Update security protocols and practices as needed.

Version Control: Git, GitHub/GitLab

Project Management: Jira, Trello

CI/CD: Jenkins, Travis CI, CircleCI

Monitoring and Logging: Prometheus, Grafana, ELK stack

Technical: Conduct thorough research and prototyping.

Security: Implement best practices for data protection and secure coding.

Code:

Component: First Page:

```
import React from "react";

const First = () => {
  return(
    <>

    <header className="header">
      <div className="main-banner">
        <div className="header-2">
          <div className="l-constrained-5 group">
            <div className="col-12">
              
              
            </div>
```

```

<nav className="nav">
  <ul className="nav-list group">
    <li>
      <a href="#">Home</a>
    </li>
    <li>
      <a href="#">Pages</a>
    </li>
    <li>
      <a href="#">Features</a>
    </li>
    <li>
      <a href="#">Extensions</a>
    </li>
    <li>
      <a href="#">Tutorials</a>
    </li>
    <li>
      <a href="#">Contact us</a>
    </li>
    <a href="">
      
    </a>
  </ul>
</nav>
<button className="menu-btn" onclick="toggleMenu()">
  <svg xmlns="http://www.w3.org/2000/svg" viewBox="0 0 448 512">

```



```

        height={ 14}
    />
</a>
</div>
<div className="col-11">
    <div className="row-9 group">
        <div className="col-13">
            <p className="text-2">
                delivering the quality
            <br />
                work Affordable
            </p>
            <p className="text-3">Power by PSDfreebies.com</p>
            <p className="text-4">
                Duis mollis, est non commodo luctus, nisi erat porttitor ligula,
                eget lacinia odio sem nec elit. Aenean eu leo quam.
            </p>
        </div>
    <div className="forme-62-copie-2-holder">
        <a href="">
            
        </a>
    </div>
</div>
<div className="row-7 match-height group">

```

```

    <div className="rounded-rectangle-1-copy-8-holder">
      <a href="">View more</a>
    </div>
    <div className="rounded-rectangle-1-copy-9-holder">
      <a href="">Contact us</a>
    </div>
  </div>
</div>
<div>
  <div className="welcome-text-and-feature group">
    <p className="text-7">
      <span className="text-style">Welcome </span>to the YooPin Services
    </p>
    <div className="shape-1-copy-2" />
    <p className="text-8">
      Aenean lacinia bibendum nulla sed consectetur. Vivamus sagittis lacus
      vel augue laoreet rutrum faucibus dolor auctor. Integer posuere erat a
      ante venenatis dapibus posuere velit aliquet. Donec id elit non mi porta
      gravida at eget metus.Aenean lacinia bibendum nulla sed consectetur.
      Vivamus sagittis lacus vel augue laoreet rutrum faucibus dolor auctor.
    </p>
    <div className="row-3 group">
      <div className="group-1">
        

```

```
<p className="text-9">Feature one</p>
<p className="text-10">
  Aenean lacinia bibendum nulla sed consectetur. Vivamus sagittis
  lacus vel augue laoreet rutrum faucibus dolor auctor.Donec id elit
  non mi porta gravida at eget metus.
</p>
</div>
<div className="group-3">
  
  <p className="text-13">Feature three</p>
  <p className="text-14">
    Aenean lacinia bibendum nulla sed consectetur. Vivamus sagittis
    lacus vel augue laoreet rutrum faucibus dolor auctor.Donec id elit
    non mi porta gravida at eget metus.
  </p>
</div>
<div className="shape-1-copy" />
<div className="group-2">
  
```

```
<p className="text-11">Feature two</p>
<p className="text-12">
  Aenean lacinia bibendum nulla sed consectetur. Vivamus sagittis
  lacus vel augue laoreet rutrum faucibus dolor auctor.Donec id elit
  non mi porta gravida at eget metus.
</p>
</div>
<div className="shape-1" />
</div>
</div>
</header>

</>
)
}
export default First
```


Component :

Second Page:

```
import React from "react";
const Second = ()=>{
  return(
    <>

      <div className="ceo-message group">
        <p className="text-15">“</p>
        <div className="col-10">
          <p className="text-16">
            Welcome to Fitness Center, where our goal is to transform your life
            into a healthy one. We are equipped with top notch staff and the best
            equipment to `
          </p>
          <p className="text-17">”</p>
        </div>
        
      </div>

    </>
  )
}
```

export default Second

Component:

Third Page:

```
import React from "react";

const Third = () => {
  return(
    <>
      <div className="news-and-event-area">
        <div className="l-constrained-3">
          <p className="text-19">Latest News and Event</p>
          <div className="shape-1-copy-3" />
          <div className="row match-height group">
            
            <div className="group-7">
              <p className="text-20">Akita Inu Dog</p>
              <p className="text-21">
                Cum sociis natoque penatibus et magnis dis parturient montes,
                nascetur ridiculus mus. Lorem ipsum dolor sit amet, consectetur
                adipiscing
              </p>
              <div className="rounded-rectangle-1-copy-7-holder">
                <a href="">View more</a>
              </div>
            </div>
          </div>
        </div>
      </div>
    </>
  )
}
```

```
    </div>
  </div>
  
</div>
</div>
</div>

</>
)
}
export default Third
```

Component:

Fourth Page:

```
import React from "react";

const Fourth =()=>{

  return(

    <div className="our-products">

<div className="l-constrained-4">

  <p className="text-23">Our Products</p>

  <div className="shape-1-copy-4" />

  <p className="text-24">

    Aenean lacinia bibendum nulla sed consectetur. Vivamus sagittis lacus vel augue laoreet rutrum faucibus dolor auctor. Integer posuere erat a ante venenatis dapibus posuere velit aliquet.

  </p>

<div className="row-2 match-height group">

  <div className="group-4 group">

    <div className="col-8">

      <p className="text-25">Akita Inu Dog</p>

      <div className="shape-2" />

      <p className="text-26">

        Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Donec sed odio dui. Vivamus sagittis lacus vel augue laoreet rutrum

      </p>


```

```

<div className="rounded-rectangle-1-copy-5-holder">
  <a href="">View more</a>
</div>
</div>

</div>
<div className="group-5 group">
  <div className="col-9">
    <p className="text-28">Akita Inu Dog</p>
    <div className="shape-2-copy" />
    <p className="text-29">
      Cum sociis natoque penatibus et magnis dis parturient montes,
      nascetur ridiculus mus. Lorem ipsum dolor sit amet, consectetur
      adipiscing elit. Donec sed odio dui. Vivamus sagittis lacus vel
      augue laoreet rutrum
    </p>
    <div className="rounded-rectangle-1-copy-6-holder">
      <a href="">View more</a>
    </div>
  </div>
  
    </div>
  </div>
</div>
<div className="video-area-100"></div>

</>
)
}
export default Fourth
```

Component:

Fifth Page:

```
import React from "react";

const Fifth = () => {
  return(
    <>
    <div className="foot">
    <div className="video-area">
    <div className="l-constrained">
    <p className="text-31">
      <strong className="text-style-2">Watch </strong>our new video
    </p>
    <div className="shape-1-copy-5" />
    <div className="layer-74-holder">
    <div className="clock-holder">
    <a href="">
    
    </a>
    </div>
    </div>
  )
}
```



```
</div>
```

```
</div>
```

```
<div className="footer group">
```

```
<div className="social-media-link">
```

```
<p className="text-32">about PSDfreebies.com</p>
```

```
<p className="text-33">
```

```
Looking cautiously round, to ascertain that they were not overheard,
```

```
the
```

```
<br />
```

```
two hags cowered nearer to the fire, and chuckled heartily.
```

```
</p>
```

```
<div className="row-4 match-height group">
```

```
<div className="rectangle-3-copy-3-holder group">
```

```
<a href="">
```

```

```

```
</a>
```

```
<p className="text-34">136</p>
```

```
</div>
```

```
<div className="rectangle-3-copy-2-holder group">
```

```
<a href="">
```

```

</a>
<p className="text-35">68</p>
</div>
<div className="rectangle-3-copy-holder group">
    <a href="">
        
    </a>
    <p className="text-36">16</p>
</div>
<div className="rectangle-3-holder group">
    <a href="">
        
    </a>
```

```
<p className="text-37">13</p>
</div>
</div>
</div>
<div className="link group">
  <div className="col-5">
    <p className="text-38">About Us</p>
    <p className="text-39">
      <a href="">Company</a>
      <br />
      <a href="">Our Team</a>
      <br />
      <a href="">Testimonials</a>
      <br />
      <a href="">Contacts</a>
    </p>
  </div>
  <div className="col-6">
    <p className="services">Services</p>
    <p className="text-40">
      <a href="">Branding</a>
      <br />
      <a href="">UX Design</a>
      <br />
      <a href="">Prototype</a>
      <br />
      <a href="">UI Design</a>
    </p>
  </div>
</div>
```

```
<div className="col-7">

  <p className="contact">CONTACT</p>

  <p className="text-41">
    (415) 496-9612

    <br />

    920 Reserve

    <br />

    Roseville, CA 95678

  </p>
</div>

</div>

</div>

</div>

</>

)

}

export default Fifth
```

Component:

Sixth Page:

```
import React from "react";
const Sixth = () => {
  return(
    <>
      <footer className="footer-2">
        <div className="bottom-link">
          <div className="l-constrained-2 group">
            
            <p className="text-42">© 2016 PSDfreebies.com – All Right Reserved</p>
          </div>
        </div>
      </footer>
    </>
  )
}
export default Sixth
```


CSS File:

APP.CSS:

```
@charset "UTF-8";
html, body, div, span,
h1, h2, h3, h4, h5, h6, p,
a, ol, ul, li {
    margin: 0;
    padding: 0;
    border: 0;
    font: inherit;
    font-size: 100%;
    vertical-align: baseline;
}
body{
    overflow-x: hidden;
}

footer, header, menu, nav, section, time {
    display: block;
}

body {
    line-height: 1;
    color: black;
    background: white;
}

a {
    color: inherit;
    text-decoration: none;
```

```
}
```

```
ol, ul {  
  list-style: none;  
}
```

```
blockquote, q {  
  quotes: none;  
}
```

```
blockquote:before, blockquote:after,  
q:before, q:after {  
  content: "";  
  content: none;  
}
```

```
table {  
  border-collapse: collapse;  
  border-spacing: 0;  
}
```

```
/* meyerweb css reset end */
```

```
textarea:focus, input:focus {  
  outline: 0;  
}
```

```
input {  
  border-width: 0;  
}
```

```
em {  
  font-style: italic;  
}
```



```
h1, h2, h3, h4, h5, h6 {  
    font-weight: bold;  
    margin-top: 0;  
    margin-bottom: 0;  
}
```

```
.group:before,  
.group:after {  
    content: " ";  
    display: table;  
}
```

```
.group:after {  
    clear: both;  
}
```

```
.group {  
    zoom: 1; /* ie 6/7 */  
}
```

```
embed,  
img,  
object,  
video {  
    max-width: 100%;  
}
```

```
sup {  
    font-size: 58.3%;  
    vertical-align: text-top;  
}
```

```
sub {  
    font-size: 58.3%;  
    vertical-align: text-bottom;
```

```

}
.no-space-between-inline-blocks {
  letter-spacing: normal; /*reset IE < 8*/
  letter-spacing: -0.31em; /*webkit*/
  word-spacing: -0.43em; /*IE < 8 && gecko*/
}
/*restore spacing on inner elements*/
.no-space-between-inline-blocks > * {
  letter-spacing: normal;
  word-spacing: normal;
}
.displace {
  left: -5000px;
  position: absolute;
}
html {
  -webkit-box-sizing: border-box;
  -moz-box-sizing: border-box;
  box-sizing: border-box;
}
*,
*:after,
*:before {
  -webkit-box-sizing: inherit;
  -moz-box-sizing: inherit;
  box-sizing: inherit;
}
html {
  font-size: 16px;
}
body {
  min-width: 1404px;
  color: #ffffff;
  font-family: 'Open Sans', sans-serif;

```

```

font-size: 15px;
font-style: normal;
font-weight: normal;
letter-spacing: 0;
text-decoration: none;
}
.global_container_ {
float: none;
height: auto;
margin: 0 auto;
position: relative;
width: 100%; /* 1600px / 1600px = 100% */
background: url(images/layer_68.jpg) no-repeat center bottom;
-webkit-background-size: cover;
-moz-background-size: cover;
-o-background-size: cover;
background-size: cover;
}
.header {
position: relative;
}
.main-banner {
margin: 0 auto;
min-height: 1031px;
overflow: hidden;
padding: 0 0 413px;
position: relative;
width: 100%; /* 1600px / 1600px = 100% */
background: url(images/layer_69.jpg) no-repeat center 0;
background-position: center top;
-webkit-background-size: cover;
-moz-background-size: cover;
-o-background-size: cover;
background-size: cover;
}

```

```
}  
.header-2 {  
  margin: 0 auto;  
  padding: 7px 0 31px;  
  position: relative;  
  background: #000000;  
}  
.l-constrained-5 {  
  margin: 0 auto;  
  padding: 0 116px;  
  position: relative;  
  width: 1404px;  
}  
.col-12 {  
  float: left;  
  position: relative;  
  width: 150px;  
}  
.mountains {  
  display: block;  
  margin: 0 0 0 24px;  
  position: relative;  
}  
.yoopin {  
  display: block;  
  margin: 6px 0 0;  
}  
.text {  
  float: left;  
  margin: 33px 0 0 148px;  
}  
.c-pinterest {  
  float: right;  
  margin: 32px 1px 0 0;
```

```
}  
.c-google {  
  float: right;  
  margin: 32px 16px 0 0;  
}  
.c-facebook {  
  float: right;  
  margin: 32px 17px 0 0;  
}  
.c-twitter {  
  float: right;  
  margin: 12px 17px 0 0;  
}  
.main-banner-text {  
  margin: 104px auto 0;  
  position: relative;  
  width: 1404px;  
}  
.forme-62-copie-2-copy-holder {  
  float: left;  
  margin: 176px 0 0;  
  padding: 33px 0;  
  position: relative;  
  width: 80px;  
  background: #ffffff;  
}  
.forward-16-copy {  
  display: block;  
  margin: 0 auto;  
}  
.col-11 {  
  float: right;  
  margin: 0 5px 0 0;  
  position: relative;
```

```
width: 1177px;
}
.row-9 {
  position: relative;
}
.col-13 {
  float: left;
  position: relative;
  width: 942px;
}
.text-2 {
  font-size: 50px;
  font-weight: bold;
  line-height: 1.2;
  text-align: center;
  text-transform: uppercase;
}
.text-3 {
  margin: 42px 57px 0 43px;
  font-size: 26.28509px;
  text-align: center;
  text-transform: uppercase;
}
.text-4 {
  left: 21.5px;
  margin: 44px auto 0;
  position: relative;
  width: 841px;
  font-size: 26.28509px;
  line-height: 41.30514px;
  text-align: center;
}
.forme-62-copie-2-holder {
  float: right;
```

```
margin: 175px 0 0;
padding: 33px 0;
position: relative;
width: 80px;
background: #ffffff;
}
.forward-16 {
display: block;
margin: 0 auto;
}
.row-7 {
margin: 67px auto 0;
position: relative;
right: 104.5px;
width: 268px;
}
.rounded-rectangle-1-copy-8-holder {
float: left;
min-height: 38px;
width: 110px;
-webkit-border-radius: 5px;
-moz-border-radius: 5px;
border-radius: 5px;
background: #ffffff;
color: #000000;
font-size: 14px;
font-weight: bold;
line-height: 38px;
text-align: center;
}
.rounded-rectangle-1-copy-9-holder {
float: right;
min-height: 38px;
width: 110px;
```

```
-webkit-border-radius: 5px;
-moz-border-radius: 5px;
border-radius: 5px;
background: #ffffff;
color: #000000;
font-size: 14px;
font-weight: bold;
line-height: 38px;
text-align: center;
}

.welcome-text-and-feature {
margin: -299px auto 0;
min-height: 594px;
padding: 51px 0;
position: relative;
width: 1234px;
background: #df4507;
}

.text-7 {
font-family: 'Helvetica Neue', Helvetica, Arial, sans-serif;
font-size: 30px;
font-weight: 300;
text-align: center;
}

.shape-1-copy-2 {
height: 5px;
margin: 24px auto 0;
width: 100px;
background: rgba(255, 255, 255, 0.33);
}

.text-8 {
margin: 30px auto 0;
width: 999px;
line-height: 24px;
```



```
text-align: center;
}
.row-3 {
margin: 71px auto 0;
position: relative;
width: 1100px;
}
.group-1 {
float: left;
margin: 2px 0 0;
position: relative;
width: 320px;
}
.write {
display: block;
margin: 0 auto;
}
.text-9 {
margin: 43px 0 0;
font-size: 18px;
font-weight: bold;
text-align: center;
text-transform: uppercase;
}
.text-10 {
margin: 19px auto 0;
line-height: 24px;
text-align: center;
}
.group-3 {
float: right;
position: relative;
width: 320px;
}
```

```
.simon-says {  
  display: block;  
  margin: 0 auto;  
}  
.text-13 {  
  margin: 45px 0 0;  
  font-size: 18px;  
  font-weight: bold;  
  text-align: center;  
  text-transform: uppercase;  
}  
.text-14 {  
  margin: 19px auto 0;  
  line-height: 24px;  
  text-align: center;  
}  
.shape-1-copy {  
  float: right;  
  height: 231px;  
  margin: 20px 45px 0 0;  
  width: 1px;  
  background: #ffffff;  
}  
.group-2 {  
  float: right;  
  margin: 2px 14px 0 0;  
  position: relative;  
  width: 320px;  
}  
.search-and-thou-shall-find {  
  display: block;  
  margin: 0 auto;  
}  
.text-11 {
```

```
margin: 43px 0 0;
font-size: 18px;
font-weight: bold;
text-align: center;
text-transform: uppercase;
}
.text-12 {
margin: 19px auto 0;
line-height: 24px;
text-align: center;
}
.shape-1 {
float: right;
height: 231px;
margin: 20px 16px 0 0;
width: 1px;
background: #ffffff;
}
.main-content-wrapper {
margin: 26px 0 0;
position: relative;
z-index: 0;
}
.ceo-message {
margin: 0 auto;
overflow: hidden;
padding: 0 150px;
position: relative;
width: 1404px;
z-index: 104;
}
.text-15 {
float: left;
opacity: 0.08;
```

```
font-family: 'Gentium Basic', serif;
font-size: 276.20248px;
text-align: center;
}
.col-10 {
float: left;
margin: 84px 0 0 1px;
position: relative;
width: 566px;
}
.text-16 {
margin: 0 auto;
position: relative;
right: 38.5px;
width: 489px;
font-size: 22px;
line-height: 36px;
text-align: center;
}
.text-17 {
margin: -103px 0 0;
position: relative;
opacity: 0.08;
font-family: 'Gentium Basic', serif;
font-size: 276.20248px;
text-align: right;
}
.text-18 {
float: left;
margin: 124px 0 0 132px;
}
.news-and-event-area {
height: 591px;
margin: -51px auto 0;
```

```

padding: 88px 0 119px;
position: relative;
z-index: 60;
background: url(images/background_copy_3.jpg) no-repeat center 0;
-webkit-background-size: cover;
-moz-background-size: cover;
-o-background-size: cover;
background-size: cover;
}
.l-constrained-3 {
margin: 0 auto;
position: relative;
width: 1404px;
}
.text-19 {
font-family: 'Helvetica Neue', Helvetica, Arial, sans-serif;
font-size: 37.55013px;
font-weight: 300;
text-align: center;
}
.shape-1-copy-3 {
height: 5px;
margin: 25px auto 0;
width: 100px;
background: rgba(255, 255, 255, 0.33);
}
.row {
margin: 53px auto 0;
position: relative;
width: 1170px;
}
.row > * {
float: left;
}

```

```
.row > *:last-child {  
    margin-right: 0 !important;  
}  
.group-7 {  
    min-height: 262px;  
    padding: 38px 0 29px;  
    position: relative;  
    width: 390px;  
    background: url(images/rectangle_1_copy_2.png) no-repeat;  
}  
.text-20 {  
    color: #ffa784;  
    font-size: 18px;  
    font-weight: bold;  
    text-align: center;  
    text-transform: uppercase;  
}  
.text-21 {  
    margin: 15px auto 0;  
    width: 238px;  
    line-height: 24px;  
    text-align: center;  
}  
.rounded-rectangle-1-copy-7-holder {  
    margin: 24px auto 0;  
    min-height: 38px;  
    width: 110px;  
    -webkit-border-radius: 5px;  
    -moz-border-radius: 5px;  
    border-radius: 5px;  
    background: #df4507;  
    font-size: 14px;  
    font-weight: bold;  
    line-height: 38px;
```

```
text-align: center;
}
.our-products {
margin: 0 auto;
padding: 58px 0 100px;
position: relative;
z-index: 82;
background: #df4507;
}
.l-constrained-4 {
margin: 0 auto;
position: relative;
width: 1404px;
}
.text-23 {
font-family: 'Helvetica Neue', Helvetica, Arial, sans-serif;
font-size: 37.55013px;
font-weight: 300;
text-align: center;
}
.shape-1-copy-4 {
height: 5px;
margin: 17px auto 0;
width: 100px;
background: rgba(255, 255, 255, 0.33);
}
.text-24 {
margin: 26px auto 0;
width: 998px;
line-height: 24px;
text-align: center;
}
.row-2 {
margin: 59px auto 0;
```

```
position: relative;
width: 1068px;
}
.group-4 {
float: left;
margin: 0 106px 0 0;
position: relative;
width: 485px;
}
.col-8 {
float: left;
margin: 0 22px 0 0;
position: relative;
width: 261px;
}
.text-25 {
margin: 0 0 0 4px;
font-size: 18px;
font-weight: bold;
text-transform: uppercase;
}
.shape-2 {
height: 1px;
margin: 14px 0 0;
position: relative;
width: 251px;
background: #ffffff;
}
.text-26 {
margin: 21px 0 0 3px;
width: 258px;
line-height: 24px;
}
.rounded-rectangle-1-copy-5-holder {
```



```
margin: 27px 0 0 5px;
min-height: 38px;
position: relative;
width: 110px;
-webkit-border-radius: 5px;
-moz-border-radius: 5px;
border-radius: 5px;
background: #ffffff;
color: #2d2d2d;
font-size: 14px;
font-weight: bold;
line-height: 38px;
text-align: center;
}
.layer {
float: left;
margin: 9px 0 0;
}
.group-5 {
float: left;
position: relative;
width: 477px;
}
.col-9 {
float: left;
margin: 0 13px 0 0;
position: relative;
width: 262px;
}
.text-28 {
margin: 0 0 0 5px;
font-size: 18px;
font-weight: bold;
text-transform: uppercase;
```

```
}  
.shape-2-copy {  
  height: 1px;  
  margin: 14px 0 0;  
  position: relative;  
  width: 251px;  
  background: #ffffff;  
}  
.text-29 {  
  margin: 21px auto 0;  
  width: 258px;  
  line-height: 24px;  
}  
.rounded-rectangle-1-copy-6-holder {  
  margin: 27px 0 0 6px;  
  min-height: 38px;  
  position: relative;  
  width: 110px;  
  -webkit-border-radius: 5px;  
  -moz-border-radius: 5px;  
  border-radius: 5px;  
  background: #ffffff;  
  color: #2d2d2d;  
  font-size: 14px;  
  font-weight: bold;  
  line-height: 38px;  
  text-align: center;  
}  
.layer-2 {  
  float: left;  
  margin: 9px 0 0;  
}  
.video-area {  
  height: 591px;
```

```

margin: 3px auto 0;
padding: 58px 0 83px;
position: relative;
z-index: 45;
background: url(images/background_copy.jpg) no-repeat center 0;
-webkit-background-size: cover;
-moz-background-size: cover;
-o-background-size: cover;
background-size: cover;
}

.l-constrained {
margin: 0 auto;
position: relative;
width: 1404px;
}

.text-31 {
font-family: 'Helvetica Neue', Helvetica, Arial, sans-serif;
font-size: 30px;
font-weight: 300;
text-align: center;
}

.shape-1-copy-5 {
height: 5px;
margin: 30px auto 0;
width: 100px;
background: rgba(255, 255, 255, 0.33);
}

.layer-74-holder {
margin: 51px auto 0;
padding: 143px 0;
position: relative;
width: 547px;
background: url(images/layer_74.png) no-repeat;
}

```

```

.clock-holder {
  margin: 0 auto;
  padding: 9px 0 8px;
  position: relative;
  width: 47px;
  border: 3px solid rgba(254, 254, 254, 0.3); /*stroke*/
  -webkit-border-radius: 23.5px;
  -moz-border-radius: 23.5px;
  border-radius: 23.5px;
  background: rgba(41, 43, 46, 0.3);
  -moz-background-clip: padding;
  -webkit-background-clip: padding-box;
  background-clip: padding-box; /*Will not allow bg color to leak outside borders*/
}

.play {
  display: block;
  margin: 0 auto;
}

.footer {
  margin: 69px auto 0;
  padding: 0 68px 0 117px;
  position: relative;
  width: 1404px;
  z-index: 4;
}

.social-media-link {
  float: left;
  position: relative;
  width: 449px;
}

.text-32 {
  font-size: 18px;
  font-weight: bold;
  text-transform: uppercase;

```

```
}  
.text-33 {  
  margin: 14px 0 0;  
  font-size: 13px;  
  line-height: 22px;  
}  
.row-4 {  
  margin: 34px 0 0;  
  position: relative;  
}  
.row-4 > * {  
  float: left;  
  margin: 0 10px 0 0;  
}  
.row-4 > *:last-child {  
  margin-right: 0 !important;  
}  
.rectangle-3-copy-3-holder {  
  min-height: 28px;  
  padding: 7px 3px 5px;  
  position: relative;  
  width: 60px;  
  background: #3162a2;  
}  
.facebook-logo {  
  float: left;  
  margin: 0 8px;  
}  
.text-34 {  
  font-family: Roboto, sans-serif;  
  font-size: 14px;  
  letter-spacing: 0.02em;  
  text-transform: uppercase;  
}
```

```
.rectangle-3-copy-2-holder {
  min-height: 28px;
  padding: 7px 11px 5px;
  position: relative;
  width: 60px;
  background: #2eb1eb;
}

.twitter-logo {
  float: left;
  margin: 2px 6px 0 0;
}

.text-35 {
  font-family: Roboto, sans-serif;
  font-size: 14px;
  letter-spacing: 0.02em;
  text-transform: uppercase;
}

.rectangle-3-copy-holder {
  min-height: 28px;
  padding: 6px 10px 5px;
  position: relative;
  width: 60px;
  background: #f552b6;
}

.dribbble-logo {
  float: left;
  margin: 1px 8px 0 0;
}

.text-36 {
  font-family: Roboto, sans-serif;
  font-size: 14px;
  letter-spacing: 0.02em;
  text-transform: uppercase;
}
```

```
.rectangle-3-holder {  
  min-height: 28px;  
  padding: 7px 12px 5px;  
  position: relative;  
  width: 60px;  
  background: #457ac0;  
}  
.linkedin-icon {  
  float: left;  
  margin: 0 7px 0 0;  
}  
.text-37 {  
  font-family: Roboto, sans-serif;  
  font-size: 14px;  
  letter-spacing: 0.02em;  
  text-transform: uppercase;  
}  
.link {  
  float: right;  
  margin: 7px 0 0;  
  position: relative;  
  width: 528px;  
}  
.col-5 {  
  float: left;  
  margin: 2px 0 0;  
  position: relative;  
  width: 87px;  
}  
.text-38 {  
  font-size: 16px;  
}  
.text-39 {  
  margin: 10px 0 0;
```

```
font-size: 13px;
line-height: 30px;
}
.col-6 {
float: left;
margin: 1px 0 0 80px;
position: relative;
width: 77px;
}
.services {
font-size: 16px;
}
.text-40 {
margin: 8px 0 0;
font-size: 13px;
line-height: 30px;
}
.col-7 {
float: left;
margin: 0 0 0 92px;
position: relative;
width: 192px;
}
.contact {
font-size: 16px;
letter-spacing: 0.02em;
}
.text-41 {
margin: 6px 0 0;
width: 192px;
font-size: 13px;
letter-spacing: 0.02em;
line-height: 30px;
}
```



```
.footer-2 {  
  margin: 87px 0 0;  
  position: relative;  
}  
.bottom-link {  
  padding: 25px 0 26px;  
  position: relative;  
  background: #000000;  
}  
.l-constrained-2 {  
  margin: 0 auto;  
  padding: 0 121px;  
  position: relative;  
  width: 1404px;  
}  
.layer-77 {  
  float: right;  
  margin: 0 3px 0 0;  
}  
.text-42 {  
  margin: 9px 0 0;  
  font-family: Roboto, sans-serif;  
  font-size: 13px;  
  letter-spacing: 0.02em;  
}  
.nav {  
  list-style-type: none;  
  margin: 0;  
  padding: 0;  
  overflow: hidden;  
  /* Change background color as needed */  
}  
.nav li {
```

```
float: left;
}

.nav li a {
display: block;
color: white; /* Change text color as needed */
text-align: center;
padding: 14px 16px;
text-decoration: none;
}

.menu-btn {
display: none; /* Show menu button */
}

.text-style-2 {
font-family: 'Helvetica Neue', Helvetica, Arial, sans-serif;
font-weight: bold;
}

.text-style {
font-family: 'Helvetica Neue', Helvetica, Arial, sans-serif;
font-weight: normal;
}

@media screen and (max-width: 320px) {
body {
-moz-transform: scale(0.3);
-webkit-transform: scale(0.3);
-o-transform: scale(0.3);
transform: scale(0.3);
transform-origin: 0 0;
overflow-x: hidden;
}

html {
height: 100%;
```

```

}
}
@media screen and (min-width: 1460px) {
  body {
    zoom: 100%;
    -moz-transform: scale(1.0);
    -webkit-transform: scale(1.0);
    -o-transform: scale(1.0);
    transform: scale(1.0);
    transform-origin: 0 0;
    overflow-x: hidden;
  }
  html {
    height: 100%;
  }
}
@media screen and (min-width: 1260px) and (max-width: 1360px) {
  body {
    zoom: 87%;
    -moz-transform: scale(1.0);
    -webkit-transform: scale(1.0);
    -o-transform: scale(1.0);
    transform: scale(1.0);
    transform-origin: 0 0;
    overflow-x: hidden;
  }
  html {
    height: 100%;
  }
}
@media screen and (min-width: 1060px) and (max-width: 1260px) {
  body {
    zoom: 82%;
    -moz-transform: scale(1.0);

```

```

-webkit-transform: scale(1.0);
-o-transform: scale(1.0);
transform: scale(1.0);
transform-origin: 0 0;
overflow-x: hidden;
}
html {
  height: 100%;
}
}
@media screen and (min-width: 960px) and (max-width: 1060px) {
  body {
    zoom: 73%;
    -moz-transform: scale(1.0);
    -webkit-transform: scale(1.0);
    -o-transform: scale(1.0);
    transform: scale(1.0);
    transform-origin: 0 0;
    overflow-x: hidden;
  }
  html {
    height: 100%;
  }
}
@media screen and (min-width: 860px) and (max-width: 960px) {
  body {
    zoom: 63%;
    -moz-transform: scale(1.0);
    -webkit-transform: scale(1.0);
    -o-transform: scale(1.0);
    transform: scale(1.0);
    transform-origin: 0 0;
    overflow-x: hidden;
  }
}

```

```
html {  
  height: 100%;  
}  
}  
@media screen and (min-width: 760px) and (max-width: 860px) {  
  body {  
    zoom: 53%;  
    -moz-transform: scale(1.0);  
    -webkit-transform: scale(1.0);  
    -o-transform: scale(1.0);  
    transform: scale(1.0);  
    transform-origin: 0 0;  
    overflow-x: hidden;  
  }  
  html {  
    height: 100%;  
  }  
}  
@media screen and (min-width: 660px) and (max-width: 760px) {  
  body {  
    zoom: 50%;  
    -moz-transform: scale(1.0);  
    -webkit-transform: scale(1.0);  
    -o-transform: scale(1.0);  
    transform: scale(1.0);  
    transform-origin: 0 0;  
    overflow-x: hidden;  
  }  
  html {  
    height: 100%;  
  }  
}  
@media screen and (min-width: 500px) and (max-width: 660px) {  
  body {
```

```

zoom: 35%;
-moz-transform: scale(1.0);
-webkit-transform: scale(1.0);
-o-transform: scale(1.0);
transform: scale(1.0);
transform-origin: 0 0;
overflow-x: hidden;
}
html {
  height: 100%;
}
}
@media screen and (min-width: 320px) and (max-width: 500px) {
  body {
    zoom: 30%;
    -moz-transform: scale(1.0);
    -webkit-transform: scale(1.0);
    -o-transform: scale(1.0);
    transform: scale(1.0);
    transform-origin: 0 0;
    overflow-x: hidden;
  }
  html {
    height: 100%;
  }
}
@media screen and (max-width: 768px) {
  .row-3 {
    display: flex;
    margin: 71px auto 0;
    position: relative;
    width: 1100px;
    flex-direction: column;
    align-items: center;
  }
}

```

```
}  
.shape-1-copy {  
  float: right;  
  height: 231px;  
  margin: 20px 45px 0 0;  
  width: 1px;  
  background: #ffffff;  
  display: none;  
}  
.group-1 {  
  float: left;  
  margin: 2px 0 0;  
  position: relative;  
  width: 320px;  
}  
.shape-1 {  
  float: right;  
  height: 231px;  
  margin: 20px 16px 0 0;  
  width: 1px;  
  background: #ffffff;  
  display: none;  
}  
.group-3 {  
  float: right;  
  position: relative;  
  width: 320px;  
  top: 30px;  
}  
.group-2 {  
  float: right;  
  margin: 50px 14px 0 0;  
  position: relative;  
  width: 320px;
```

```

}
.row {
  margin: 53px auto 0;
  position: relative;
  width: 1170px;

  display: flex;
  flex-direction: column;
  align-items: center;
}
.group-7 {
  min-height: 262px;
  padding: 38px 0 29px;
  position: relative;
  width: 390px;
  margin-top: 20px;
  background: url(images/rectangle_1_copy_2.png) no-repeat;
}
.footer {
  margin: 69px auto 0;
  padding: 0 68px 0 117px;
  position: relative;
  width: 1404px;
  z-index: 4;
  display: flex;
  flex-direction: column;
}
.our-products {
  margin: 0 auto;
  padding: 58px 0 100px;
  position: relative;
  z-index: 82;
  top: 595px;
  background: #df4507;

```



```
}  
.row-2 {  
  margin: 59px auto 0;  
  position: relative;  
  width: 1068px;  
  display: flex;  
  align-items: center;  
  flex-direction: column;  
}  
  
.group-5 {  
  float: left;  
  position: relative;  
  width: 477px;  
  margin-top: 40px;  
}  
  
.group-4 {  
  float: left;  
  margin: 0;  
  position: relative;  
  width: 485px;  
}  
  
.c-twitter {  
  float: right;  
  display: none;  
  margin: 12px 17px 0 0;  
}  
  
.video-area-100 {  
  height: 591px;  
  margin: 3px auto 0;  
  padding: 58px 0 83px;  
  position: relative;  
  z-index: 45;  
  bottom: 970px;
```

```
background: url(images/background_copy.jpg) no-repeat center 0;
-webkit-background-size: cover;
-moz-background-size: cover;
-o-background-size: cover;
background-size: cover;
}
}
nav ul {
  font-size: x-large;
  margin-left: 50px;
}

nav ul.show {
  font-size: large;
  display: flex;
  margin-left: 50px; /* Show menu when toggled */
}

/* Responsive design */
@media screen and (max-width: 768px) {
  nav {
    flex-direction: row;

  }

  .search-box {
    margin: 10px 0;
  }

  .menu-btn {
    height: 70px;
    width: 70px;
    margin-left: 105%;
    display: block; /* Show menu button */
  }
}
```

```
nav ul {  
  font-size: xx-large;  
  display: none; /* Hide menu by default */  
}  
  
nav ul.show {  
  font-size: xx-large;  
  display: flex;  
  margin-left: 50px; /* Show menu when toggled */  
}  
.social-media {  
  float: right;  
  margin: 28px 0 0;  
  position: relative;  
  width: 144px;  
  display: none;  
}},k
```

Connecting All the Components to jsx file :

APP.jsx:

```
import React from 'react'
import './App.css'
import First from './components/Firstpage'
import Second from './components/secondpage'
import Third from './components/thirdpage'
import Fourth from './components/fourthpage'
import Fifth from './components/fifthpage'
import Sixth from './components/sixthpage'

function App() {

  return (
    <div className="global_container_">
      <First/>
      <div className="main-content-wrapper">
        <Second/>
        <Third/>
        <Fourth/>
        <Fifth/>
        <Sixth/>
      </div>
    </div>
  )
}

export default App
```

Rendering The Root Component to DOM:

Main.jsx:

```
import React from 'react'
import ReactDOM from 'react-dom/client'
import App from './App.jsx'
import './index.css'

ReactDOM.createRoot(document.getElementById('root')).render(
  <React.StrictMode>
    <App />
  </React.StrictMode>,
)
```

Index File For connecting the script file and providing the Title to the document:

Index.html:

```
<!doctype html>
<html lang="en">
  <head>
    <meta charset="UTF-8" />
    <link rel="icon" type="image/svg+xml" href="/vite.svg" />
    <meta name="viewport" content="width=device-width, initial-scale=1.0" />
    <title>Vite + React</title>
  </head>
  <body>
    <div id="root"></div>
    <script type="module" src="/src/main.jsx"></script>
  </body>
</html>
```



BEST IN CITY TRUSTED CAB SERVICES IN NEW YORK

Quisque sollicitudin feugiat risus, eu posuere ex euismod eu. Phasellus hendrerit, massa efficitur dapibus pulvinar, sapien eros sodales ante, euismod aliquet nulla metus a mauris. Quisque sollicitudin feugiat risus, eu posuere ex euismod eu. Phasellus hendrerit, massa efficitur dapibus pulvinar, sapien eros sodales ante, euismod aliquet nulla metus a mauris.

[READ MORE](#)

BOOK A CAB

Name Phone

When Time

Start End

Choose Vehicle

[SUBMIT](#)

OUR TARIFFS



ECONOMY CLASS

Quisque sollicitudin feugiat risus, eu posuere ex euismod eu. Phasellus hendrerit, massa efficitur.

\$1,5/MI

[READ MORE](#)



STANDARD CLASS

Quisque sollicitudin feugiat risus, eu posuere ex euismod eu. Phasellus hendrerit, massa efficitur.

\$1,5/MI

[READ MORE](#)



BUSINESS CLASS

Quisque sollicitudin feugiat risus, eu posuere ex euismod eu. Phasellus hendrerit, massa efficitur.

\$1,5/MI

[READ MORE](#)

References:

WEBSITES:

1. W3S SCHOOLS:

<https://www.w3schools.com/html/>

<https://www.w3schools.com/js/>

2. CSS:

<https://www.w3schools.com/w3css/default.asp>

3. React:

<https://react.dev/>

Thank You