



HEXAMED

DIAGNOSTICS & SPECIALTY CLINICS

Your Right to Right Healthcare...


Laboratory | Radiology | Polyclinic | Pharmacy

Barcode No	89781424	Lab No	16952503200006
Patient Name	Mrs.MAMTA	Reg Date	20/Mar/2025 03:50PM
Age/Sex	35 YRS/Female	Sample Coll. Date	20/Mar/2025 02:57 PM
Referred By	SELF	Sample Rec.Date	21/Mar/2025 08:04 AM
		Report Date	21/Mar/2025 10:29AM

IMMUNOASSAY

Test Name With Methodology	Result	Unit	Biological Ref.Interval
TORCH 8 (IgG & IgM) (CLIA)			
Toxoplasma IgG CLIA	0.12	IU/ML	<2.0 Negative.
Toxoplasma IgM CLIA	0.25	AU/ML	<2.0 Negative 2.0-2.6 Gray Zone >2.6 Positive.
Rubella IgG CLIA	>30	IU/ML	<2.0 Negative.
Rubella IgM CLIA	0.28	AU/ML	<2.0 Negative 2.0-3.0 Gray Zone >3.0 Positive.
CMV IgG CLIA	4.63	AU/ML	<2.0 Negative.
CMV IgM CLIA	0.07	AU/ML	<2.0 Negative 2.0-4.2 Gray Zone >4.2 Positive.
HSV 1&2 IgG CLIA	0.33	AU/ML	<2.0 Negative.
HSV 1&2 IgM CLIA	0.04	AU/ML	<2.0 Negative 2.0-4.0 Gray Zone >4.0 Positive.

COMMENT:


Dr. Prashant Goyal (DCP)
(Director & Chief Pathologist)
Reg. No. DMC-53016

Page 1 of 4

A Unit of Hexamed Healthcare Services LLP

Corporate Office: Flat no. 203, Sagacity heights, Plot No. 27, Kavuri Hills Road, CBI Colony, Madhapur, Telangana 500033

Jammu Address: 25-270/6, Main Bypass Road, NH-1A, Channi Rama, Jammu, J & K 180015

✉ feedback@hexamedhealthcare.com @ enquiry@hexamedhealthcare.com 📞 support@hexamedhealthcare.com



Scan QR for Location

+91 95419 01145

1800 212 6547

www.hexamedhealthcare.com



Scan QR for Enquiry Form



HEXAMED

DIAGNOSTICS & SPECIALTY CLINICS

Your Right to Right Healthcare...

Laboratory | Radiology | Polyclinic | Pharmacy

Barcode No	89781424	Lab No	16952503200006
Patient Name	Mrs.MAMTA	Reg Date	20/Mar/2025 03:50PM
Age/Sex	35 YRS/Female	Sample Coll. Date	20/Mar/2025 02:57 PM
Referred By	SELF	Sample Rec.Date	21/Mar/2025 08:04 AM
Client	AP081899 Hexamed Healthcare Services LLP		
Code/Name			
Ref. Lab/Hosp		Report Date	21/Mar/2025 10:29AM

Cytomegalovirus (CMV)

CMV is infection in most cases does not cause severe illness. It may pass to the fetus during the birth process. A positive IgG antibody result indicates a probable past or present infection. A positive IgG result at the onset of illness may indicate that the patient had exposure more than a month ago and/or may have occurred years prior to this current illness. IgG levels in two blood samples drawn 2-3 weeks apart if shows increasing trend may indicates present infection. Stable IgG levels may be associated with past infection. A negative result indicates absence of detectable levels of IgG antibodies.

Positive CMV IgM results indicate a recent infection. The presence or absence of CMV IgG or IgM in pregnant women is of limited value in predicting congenital infection. Samples obtained early in the course of infection may not demonstrate IgM antibody. Therefore, it may be necessary to test another sample obtained 7-14 days later. It is advisable to confirm positive results in newborns with a follow-up test. Negative CMV IgM results suggest that an individual is not experiencing a recent infection. However, a negative result does not preclude the possibility of primary CMV infection.


Rubella

Rubella is the virus that causes German measles. If contracted early in the pregnancy, the infant may develop heart disease, retarded growth, hearing loss and pneumonia. A positive IgG antibody result indicates a probable past or present infection. A positive IgG result at the onset of illness may indicate that the patient had exposure more than a month ago and/or may have occurred years prior to this current illness. IgG levels in two blood samples drawn 2-3 weeks apart if shows increasing trend may indicates present infection. Stable IgG levels may be associated with past infection. A negative result indicates absence of detectable levels of IgG antibodies. Presence of IgM antibody in the pregnant woman suggests a new infection with the virus or parasite. Presence of IgM antibodies in the newborn indicates high likelihood of infection. Presence of IgG and absence of IgM antibody in the infant may reflect passive transfer of maternal antibody to the baby and does not indicate active infection in the baby. A negative result indicates absence of detectable levels of IgM antibodies.

Toxoplasma gondii

Toxoplasmosis is a parasitic infection that can be passed from mother to baby through the placenta during pregnancy and may result in a miscarriage or cause birth defects. A positive IgG antibody result indicates a probable past or present infection. A positive IgG result at the onset of illness may indicate that the patient had exposure more than a month ago and/or may have occurred years prior to this current illness. IgG levels in two blood samples drawn 2-3 weeks apart if shows increasing trend may indicates present infection. Stable IgG levels may be associated with past infection. A negative result indicates absence of detectable levels of IgG antibodies.

Positive toxoplasma IgM results indicate a recent infection. Negative IgM results suggest that an individual is not experiencing a recent infection. The absence of IgM antibody does not preclude the possibility of a recent infection. Samples taken too early during the course of a primary infection with T. gondii may not contain detectable levels of IgM-specific antibody. Antibodies also may not be demonstrable in patients who are immunocompromised and in those with


Dr. Prashant Goyal (DCP)
(Director & Chief Pathologist)
Reg. No. DMC-53016

Page 2 of 4

A Unit of Hexamed Healthcare Services LLP

Corporate Office: Flat no. 203, Sagacity heights, Plot No. 27, Kavuri Hills Road, CBI Colony, Madhapur, Telangana 500033

Jammu Address: 25-270/6, Main Bypass Road, NH-1A, Channi Rama, Jammu, J & K 180015

✉ feedback@hexamedhealthcare.com @ enquiry@hexamedhealthcare.com 📞 support@hexamedhealthcare.com



Scan QR for Location

📞 +91 95419 01145

📞 1800 212 6547

🌐 www.hexamedhealthcare.com



Scan QR for Enquiry Form



HEXAMED

DIAGNOSTICS & SPECIALTY CLINICS

Your Right to Right Healthcare...


Laboratory | Radiology | Polyclinic | Pharmacy

Barcode No	89781424	Lab No	16952503200006
Patient Name	Mrs.MAMTA	Reg Date	20/Mar/2025 03:50PM
Age/Sex	35 YRS/Female	Sample Coll. Date	20/Mar/2025 02:57 PM
Referred By	SELF	Sample Rec.Date	21/Mar/2025 08:04 AM
Client	AP081899 Hexamed Healthcare Services LLP		
Code/Name			
Ref. Lab/Hosp		Report Date	21/Mar/2025 10:29AM

Herpes simplex virus (HSV)

HSV infection can cause "cold sores" affecting the lips and genital herpes. Newborns contract the virus travel mother. A positive IgG antibody result indicates a probable past or present infection. A positive IgG result at the onset of illness may indicate that the patient had exposure more than a month ago and/or may have occurred years prior to this current illness. IgG levels in two blood samples drawn 2-3 weeks apart if shows increasing trend may indicates present infection. Stable IgG levels may be associated with past infection. A negative result indicates absence of detectable levels of IgG antibodies.

The presence of HSV-1 or HSV-2 IgM antibodies indicates an active or recent infection. A negative test result indicates that the herpes simplex virus was not isolated but does not definitely rule out the presence of virus.


Dr. Prashant Goyal (DCP)
(Director & Chief Pathologist)
Reg. No. DMC-53016

Page 4 of 4

A Unit of Hexamed Healthcare Services LLP

Corporate Office: Flat no. 203, Sagacity heights, Plot No. 27, Kavuri Hills Road, CBI Colony, Madhapur, Telangana 500033

Jammu Address: 25-270/6, Main Bypass Road, NH-1A, Channi Rama, Jammu, J & K 180015

✉ feedback@hexamedhealthcare.com @ enquiry@hexamedhealthcare.com 📧 support@hexamedhealthcare.com



Scan QR for Location

☎ +91 95419 01145

☎ 1800 212 6547

🌐 www.hexamedhealthcare.com



Scan QR for Enquiry Form