



Name	Mrs.SUSHMA SHARMA	Sample Received	28-04-2024 02:50 PM	Sample Collected At	Hexamed Diagnostics and Specialty Clinics
Age/Gender	49 Y / Female	Sample Processed	28-04-2024 02:50 PM	Referred By	RAINA CLINICAL LABORATORY
UID	HLD2804202422967	Approved Date	28-04-2024 04:35 PM		

LABORATORY REPORT

*PROTHROMBIN TIME (PT/INR)

Test Description	Result	Units	Reference Range
Prothrombin Time	48.0	Sec	
Control (MNPT)	13.5	Sec	
Prothrombin Index	28.1	%	
Ratio	3.55		
ISI	1.10		
International Normalized Ratio (INR)	3.56		
Results Rechecked			
REFERENCE GROUP		INTERNATIONAL NORMALIZED RATIO (INR)	
NORMAL POPULATION		0.9 - 1.1	
PATIENTS ON ANTICOAGULANT THERAPY			
STANDARD DOSE THERAPY		2.0 - 3.0	
HIGH DOSE THERAPY		2.5 - 3.5	

The biological reference range pertains to the age and sex of the Patient.

Note: As the reports are computer generated, it must be treated as an original.

Dr. Anuja Sharma
 Consultant Pathologist
 Reg.No. 455

A Unit Of Hexamed Healthcare Services LLP

Corporate Office: Flat No 203, 2nd Floor, Sagacity Heights, Plot No 27, Kavuri Hills Rd, CBI Colony, Madhapur, Telangana 500033

Jammu Address: 25-270/6, Main Bypass Road, NH-1A, Channi Rama, Jammu, J & K 180015

feedback@hexamedhealthcare.com

enquiry@hexamedhealthcare.com

support@hexamedhealthcare.com

+91 95419 01145

1800 212 6547

www.hexamedhealthcare.com



Scan QR for Location



Scan QR for Enquiry Form