



Name	Mrs.KHUSHI MAHAJAN	Sample Received	11-01-2025 11:12 AM	Sample Collected At	Health Sure Labs
Age/Gender	24 Y / Female	Sample Processed	11-01-2025 11:12 AM	Referred By	Health Sure Labs
UID	HLD1101202550115	Approved Date	11-01-2025 04:42 PM		

LABORATORY REPORT

*PROTHROMBIN TIME (PT/INR)

Test Description	Result	Units	Reference Range
Prothrombin Time	13.9	Sec	13.5 - 15.5
Control (MNPT)	13.5	Sec	13.5
Prothrombin Index	97.1	%	
Ratio	1.03		
ISI	1.10		
International Normalized Ratio (INR)	1.03		
REFERENCE GROUP		INTERNATIONAL NORMALIZED RATIO (INR)	
NORMAL POPULATION		0.9 - 1.1	
PATIENTS ON ANTICOAGULANT THERAPY			
STANDARD DOSE THERAPY		2.0 - 3.0	
HIGH DOSE THERAPY		2.5 - 3.5	

The biological reference range pertains to the age and sex of the Patient.
Note: As the reports are computer generated, it must be treated as an original.

Dr. Anuja Sharma
 Consultant Pathologist
 Reg.No. 455

A Unit Of Hexamed Healthcare Services LLP

Corporate Office: Flat No 203, 2nd Floor, Sagacity Heights, Plot No 27, Kavuri Hills Rd, CBI Colony, Madhapur, Telangana 500033

Jammu Address: 25-270/6, Main Bypass Road, NH-1A, Channi Rama, Jammu, J & K 180015

✉ feedback@hexamedhealthcare.com

@ enquiry@hexamedhealthcare.com

📞 support@hexamedhealthcare.com

☎ +91 95419 01145

☎ 1800 212 6547

🌐 www.hexamedhealthcare.com



Scan QR for Location



Scan QR for Enquiry Form