

Name : **MR. SARTAS ALAM**  
 Lab No. : **463577643** Age : **29 Years**  
 Ref By : **ADEEB SINGH** Gender : **Male**  
 Collected : **22/1/2025 4:41:00PM** Reported : **25/1/2025 5:13:59PM**  
 A/c Status : **P** Report Status : **Final**  
 Collected at : **Hexamed Healthcare Services LLP**  
**25-270/6, Taluka Bahu, Main Bypass Road, NH1A,**  
**Channi Himmat,**  
**Jammu**

### Test Report

#### STONE ANALYSIS BY FTIR



**Sample: Kidney Stones**

**Aggregate Weight: 1.763 gm**

**Composition : Calcium Oxalate Monohydrate 90% Calcium Oxalate Dihydrate 10%**  
**(Representative stone analysed)**

Kidney stone (Nephrolithiasis) develops when urine becomes supersaturated with crystal forming substances such as Calcium, uric acid, oxalate etc.(resulting from dehydration or genetic predisposition) or due to decrease in urinary concentration of substances such as magnesium, citrate etc. that inhibit stone formation. Kidney stones tend to recur; approximately 50% of patients who form one stone form another in 10 years. Nephrolithiasis is considered to be a disease of affluence because it is more prevalent in conditions like Obesity, Hypertension & Diabetes. For patients with multiple kidney stones 24-hour urine chemistries should be measured to identify abnormalities that predispose to kidney stones, which guides dietary and pharmacologic therapy to prevent future stone events.

**A Unit of Hexamed Healthcare Services LLP** Page 1 of 4

**Corporate Office:** Flat no. 203, Sagacity heights, Plot No. 27, Kavuri Hills Road, CBI Colony, Madhapur, Telangana 500033

**Jammu Address:** 25-270/6, Main Bypass Road, NH-1A, Channi Rama, Jammu, J & K 180015

✉ [feedback@hexamedhealthcare.com](mailto:feedback@hexamedhealthcare.com) @ [enquiry@hexamedhealthcare.com](mailto:enquiry@hexamedhealthcare.com) 📞 [support@hexamedhealthcare.com](mailto:support@hexamedhealthcare.com)



Scan QR for Location



Scan QR for Enquiry Form

Lab No. : 463577643  
 Ref By : ADEEB SINGH  
 Collected : 22/1/2025 4:41:00PM  
 A/c Status : P  
 Collected at : Hexamed Healthcare Services LLP  
 26-270/6, Taluka Bahu, Main Bypass Road, NH1A,  
 Channi Himmat,  
 Jammu

Age : 29 Years  
 Gender : Male  
 Reported : 25/1/2025 5:13:59PM  
 Report Status : Final

### Test Report

| STONE TYPE                              | FREQUENCY (%) | CAUSES                                                                                                                                                                                                                                                                                                                                       |
|-----------------------------------------|---------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Calcium oxalate / mix                   | 75            | <ul style="list-style-type: none"> <li>Hypercalciuria with Hypercalcemia (Hyperparathyroidism, Vitamin D excess, malignancy)</li> <li>Idiopathic hypercalciuria</li> <li>Hypocitraturia</li> <li>Alkaline urine, low urine volume</li> <li>High dose of vitamin C</li> <li>Metabolic syndrome</li> <li>Inflammatory bowel disease</li> </ul> |
| Calcium Phosphate                       | 5             | <ul style="list-style-type: none"> <li>Distal Renal Tubular acidosis</li> <li>Primary Hyperparathyroidism</li> <li>Chronic urinary tract infection</li> <li>Hypercalciuria and/or Hypophosphaturia</li> </ul>                                                                                                                                |
| Magnesium Ammonium Phosphate (Struvite) | 10-20         | Recurrent urinary tract infection                                                                                                                                                                                                                                                                                                            |
| Uric Acid                               | 5-10          | <ul style="list-style-type: none"> <li>Hyperuricosuria and /hyperuricosemia</li> <li>Metabolic syndrome (Diabetes, obesity, Hypertension)</li> <li>Acidic urine (pH&lt;5.5)</li> <li>Gout</li> </ul>                                                                                                                                         |
| Cystine                                 | 1             | Cystinuria (A genetic disorder)                                                                                                                                                                                                                                                                                                              |

### DIETARY RECOMMENDATIONS FOR PREVENTION OF RECURRENCE

#### General Dietary measures:

- Fluid intake should be between 2.5-3L/day or it should be sufficient to produce urine output of 2L/day
- Diet rich in fibres, fruits (orange, lemon, apple etc) & vegetables
- Maintain adequate calcium intake (1000-1200 mg/day)
- Aim to achieve/maintain healthy weight
- Reduce intake of animal protein (meat & dairy)

#### Specific measures based on metabolic evaluation and stone composition:

| STONE COMPONENT                                             | METABOLIC PROFILE | SUGGESTED DIETARY RECOMMENDATION                                                                                                  |
|-------------------------------------------------------------|-------------------|-----------------------------------------------------------------------------------------------------------------------------------|
| Calcium oxalate or combined calcium oxalate/phosphate stone | Hypercalciuria    | Salt restriction                                                                                                                  |
|                                                             | Hyperoxaluria     | Calcium supplements with meal<br>Restrict items rich in oxalate eg. Soya protein, Spinach, Nuts, Strawberries, Cocoa, Chocolates, |

## A Unit of Hexamed Healthcare Services LLP

Page 2 of 4

Corporate Office: Flat no. 203, Sagacity heights, Plot No. 27, Kavuri Hills Road, CBI Colony, Madhapur, Telangana 500033

Jammu Address: 25-270/6, Main Bypass Road, NH-1A, Channi Rama, Jammu, J &amp; K 180015

feedback@hexamedhealthcare.com enquiry@hexamedhealthcare.com support@hexamedhealthcare.com

+91 95419 01145

1800 212 6547

www.hexamedhealthcare.com

Scan QR for Enquiry Form



Scan QR for Location





Name : **MR. SARTAS ALAM**

 Lab No. : **463577643**

 Ref By : **ADEEB SINGH**

 Collected : **22/1/2025 4:41:00PM**

 A/c Status : **P**

 Collected at : **Hexamed Healthcare Services LLP  
25-270/6, Taluka Bahu, Main Bypass Road, NH1A,  
Channi Himmat,  
Jammu**


 Age : **29 Years**

 Gender : **Male**

 Reported : **25/1/2025 5:13:59PM**

 Report Status : **Final**

|           |                                 |                                                                                                                                                                                        |
|-----------|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|           |                                 | beetroot, carrot, radish etc                                                                                                                                                           |
|           | Hyperuricosuria                 | <ul style="list-style-type: none"> <li>Limit animal protein &amp; purine intake (Fish, lamb, beef, chicken, pork etc), cauliflower, Mushroom</li> <li>Reduce alcohol intake</li> </ul> |
|           | Hypocitraturia                  | Increase citrate rich food (Orange, lemon, apple etc)                                                                                                                                  |
| Uric Acid | Hyperuricosuria & Hyperuricemia | <ul style="list-style-type: none"> <li>Limit animal protein &amp; purine intake (Fish, lamb, beef, chicken, pork etc), cauliflower, Mushroom</li> <li>Reduce alcohol intake</li> </ul> |
|           | Metabolic syndrome              | Lifestyle changes, weight loss, Diabetes control                                                                                                                                       |
| Cystine   |                                 | <ul style="list-style-type: none"> <li>Increase fluid intake to 3-4L, Urine output should at least be 3L</li> <li>Restrict sodium &amp; protein intake</li> </ul>                      |

  
 DMC - 67327

 Dr Anjali Goyal  
 MD, Biochemistry  
 Consultant Biochemist

  
 DMC - 89819

 Dr Himangshu Mazumdar  
 MD, Biochemistry  
 Sr. Consultant Biochemist

  
 DMC - 9550

 Dr Nimmi Kansal  
 MD, Biochemistry  
 Technical Director - Clinical Chemistry  
 & Biochemical Genetics

  
 MCI 15-19066

 Dr. Richa Sirohi  
 MD, Biochemistry  
 Sr. Consultant Biochemist

End of report

**A Unit of Hexamed Healthcare Services LLP**

Page 3 of 4

Corporate Office: Flat no. 203, Sagacity heights, Plot No. 27, Kavuri Hills Road, CBI Colony, Madhapur, Telangana 500033

Jammu Address: 25-270/6, Main Bypass Road, NH-1A, Channi Rama, Jammu, J &amp; K 180015

✉ feedback@hexamedhealthcare.com @ enquiry@hexamedhealthcare.com 📞 support@hexamedhealthcare.com



Scan QR for Location

☎ +91 95419 01145

☎ 1800 212 6547

🌐 www.hexamedhealthcare.com



Scan QR for Enquiry Form