Open Cart – regression test suite


10/10/2026, 5:47:25 AM · 15m 6s · 2 workers

env **qa**

14 of 26 tests failed, 1 flaky

42%	11	14	1	26
PASS RATE	PASSED	FAILED	FLAKY	TOTAL

Pass rate



Environment

Playwright	1.62.1
Node	v24.21.0
OS	Linux 6.17.0-1022-azure (x64)
Browsers	chromium
Workers	2
CI	GitHub Actions #1
Commit	3b1d7df · vidyashree rachu · updated yml files
Branch	master

Test analytics

Outcomes by priority

Stacked pass / fail / flaky / skipped for each priority tier.




Failure categories

What kinds of failures are hurting the suite.



Duration distribution

How the durations of the tests that ran are spread.



Pass rate trend by priority

How each priority tier trends over the last runs.

Not enough data yet. Add meta({ priority }) or run the suite once more.

Owner leaderboard

Failures and flakes ranked by owner. Add meta({owner:...}) to see this.

Not enough data yet. Add meta({ priority }) or run the suite once more.

Failure analysis

15 failed or flaky · 14 new since #1

Failure clusters 1 distinct error

14 tests

Hook timed out The beforeEach hook did not finish within the test timeout of 30s.

```
Test timeout of 30000ms exceeded while running "beforeEach" hook.
```

- › @regression Home page headers exist test
- › @regression Forgot password link exist
- › @regression Login to app with invalid credentials with csv - abcd@hmail.com
- › @regression Login to app with invalid credentials with csv -
- › @regression Login to app with invalid credentials with csv - invaliduser@kmail.com
- › @regression Login to app - Allure Configuration
- › @regression Login to app - Reporting Labs Configuration
- › @regression Verify product images count
- › @regression Verify user is able to add product to cart
- › @regression Verify product information/data
- › @regression Verify user is able to land on the product page - MacBook Pro
- › @regression Verify user is able to land on the product page - MacBook Air

› @regression Verify user is able to land on the product page - iMac
› @regression Verify user is able to land on the product page - Samsung Galaxy Tab 10.1

By owner 1 owner to ping

unassigned 14 failed · 1 flaky
@regression Create a user · @regression Home page headers exist test · @regression Forgot password link exist · +12

15 failed or flaky tests

TEST	SPEC	PRIORITY	OWNER	TICKET	ATTEMPTS	SINCE	HISTORY	
@regression Forgot password link exist Test timeout of 30000ms exceeded while running "beforeEach" hook.	loginPageFix.spec.ts				3	new		2m 8s
@regression Verify product information/data Test timeout of 30000ms exceeded while running "beforeEach" hook.	productPage.spec.ts				3	new		2m 8s
@regression Login to app with invalid credentials with csv - invaliduser@kmail.com Test timeout of 30000ms exceeded while running "beforeEach" hook.	loginPageFix.spec.ts				3	new		2m 8s
@regression Verify user is able to land on the product page - iMac Test timeout of 30000ms exceeded while running "beforeEach" hook.	searchPage.spec.ts				3	new		2m 8s
@regression Verify product images count Test timeout of 30000ms exceeded while running "beforeEach" hook.	productPage.spec.ts				3	new		2m 8s
@regression Login to app - Allure Configuration Test timeout of 30000ms exceeded while running "beforeEach" hook.	loginPageWithReportConfig.spec.ts				3	new		2m 8s
@regression Login to app - Reporting Labs Configuration Test timeout of 30000ms exceeded while running "beforeEach" hook.	loginPageWithReportConfig.spec.ts				3	new		2m 8s

TEST	SPEC	PRIORITY	OWNER	TICKET	ATTEMPTS	SINCE	HISTORY	
@regression Verify user is able to land on the product page - MacBook Pro Test timeout of 30000ms exceeded while running "beforeEach" hook.	searchPage.spec.ts				3	new		2m 6s
@regression Verify user is able to land on the product page - MacBook Air Test timeout of 30000ms exceeded while running "beforeEach" hook.	searchPage.spec.ts				3	new		2m 5s
@regression Login to app with invalid credentials with csv - Test timeout of 30000ms exceeded while running "beforeEach" hook.	loginPageFix.spec.ts				3	new		2m 5s
@regression Verify user is able to land on the product page - Samsung Galaxy Tab 10.1 Test timeout of 30000ms exceeded while running "beforeEach" hook.	searchPage.spec.ts				3	new		2m 5s
@regression Verify user is able to add product to cart Test timeout of 30000ms exceeded while running "beforeEach" hook.	productPage.spec.ts				3	new		2m 5s
@regression Login to app with invalid credentials with csv - abcd@hmail.com Test timeout of 30000ms exceeded while running "beforeEach" hook.	loginPageFix.spec.ts				3	new		2m 3s
@regression Home page headers exist test Test timeout of 30000ms exceeded while running "beforeEach" hook.	homePageFix.spec.ts				3	new		2m 3s
@regression Create a user	3_users.api.parallel.spec.ts				2	–		357ms

All test cases

#	TEST	SPEC	STATUS	DURATION
1	@regression Create a user	3_users.api.parallel.spec.ts	Flaky	357ms
2	@regression Home page headers exist test	homePageFix.spec.ts	Timed out	2m 3s

#	TEST	SPEC	STATUS	DURATION
3	@regression Forgot password link exist	loginPageFix.spec.ts	Timed out	2m 8s
4	@regression Login to app with invalid credentials with csv -	loginPageFix.spec.ts	Timed out	2m 5s
5	@regression Login to app with invalid credentials with csv - abcd@hmail.com	loginPageFix.spec.ts	Timed out	2m 3s
6	@regression Login to app with invalid credentials with csv - invaliduser@kmail.com	loginPageFix.spec.ts	Timed out	2m 8s
7	@regression Login to app - Allure Configuration	loginPageWithReportConfig.spec.ts	Timed out	2m 8s
8	@regression Login to app - Reporting Labs Configuration	loginPageWithReportConfig.spec.ts	Timed out	2m 8s
9	@regression Verify product images count	productPage.spec.ts	Timed out	2m 8s
10	@regression Verify product information/data	productPage.spec.ts	Timed out	2m 8s
11	@regression Verify user is able to add product to cart	productPage.spec.ts	Timed out	2m 5s
12	@regression Verify user is able to land on the product page - iMac	searchPage.spec.ts	Timed out	2m 8s
13	@regression Verify user is able to land on the product page - MacBook Air	searchPage.spec.ts	Timed out	2m 5s
14	@regression Verify user is able to land on the product page - MacBook Pro	searchPage.spec.ts	Timed out	2m 6s
15	@regression Verify user is able to land on the product page - Samsung Galaxy Tab 10.1	searchPage.spec.ts	Timed out	2m 5s
16	@regression DELETE API -- delete a user Running E2E go rest CRUD apis	2_users.api.serial.spec.ts	Passed	33ms
17	@regression POST API -- create a user Running E2E go rest CRUD apis	2_users.api.serial.spec.ts	Passed	65ms
18	@regression PUT API -- update a user Running E2E go rest CRUD apis	2_users.api.serial.spec.ts	Passed	44ms
19	@smoke @regression GET API - get all users Running E2E go rest CRUD apis	2_users.api.serial.spec.ts	Passed	142ms
20	@regression Delete a user	3_users.api.parallel.spec.ts	Passed	127ms
21	@regression Update a user	3_users.api.parallel.spec.ts	Passed	160ms
22	@regression GET albums data	6_OAuth2.0.spec.ts	Passed	760ms
23	@regression Booking CRUD with token	7_Booker_api.spec.ts	Passed	242ms
24	@regression Contact CRUD	8_ApiWithWebLatest.spec.ts	Passed	3.0s
25	@regression Network mocking with 401 error	9_NetworkMocking.spec.ts	Passed	280ms
26	@regression Network mocking with HTML data	9_NetworkMocking.spec.ts	Passed	305ms

Failure evidence

@regression Create a user — Flaky

`tests/api/3_users.api.parallel.spec.ts:30 · 357ms · 2 attempts`

Passed on retry after an earlier failure.

@regression Forgot password link exist — Timed out

`tests/web/loginPageFix.spec.ts:20 · 2m 8s · 3 attempts`

Hook timed out

The beforeEach hook did not finish within the test timeout of 30s.

Check the steps in the hook. A slow login or a waiting call is the usual cause.

```
Test timeout of 30000ms exceeded while running "beforeEach" hook.
```

● **@regression Home page headers exist test** Timed out

tests/web/homePageFix.spec.ts:21 · 2m 3s · 3 attempts

Hook timed out

The beforeEach hook did not finish within the test timeout of 30s.

Check the steps in the hook. A slow login or a waiting call is the usual cause.

```
Test timeout of 30000ms exceeded while running "beforeEach" hook.
```

● **@regression Login to app - Allure Configuration** Timed out

tests/web/loginPageWithReportConfig.spec.ts:16 · 2m 8s · 3 attempts

Hook timed out

The beforeEach hook did not finish within the test timeout of 30s.

Check the steps in the hook. A slow login or a waiting call is the usual cause.

```
Test timeout of 30000ms exceeded while running "beforeEach" hook.
```

● **@regression Login to app - Reporting Labs Configuration** Timed out

tests/web/loginPageWithReportConfig.spec.ts:41 · 2m 8s · 3 attempts

Hook timed out

The beforeEach hook did not finish within the test timeout of 30s.

Check the steps in the hook. A slow login or a waiting call is the usual cause.

```
Test timeout of 30000ms exceeded while running "beforeEach" hook.
```

● **@regression Login to app with invalid credentials with csv -** Timed out

tests/web/loginPageFix.spec.ts:64 · 2m 5s · 3 attempts

Hook timed out

The beforeEach hook did not finish within the test timeout of 30s.

Check the steps in the hook. A slow login or a waiting call is the usual cause.

```
Test timeout of 30000ms exceeded while running "beforeEach" hook.
```

● **@regression Login to app with invalid credentials with csv - abcd@hmail.com** Timed out

tests/web/loginPageFix.spec.ts:64 · 2m 3s · 3 attempts

Hook timed out

The beforeEach hook did not finish within the test timeout of 30s.

Check the steps in the hook. A slow login or a waiting call is the usual cause.

```
Test timeout of 30000ms exceeded while running "beforeEach" hook.
```

● **@regression Login to app with invalid credentials with csv - invaliduser@kmail.com** Timed out

tests/web/loginPageFix.spec.ts:64 · 2m 8s · 3 attempts

Hook timed out

The beforeEach hook did not finish within the test timeout of 30s.

Check the steps in the hook. A slow login or a waiting call is the usual cause.

```
Test timeout of 30000ms exceeded while running "beforeEach" hook.
```

● **@regression Verify product images count** Timed out

tests/web/productPage.spec.ts:17 · 2m 8s · 3 attempts

Hook timed out

The beforeEach hook did not finish within the test timeout of 30s.

Check the steps in the hook. A slow login or a waiting call is the usual cause.

```
Test timeout of 30000ms exceeded while running "beforeEach" hook.
```

● **@regression Verify product information/data** Timed out

tests/web/productPage.spec.ts:34 · 2m 8s · 3 attempts

Hook timed out

The beforeEach hook did not finish within the test timeout of 30s.

Check the steps in the hook. A slow login or a waiting call is the usual cause.

```
Test timeout of 30000ms exceeded while running "beforeEach" hook.
```

● **@regression Verify user is able to add product to cart** Timed out

tests/web/productPage.spec.ts:26 · 2m 5s · 3 attempts

Hook timed out

The beforeEach hook did not finish within the test timeout of 30s.

Check the steps in the hook. A slow login or a waiting call is the usual cause.

```
Test timeout of 30000ms exceeded while running "beforeEach" hook.
```

● **@regression Verify user is able to land on the product page - iMac** Timed out

tests/web/searchPage.spec.ts:38 · 2m 8s · 3 attempts

Hook timed out

The beforeEach hook did not finish within the test timeout of 30s.

Check the steps in the hook. A slow login or a waiting call is the usual cause.

```
Test timeout of 30000ms exceeded while running "beforeEach" hook.
```

● **@regression Verify user is able to land on the product page - MacBook Air** Timed out

tests/web/searchPage.spec.ts:38 · 2m 5s · 3 attempts

Hook timed out

The beforeEach hook did not finish within the test timeout of 30s.

Check the steps in the hook. A slow login or a waiting call is the usual cause.

```
Test timeout of 30000ms exceeded while running "beforeEach" hook.
```

● **@regression Verify user is able to land on the product page - MacBook Pro** Timed out

tests/web/searchPage.spec.ts:38 · 2m 6s · 3 attempts

Hook timed out

The beforeEach hook did not finish within the test timeout of 30s.

Check the steps in the hook. A slow login or a waiting call is the usual cause.

```
Test timeout of 30000ms exceeded while running "beforeEach" hook.
```

@regression Verify user is able to land on the product page - Samsung Galaxy Tab 10.1 Timed out

tests/web/searchPage.spec.ts:38 · 2m 5s · 3 attempts

Hook timed out

The beforeEach hook did not finish within the test timeout of 30s.

Check the steps in the hook. A slow login or a waiting call is the usual cause.

```
Test timeout of 30000ms exceeded while running "beforeEach" hook.
```