

CATALOGUE

HGP

INDUSTRIAL CO.LTD



THINK BIG, GO FAR

• Protective coatings • Fastener • Fireproofing paint





PROTECTIVE COATING STEEL PAINT SYSTEM

FASTENER BOLTS & ACCESSORIES



APPLICATION FIREPROOFING PAINT

PROTECTIVE COATINGS – PAINT SYSTEM

PROTECTING STEEL FOR A LONGER SERVICE LIFE

Every coating system starts with understanding the environment.

Steel structures are continuously exposed to moisture, UV radiation, industrial pollutants, chemicals, and marine atmospheres.

Selecting the right coating system is essential to maximize asset life, reduce maintenance costs, and ensure long-term structural protection.

ISO 12944 OVERVIEW:

INTERNATIONAL STANDARD FOR CORROSION PROTECTION OF STEEL STRUCTURES

ISO 12944 is an international standard that specifies the selection, design, and application of protective coating systems for corrosion protection of steel structures.

This standard helps determine:

- The corrosivity category of the environment.
- Suitable coating systems for specific service conditions.
- Expected protective lifetime of the coating system.
- Requirements for inspection and quality control during application.

CORROSIVITY CATEGORIES ACCORDING TO ISO 12944

Category	Corrosivity Level	Typical Environment
C1	Very Low	Offices, schools, hotels
C2	Low	Warehouses, rural areas
C3	Medium	Urban areas, light industrial facilities
C4	High	Industrial zones, coastal areas
C5	Very High	Chemical plants, seaports, high humidity and salt environments
CX	Extreme	Offshore structures, severe marine environments

PROTECTIVE LIFETIME ACCORDING TO ISO 12944

ISO 12944 classifies the protective lifetime of a coating system as the expected period before the first major maintenance is required:

Durability	Years to first major maintenance
Low (L)	≤ 7 years
Medium (M)	7 – 15 years
High (H)	15 – 25 years
Very High (VH)	> 25 years

Choosing a coating system that complies with ISO 12944 can be achieved in three straightforward steps:



PROTECTIVE COATINGS – PAINT SYSTEM

HGP SOLUTION

- ✓ Consultation on selecting protective coating systems according to corrosivity categories C2 – C5.
- ✓ Supply of anti-corrosion coating materials for steel structures in compliance with ISO 12944.
- ✓ Technical support for coating specification development and system selection.
- ✓ Recommendations to achieve the required service life and project durability objectives.
- ✓ Coating solutions tailored for industrial plants, warehouses, infrastructure, coastal, and marine environments.

Protecting Steel Structures for a Longer Service Life.

FROM STANDARD TO SOLUTION

Understanding the environment is only the first step.

Once the corrosivity category and required service life have been defined in accordance with ISO 12944, selecting the appropriate coating system becomes critical to achieving long-term protection and optimal life-cycle performance.

To support a wide range of project requirements, HGP partners with leading global coating manufacturers, offering proven solutions for environments ranging from C2 indoor facilities to C5 and CX offshore structures.

OUR PARTNER - GLOBAL COATING BRANDS

Trusted Protective Coating Solutions for Every Environment

HGP supplies high-performance protective coating systems from internationally recognized manufacturers, including:

JOTUN	AKZONOBEL	PPG
		
NIPPON	SEAMASTER	SAMHWA
		

THE RIGHT BRAND.

THE RIGHT SYSTEM.

THE RIGHT PROTECTION.

PROTECTIVE COATINGS – PAINT SYSTEM

At HGP, we do not simply recommend a coating brand.

We evaluate the project environment, durability requirements, and project specifications to identify the most suitable coating system that complies with ISO 12944 and delivers the required service life.

WHY HGP

Your Reliable Partner for Steel Protection

- ✓ Technical Expertise
- ✓ Global Coating Brands
- ✓ Project-Based Solutions
- ✓ Responsive Technical Support

Protecting Steel. Preserving Value. Building for the Future.

FASTENER – BOLTS & ACCESSORIES


The protection of steel structures depends not only on coating systems, but also on the quality of their mechanical connections.

At HGP, we deliver fastening solutions engineered to support the integrity of steel structures throughout their service life.


ANCHOR BOLTS

STANDARD	DIN, ASTM A307, ASTM A325, ASTM F1554, JIS B1178, TCVN 1916
TYPE	Type - J, type - J, type - JA, type - L
COATING	BLACK OXIDE, HOTDIP GALVANIZED, ZINC PLATE
GRADE	4.6, 5.6, 8.8, 10.9, A36
MATERIAL	CARBON STEEL, SUS 304
BOLT DIAMETER	M10 – M48


SHOP DRAWING



FABRICATION



COATING



PACKAGE



DELIVERY



FASTENER – BOLTS & ACCESSORIES

CONNECTING BOLTS

STANDARD	COATING	GRADE	ACCESSORIES
DIN 933 DIN 931 ASTM A307 ASTM A325 ASTM A490 JIS B1186 F10T, S10T ISO	BLACK OXIDED ZINC PLATED HOT DIP GALVANIZED DACROMET	4.6 8.8 10.9 12.9	NUTS PLATE WASHER SQUARE WASHER SPRING WASHER



WIRE ROPE

TYPE	COATING	SIZE	ACCESSORIES
6x12 + FC 6x37 + IRC	PLAIN GALVANIZED SUS 304 PVC COVER	M6 M8 M10 M12 M14 M16 M20 M22 M24 M27	TURNBUCKLE WIRE ROPE CLIP EYE BOLTS



BRACING ROD

SIZE	GRADE	COATING	ACCESSORIES
M10 M12 M14 M16 M20 M24 M27 M30 M36	4.6 5.6 6.6 8.8	BLACK OXIDE ZINC PLATE HOT DIP	COUPLE TURNBUCKLE NUTS WASHER



FASTENER – BOLTS & ACCESSORIES

ACCESSORIES

EXPANSION BOLTS COATING: ZINC PLATE, HOT DIP SIZE: M8, M10, M12, M16	
CHEMICAL BOLTS COATING: ZINC PLATE, HOT DIP SIZE: M12, M16, M20, M24 BRAND: FISCHER, RAMSET, HILTI	
SCREW STANDARD: AS1566 TYPE OF COATING: CLASS 3 & CLASS 4	
SHEAR STUD STANDARD: ISO, GB SIZE: M16, M19, M22, M25	

FASTENER — BOLTS & ACCESSORIES

WHY HGP

More Than a Supplier. A Reliable Project Partner.

- **SIMPLE PROCUREMENT**

Streamlined purchasing processes that save time and improve project efficiency.

- **FLEXIBLE MANUFACTURING**

Custom-made fastening solutions tailored to project specifications and delivery schedules.

- **FAST DELIVERY**

Efficient inventory management and logistics support to keep your projects on schedule.

- **CONSISTENT QUALITY**

Reliable products manufactured and supplied under strict quality control standards.

EFFECTIVE PROTECTION - RELIABLE CONNECTIONS - LASTING STRUCTURES



APPLICATION SERVICE – FIREPROOFING PAINT

While corrosion affects steel over time, fire can compromise structural integrity within minutes.

Fireproofing coatings help maintain the load-bearing capacity of steel structures during a fire, providing valuable time for evacuation, emergency response, and asset protection.

HGP FIREPROOFING SOLUTIONS

HGP provides fireproofing coating solutions and application services for steel structures in compliance with:

QCVN 06:2022/BXD

National Technical Regulation on Fire Safety for Buildings and Structures.

OUR SERVICE

- Fire resistance design consultation
- Cost optimization based on required fire rating
- Material supply and application
- Quality control and project documentation

Fire Rating Solutions

HGP provides optimized fireproofing systems for:

R15 | R30 | R45 | R60 | R90 | R120

Helping clients achieve project compliance while optimizing material consumption and application costs.



OUR PARTNER:



WHY HGP

- Compliance with QCVN 06:2022/BXD
- Optimized Fireproofing Cost Solutions
- Reliable Material Supply
- Professional Application Service
- Technical Support Throughout the Project

FIREPROOFING COATINGS PROTECT PEOPLE AND STRUCTURES.



CONTACT INFORMATION

HGP INDUSTRIAL CO. LTD

Tax code: 0318718191

Hotline: 0384 928 141

Email: HGP.ind.vn@gmail.com

Website: www.hgpindustrial.com.vn

Add: 175 street no 2, Tang Nhon Phu Ward, Ho Chi Minh city.

HGP – THINK BIG, GO FAR

THANK YOU FOR CHOOSING US!