Metodologías de Desarrollo Web

Máster de Ingeniería Web
E.T.S. de Ingeniería en Sistemas Informáticos
Universidad Politécnica de Madrid
Curso 2025-2026



Agustín Yagüe y Jennifer Pérez
Universidad Politécnica de Madrid
E.T.S. de Ingeniería en Sistemas Informáticos
Departamento de Sistemas Informáticos


CAMPUS DE EXCELENCIA INTERNACIONAL
Universidad Politécnica de Madrid
ETS de Ingeniería de Sistemas Informáticos

- **CONTENIDOS**
  - Conceptualización de productos
  - Inception
  - **Roadmapping**
  - Gestión del backlog
  - Escritura de historias de usuario




Inception Deck

- Size it up
  - Conocer el horizonte temporal
    - Corto, medio y largo plazo
  - Expectativas de los stakeholders
  - Grano grueso
  - Roadmapping



Inception Deck – Size it up



¿Qué es un hoja de ruta - roadmap?

laSalle MMA

What is a Roadmap?

"It is a plan that matches short-term and long-term goals with specific solutions to help meet those goals"

It is a living document
Answer key strategic questions



El roadmap …

- … permite al equipo capturar los objetivos de las siguientes versiones
- … da un sentido a como una empresa espera los incrementos de valor a lo largo del tiempo.
- … es un artefacto de planificación a través de sus versiones.
- … siempre centrada en la esencia del producto




https://encrypted-tbn0.gstatic.com/images?q=tbn:ANd9GcS5TsQS3gS_b5ZvJEK33D0MwDhBWA5cP2IE1SEQfYtk_BO4mzwE



Relación con el Product Backlog

- Roadmap se encarga de la planificación estratégia del product




- El product backlog representa la organización táctica para la construccion del producto

¿Cómo construir un roadmap?


- Es un proceso Top-down
- No es una lista, más bien un mapa
- Al menos tiene dos dimensiones
  - Tiempo
  - Necesidad / relevancia / criticidad
- Dirigido por un flujo básico


© Jeff Patton, all rights reserved, www.AgileProductDesign.com



Steps to build a roadmap

1. Identify capabilities
2. Identify features
3. Feature analysis
4. Describe the product timeline
5. Classify features by relevance
6. Identify releases
7. Check roadmap viability


Identify capabilities
• Prioritize with PO
• Fix business value for each one
Communication
BV = 400
Market
BV = 325
Training
BV = 275


Identify features
• For each capability identified in the step 1
• Identify features
• Do not prioritize now
• Look for the same level of granularity
Communication
BV = 400
Forums
Messages
Events
Feature analysis
• For each feature increase details to fix:
• Feature description
• Business value
• Feature size (feature points)
Communication
BV = 400
Forums
Messages
Events

Requisito FUNCIONAL	Valor de Negocio
Seguimiento de casos	300 BV
Soporte asistencial	200 BV
Control de cumplimiento	175 BV
Control de restricciones	100 BV
Control de Acceso y perfilado	50 BV
Estadisticas	150 BV
Gestión de ayuda económica	25 BV
Total	1000 BV

© Jeff Patton, all rights reserved, www.AgileProductDesign.com

- Tell a big story of the product by starting with the major user activities/features the kiosk will be used for
  - Arrange activities/features left to right in the order you'd explain them to someone when asked the question: "What do people do with this system?"



Backbone

Features	50 Control de Acceso y perfilado	100 Control de restricciones	300 Seguimiento de casos	200 Soporte asistencial	175 Control de cumplimiento	25 Gestión de ayuda económica	150 Estadisticas
Backbone ==> t= 0							


© Jeff Patton, all rights reserved, www.AgileProductDesign.com

- Add stories in under each activity/feature in workflow order left to right.
  - If you were to explain to someone what a person typically does in this activity/feature, arrange tasks in the order you'd tell the story. Don't get too uptight about the order.




© Jeff Patton, all rights reserved, www.AgileProductDesign.com

- Record details so they're not lost, and so those who you're working with know that you're listening
  - Consider tucking them under tasks cards to "hide them" from the discussion
-




© Jeff Patton, all rights reserved, www.AgileProductDesign.com

- Overlap user tasks vertically if a user may do one of several tasks/stories at approximately the same time
  - If in telling the story I say the systems' user typically "does this or this or this, and then does that," "or's" signal a stacking vertically, "and then's" signal stepping horizontally.



© Jeff Patton, all rights reserved, www.AgileProductDesign.com

- Reading the activities/features across the top of the system helps us understand end-to-end use of the system. (Talk through just these when talking with people with short attention spans.)



Walking Scheleton

50 Control de Acceso y perfilado			100 Control de restricciones			300 Seguimiento de casos			
Registro de Usuario	Control de Acceso	Actualizar Perfil	Actualización de estados de alarma	Catalogo de soluciones	Actividades de cuarentena	Gestion de contactos (+GDPR)	Gestion de test masivos	Gestión de notificaciones pacientes	Gestión de rastreo GPS
					Actividades para niños			Gestión de notificaciones de atención primaria y hospitales	
								Gestión de notificaciones a espacios comunes	

200 Soporte asistencial				175 Control de cumplimiento				25 Gestión de ayuda económica	150 Estadísticas		
Gestión de asistencia on-line	Gestion de citas previas	Gestión de Chat con especialistas	Gestión de foros de colaboracion ciudadana	Gestión de limitación de aforo	Aviso automatico de normativas en tu zona	Autorizaciones para desplazamientos y excepciones a los confinamientos	gestion de los antisistema	Gestión de donación de bienes a las zonas afectadas	Mapa de contagios	graficos de evolucion por municipios	Newsletters
		Gestión de conocimiento enfermedad	Gestión recetas		Gestión de sanciones	alertas en viajes, transporte			Mapa de inmunidad	Rastreo GPS de densidad poblacional	
		Gestión de traslados afectados									
		Gestión de salvoconductos									
		Gestión de medidas preventivas									


© Jeff Patton, all rights reserved, www.AgileProductDesign.com

- Add a vertical axis to indicate necessity
- Move tasks up and down this axis to indicate how necessary they are to the activity.
  - For a user to successfully engage in this activity, is it necessary they perform this task? If it's not absolutely necessary, how critical is it?




© Jeff Patton, all rights reserved, www.AgileProductDesign.com


- Test the Story Map by telling bigger stories with it
  - Choose an activity to start with
  - When reading left to right use the conjunction "and then" to connect cards in the story
  - With cards in the same row use "or" to connect cards in the story
  - For cards below the top, "absolutely necessary" axis, use the phrase "might optionally" to communicate optionality
  - Chose a concrete user name to help tell the story




Walking Skeleton




© Jeff Patton, all rights reserved, www.AgileProductDesign.com



- Choose coherent groups of features that consider the span of business functionality and user activities
- Support all necessary activities with the first release
- Improve activity support and add additional activities with subsequent releases




Building releases



Roadmap viability


- For each release:
  - Get the amount of delivered value
  - Get the size in Feature points
- Check the following:
  - Delivered value decreases with releases
  - All releases have more or less the same size
  - It is able by the Scrum team to do releases around 2 months
- If any of the previous check is not true then the roadmap must be reviewed




Bibliografía



Bibliografía









POLITÉCNICA "Ingeniamos el futuro" | CAMPUS DE EXCELENCIA INTERNACIONAL
Universidad Politécnica de Madrid
ETS de Ingeniería de Sistemas Informáticos

Metodologías de Desarrollo Web

Máster de Ingeniería Web
E.T.S. de Ingeniería en Sistemas Informáticos
Universidad Politécnica de Madrid
Curso 2025-2026



Agustín Yagüe y Jennifer Pérez
Universidad Politécnica de Madrid
E.T.S. de Ingeniería en Sistemas Informáticos
Departamento de Sistemas Informáticos