

Cabeceras HTTP

No.	Time	Source	Destination	Protocol	Length Info
71	5.525612	192.168.1.62	3.222.43.217	HTTP	556 GET /get HTTP/1.1
103	6.385560	3.222.43.217	192.168.1.62	HTTP/J...	744 HTTP/1.1 200 OK , JSON (application/json)
2907	28.319661	192.168.1.62	3.222.43.217	HTTP	531 GET /post HTTP/1.1
2999	29.302820	3.222.43.217	192.168.1.62	HTTP	493 HTTP/1.1 405 METHOD NOT ALLOWED (text/html)
4403	54.475754	192.168.1.62	3.222.43.217	HTTP	530 GET /put HTTP/1.1
4448	55.280759	3.222.43.217	192.168.1.62	HTTP	232 HTTP/1.1 405 METHOD NOT ALLOWED (text/html)
5197	83.773836	192.168.1.62	3.222.43.217	HTTP	533 GET /delete HTTP/1.1
5283	84.986957	3.222.43.217	192.168.1.62	HTTP	232 HTTP/1.1 405 METHOD NOT ALLOWED (text/html)
6498	130.272380	192.168.1.62	3.222.43.217	HTTP	531 GET /head HTTP/1.1
6826	136.555041	3.222.43.217	192.168.1.62	HTTP	287 HTTP/1.1 404 NOT FOUND (text/html)
13751	165.569160	192.168.1.62	3.222.43.217	HTTP	532 GET /patch HTTP/1.1
13839	168.919391	3.222.43.217	192.168.1.62	HTTP	232 HTTP/1.1 405 METHOD NOT ALLOWED (text/html)
14425	201.035092	192.168.1.62	3.222.43.217	HTTP	534 GET /options HTTP/1.1
14506	202.088175	3.222.43.217	192.168.1.62	HTTP	287 HTTP/1.1 404 NOT FOUND (text/html)
14761	214.528933	192.168.1.62	3.222.43.217	HTTP	532 GET /trace HTTP/1.1
14824	218.347904	3.222.43.217	192.168.1.62	HTTP	287 HTTP/1.1 404 NOT FOUND (text/html)
15102	225.039359	192.168.1.62	3.222.43.217	HTTP	535 GET /anything HTTP/1.1
15124	226.073372	3.222.43.217	192.168.1.62	HTTP/J...	1027 HTTP/1.1 200 OK , JSON (application/json)
24065	390.203950	fe80::ab76:8d54:db2...	fe80::6b6a:a346:92c...	HTTP/X...	807 POST /d16260f2-40ed-4ce2-a124-167addef8d31/ HTTP/1.1
31136	535.677007	192.168.1.62	35.171.138.34	HTTP	540 GET /status/301 HTTP/1.1
31183	536.369024	35.171.138.34	192.168.1.62	HTTP	288 HTTP/1.1 301 MOVED PERMANENTLY
31186	536.374588	192.168.1.62	35.171.138.34	HTTP	540 GET /redirect/1 HTTP/1.1
31218	537.790922	35.171.138.34	192.168.1.62	HTTP	269 HTTP/1.1 302 FOUND (text/html)
31220	537.794017	192.168.1.62	35.171.138.34	HTTP	533 GET /get HTTP/1.1
31271	540.210154	35.171.138.34	192.168.1.62	HTTP/J...	715 HTTP/1.1 200 OK , JSON (application/json)
31285	540.257544	192.168.1.62	35.171.138.34	HTTP	476 GET /favicon.ico HTTP/1.1
31368	542.464118	35.171.138.34	192.168.1.62	HTTP	517 HTTP/1.1 404 NOT FOUND (text/html)
39458	584.426086	192.168.1.62	13.58.71.78	HTTP	530 GET /503 HTTP/1.1
39492	585.598738	192.168.1.62	13.58.71.78	HTTP	556 GET /503 HTTP/1.1
39500	585.697282	192.168.1.62	13.58.71.78	HTTP	556 GET /503 HTTP/1.1
39637	590.916691	192.168.1.62	13.58.71.78	HTTP	556 GET /503 HTTP/1.1
40542	621.130094	192.168.1.62	13.58.71.78	HTTP	556 GET /503 HTTP/1.1

Cabeceras habituales:

POST → Es la cabecera que indica que se envían datos.

```
Hypertext Transfer Protocol
  POST /ajax-module-connector.php HTTP/1.1\r\n
  Host: darksouls.wikidot.com\r\n
  Connection: keep-alive\r\n
  Content-Length: 102\r\n
  User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML,
  Content-Type: application/x-www-form-urlencoded; charset=UTF-8\r\n
  X-Requested-With: XMLHttpRequest\r\n
  Accept: */*\r\n
  Origin: http://darksouls.wikidot.com\r\n
  Referer: http://darksouls.wikidot.com/search:site/q/Search%20this%20site\r\n
  Accept-Encoding: gzip, deflate\r\n
  Accept-Language: es,es-ES;q=0.9,en;q=0.8,en-GB;q=0.7,en-US;q=0.6\r\n
  [...] Cookie: wikidot_token7=6873810d9caf62815162f68881eb86af; __utma=1.1196929288
```

DELETE → Es la cabecera que indica que se elimina un recurso.

```
Hypertext Transfer Protocol
  GET /delete HTTP/1.1\r\n
  Host: httpbin.org\r\n
  Connection: keep-alive\r\n
  Upgrade-Insecure-Requests: 1\r\n
  User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/1
  Accept: text/html,application/xhtml+xml,application/xml;q=0.9,image/avif,image/webp,image/apng,*/*;q=
  Accept-Encoding: gzip, deflate\r\n
  Accept-Language: es,es-ES;q=0.9,en;q=0.8,en-GB;q=0.7,en-US;q=0.6\r\n
  \r\n
  [Response in frame: 5283]
  [Full request URI: http://httpbin.org/delete]
```

GET → Es la cabecera que indica que se solicitan datos.

```
▼ Hypertext Transfer Protocol
  ▶ GET /get HTTP/1.1\r\n
    Host: httpbin.org\r\n
    Connection: keep-alive\r\n
    Cache-Control: max-age=0\r\n
    Upgrade-Insecure-Requests: 1\r\n
    User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/141.0.0.0 Safe
    Accept: text/html,application/xhtml+xml,application/xml;q=0.9,image/avif,image/webp,image/apng,*/*;q=0.8,applicati
    Accept-Encoding: gzip, deflate\r\n
    Accept-Language: es,es-ES;q=0.9,en;q=0.8,en-GB;q=0.7,en-US;q=0.6\r\n
    \r\n
    [Response in frame: 103]
    [Full request URI: http://httpbin.org/get]
```

HEAD → Es la cabecera que indica que se van a obtener solo las cabeceras.

```
▼ Hypertext Transfer Protocol
  ▶ GET /head HTTP/1.1\r\n
    Host: httpbin.org\r\n
    Connection: keep-alive\r\n
    Upgrade-Insecure-Requests: 1\r\n
    User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/1
    Accept: text/html,application/xhtml+xml,application/xml;q=0.9,image/avif,image/webp,image/apng,*/*;q=
    Accept-Encoding: gzip, deflate\r\n
    Accept-Language: es,es-ES;q=0.9,en;q=0.8,en-GB;q=0.7,en-US;q=0.6\r\n
    \r\n
    [Response in frame: 6826]
    [Full request URI: http://httpbin.org/head]
```

OPTIONS → Es la cabecera que indica que se van a consultar los metodos permitidos.

```
▼ Hypertext Transfer Protocol
  ▶ GET /options HTTP/1.1\r\n
    Host: httpbin.org\r\n
    Connection: keep-alive\r\n
    Upgrade-Insecure-Requests: 1\r\n
    User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/1
    Accept: text/html,application/xhtml+xml,application/xml;q=0.9,image/avif,image/webp,image/apng,*/*;q=
    Accept-Encoding: gzip, deflate\r\n
    Accept-Language: es,es-ES;q=0.9,en;q=0.8,en-GB;q=0.7,en-US;q=0.6\r\n
    \r\n
    [Response in frame: 14506]
    [Full request URI: http://httpbin.org/options]
```

PATCH → Es la cabecera que indica que se va a modificar un recurso parcialmente.

```
▼ Hypertext Transfer Protocol
  ▶ GET /patch HTTP/1.1\r\n
    Host: httpbin.org\r\n
    Connection: keep-alive\r\n
    Upgrade-Insecure-Requests: 1\r\n
    User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/1
    Accept: text/html,application/xhtml+xml,application/xml;q=0.9,image/avif,image/webp,image/apng,*/*;q=
    Accept-Encoding: gzip, deflate\r\n
    Accept-Language: es,es-ES;q=0.9,en;q=0.8,en-GB;q=0.7,en-US;q=0.6\r\n
    \r\n
    [Response in frame: 13839]
    [Full request URI: http://httpbin.org/patch]
```

PUT → Es la cabecera que indica que se va a crear o reemplazar un recurso.

```
▼ Hypertext Transfer Protocol
  ▶ GET /put HTTP/1.1\r\n
    Host: httpbin.org\r\n
    Connection: keep-alive\r\n
    Upgrade-Insecure-Requests: 1\r\n
    User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/1
    Accept: text/html,application/xhtml+xml,application/xml;q=0.9,image/avif,image/webp,image/apng,*/*;q=
    Accept-Encoding: gzip, deflate\r\n
    Accept-Language: es,es-ES;q=0.9,en;q=0.8,en-GB;q=0.7,en-US;q=0.6\r\n
    \r\n
    [Response in frame: 4448]
    [Full request URI: http://httpbin.org/put]
```

TRACE → Es la cabecera que indica que se va a realizar una traza de la solicitud enviada, para conocer el camino que sigue en la red.

```
▼ Hypertext Transfer Protocol
  ▶ GET /trace HTTP/1.1\r\n
    Host: httpbin.org\r\n
    Connection: keep-alive\r\n
    Upgrade-Insecure-Requests: 1\r\n
    User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/1
    Accept: text/html,application/xhtml+xml,application/xml;q=0.9,image/avif,image/webp,image/apng,*/*;q=
    Accept-Encoding: gzip, deflate\r\n
    Accept-Language: es,es-ES;q=0.9,en;q=0.8,en-GB;q=0.7,en-US;q=0.6\r\n
    \r\n
    [Response in frame: 14824]
    [Full request URI: http://httpbin.org/trace]
```


Codigos de estado habituales:

200 OK → La solicitud fue exitosa y se devolvió el recurso

```
▼ Hypertext Transfer Protocol
  ▶ HTTP/1.1 200 OK\r\n
    Date: Wed, 22 Oct 2025 08:33:00 GMT\r\n
    Content-Type: application/json\r\n
  ▶ Content-Length: 690\r\n
    Connection: keep-alive\r\n
    Server: gunicorn/19.9.0\r\n
    Access-Control-Allow-Origin: *\r\n
    Access-Control-Allow-Credentials: true\r\n
    \r\n
    [Request in frame: 71]
    [Time since request: 0.859948000 seconds]
    [Request URI: /get]
    [Full request URI: http://httpbin.org/get]
    File Data: 690 bytes
```

301 MOVED PERMANENTLY → El recurso solicitado ha cambiado su ubicación de manera permanente y se nos ha redirigido automáticamente a él.

```
▼ Hypertext Transfer Protocol
  ▶ HTTP/1.1 301 MOVED PERMANENTLY\r\n
    Date: Wed, 22 Oct 2025 08:41:50 GMT\r\n
  ▶ Content-Length: 0\r\n
    Connection: keep-alive\r\n
    Server: gunicorn/19.9.0\r\n
    location: /redirect/1\r\n
    Access-Control-Allow-Origin: *\r\n
    Access-Control-Allow-Credentials: true\r\n
    \r\n
    [Request in frame: 31136]
    [Time since request: 0.692017000 seconds]
    [Request URI: /status/301]
    [Full request URI: http://eu.httpbin.org/status/301]
```

404 NOT FOUND → El recurso solicitado no existe en el servidor, y por tanto no se puede encontrar.

```
▼ Hypertext Transfer Protocol
  ▶ HTTP/1.1 404 NOT FOUND\r\n
    Date: Wed, 22 Oct 2025 08:36:32 GMT\r\n
    Content-Type: text/html\r\n
  ▶ Content-Length: 233\r\n
    Connection: keep-alive\r\n
    Server: gunicorn/19.9.0\r\n
    Access-Control-Allow-Origin: *\r\n
    Access-Control-Allow-Credentials: true\r\n
    \r\n
    [Request in frame: 14761]
    [Time since request: 3.818971000 seconds]
    [Request URI: /trace]
    [Full request URI: http://httpbin.org/trace]
    File Data: 233 bytes
```

501 NOT IMPLEMENTED → El servidor no reconoce el metodo HTTP que el cliente esta intentando utilizar.

```
▼ Hypertext Transfer Protocol
  ▶ GET /501 HTTP/1.1\r\n
    Host: httpstat.us\r\n
    Connection: keep-alive\r\n
    Cache-Control: max-age=0\r\n
    Upgrade-Insecure-Requests: 1\r\n
    User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, l
    Accept: text/html,application/xhtml+xml,application/xml;q=0.9,image/avif,image/webp
    Accept-Encoding: gzip, deflate\r\n
    Accept-Language: es,es-ES;q=0.9,en;q=0.8,en-GB;q=0.7,en-US;q=0.6\r\n
    \r\n
    [Full request URI: http://httpstat.us/501]
```