


KEITH Manufacturing Co. www.KeithWalkingFloor.com World Headquarters

Toll-Free: 800-547-6161 Phone: +1-541-475-3802





PARTS CATALOG

Original Instructions

©2025 KEITH Manufacturing Co. All Rights Reserved. KEITH, KEITH logo and WALKING FLOOR are registered trademarks of KEITH Manufacturing Co. Equipment manufactured by KEITH Manufacturing Co. is protected by numerous patents both domestic and foreign.

Released: 2025-05-14 DOC06352 Rev. I

Table of Contents

| Contact Information - KEITH Manufacturing Co. | ii |
|--|----|
| Service Information | i |
| Safety Decals | 1 |
| Drive Frame Assembly & Cross-Drive Supports | 2 |
| Cylinder Pack & Rod Bearing Block Assembly | 3 |
| Cross-Drive Assembly | 5 |
| Cylinder Pack Assembly (Sept '24 - Present) | 7 |
| Front Manifold Assembly (Sept '24 - Present) | g |
| Rear Manifold Assembly (Sept '24 - Present) | 11 |
| Cylinder Pack Assembly (Pre - Sept '24) | 13 |
| Front Manifold Assembly (Pre - Sept '24) | 15 |
| Rear Manifold Assembly (Pre - Sept '24) | 17 |
| Control Valve Assembly | 19 |
| Cartridge Check Valve Assembly (Sept '24 - Present) | 20 |
| Check Valve Assembly (Pre - Sept '24) | 21 |
| Right Tie Block Assembly | 22 |
| Switching Valve Assembly | 23 |
| Ball Valve (On/Off) Assembly JIC - Electric (Optional) | 25 |
| Ball Valve (On/Off) Assembly JIC - Manual (Optional) | 27 |

Contact Information - KEITH Manufacturing Co.

World Headquarters - USA

401 NW Adler St. Madras, OR 97741 Toll-Free: 800-547-6161 Phone: +1-541-475-3802

Email: Sales@KeithWalkingFloor.com Email: TechDept@KeithWalkingFloor.com

Canada

Brantford, ON

Phone: +1-519-756-9178

Email: CanadaSales@KeithWalkingFloor.com

México

Guadalajara, Jal.

Phone: +52-333-616-5079

Email: KMC_Mexico@KeithWalkingFloor.com

Australia

Somerville, VIC

Phone: +61-0404-041-883

Email: AUSales@KeithWalkingFloor.com

Europe

Barneveld, The Netherlands Phone: +31-342-422007

Email: EuroSales@KeithWalkingFloor.com

Not all parts or services available in all regions. Some components only available assembled or in kits. Contact your regional representative for information on available parts and services.

Service Information


- Use hydraulic oil or Vaseline to lubricate seals. Do NOT use grease.
- Do NOT use Teflon tape on any hydraulic components.
- When welding, ground specifically to what you are welding on, otherwise it can short across component assemblies damaging seals and gaskets.
- KEITH sells flow meters, pressure testers for troubleshooting and several tools to aid in rebuilding components and drives.

KEITH Mfg. fabricates many standard drive systems, included in this parts catalog, and also fabricates custom drive systems, too numerous to include, therefore KEITH requires the following information from your drive system to ensure we provide you with most accurate information. Please have the following information readily available before contacting KEITH for support:

- Model Number (Located on the Serial Plate of the drive unit)
- Serial Number (Located on the Serial Plate on the drive unit)
- Quantity & Length of floor slats
- Vehicle make and unit installer

| Safety Decals | | | | | |
|--|---|----|-------------------------------------|---------------------|---------------------|
| | | Р | fety Decal lacement Guide #'s | 84804324 | 84804325 |
| Old - 2019 (Worded) | <u>2020 - Future</u> (Wordless) | | Decal Kit #'s | LH Kit #84804336 | RH Kit #84804337 |
| Energy can be stored in compacted material. Doors can open violently, closed, run from with door closed, run from with door closed, run from with door closed control of the close to open door. | | 1 | 84804311 | 1 | 1 |
| Pinch point. Keep hands clear during operation. Lockout/tagout before servicing. | | 2 | 84804312 | 4 | 4 |
| BURIAL STAY CLEAR STAY CLEAR STAY CLEAR | | 3 | 84804313 | 2 | 2 |
| To avoid injury, you MUST read and understand technical manual before servicing this machine. | | 4 | 84804314 | 2 | 2 |
| HYDRAULC PRESSURE. To avoid possible injury lockout/tagout before servicing. | | 5 | 84804315 | 2 | 2 |
| WARNING HOT SURFACE can cause severe borna. Do not touch. Then off and back out and days to cost bends and days to cost bends and claim to cost bends and cost bends and claim to cost bends and claim to cost bends and | | 6 | 84804316 | 2 | 2 |
| Avoid injury. Do NOT operate with guard removed. Replace guard before operating machine. Milate lade plans 160 membrage in the machine. | Section 20 March 2012 | 7 | 84804317 | 1 | 1 |
| A DANGER BURIAL DO NOT ENTER ONLY DE MENTER WEIGHT MENTER DE ME | | 8 | 84804318 | 1 | 1 |
| O | | 9 | 84804129 | 1 | 1 |
| Controls on Left Side of Truck/Trailer | | 10 | 84803904 | 1 | - |
| 50 10 | Controls on Right Side of Truck/Trailer | 10 | 84803905 | - | 1 |


Drive Frame Assembly & Cross-Drive Supports



| | Drive Frame Assembly & Cross-Drive Supports | | | | |
|-----------|---|----------|--|----------|--|
| ID# | Qty | Part # | Description | | |
| · · · · · | | 06349201 | Drive Frame Assembly, 3.65SC NB SHOE 3" XMEM 3.0" (Includes Items 2-3) | | |
| 4 | (1) | (4) | (4) | 06349202 | Drive Frame Assembly, 80MM XMEM 80 mm (Includes Items 2-3) |
| ' | | 10004001 | Drive Frame Assembly 30 WIDE 3" XMEM (Includes Items 2-3) | | |
| | | 10172101 | Drive Frame Assembly 3.65 SC 3" XMEM 102" WIDE (Includes Items 2-3) | | |
| 2 | 4 | 06349901 | Cross-Drive Support, 1/4" UHMW | | |
| 3 | 20 | 86528100 | 3/16" x 1/4" Pop Rivet | | |

KMD-175 PARTS CATALOG


Cylinder Pack & Rod Bearing Block Assembly



Cylinder Pack & Rod Bearing Block Assembly ID# Qty Part # **Description** Cylinder Pack Assembly (Manual & Electric Options) (See explosion) (1) 1 06500301 Bearing Retainer, 3.65" Slat Centers, Even Number of Slats 06714401 Bearing Retainer, 3.65" Slat Centers, Odd Number of Slats 2 1 06714501 Bearing Retainer, 97mm Slat Centers, Even Number of Slats [Europe Only] Bearing Retainer, 97mm Slat Centers, Odd Number of Slats [Europe Only] 06714601 06350101 Backing Plate, Guide Block 3 1 4 1 Guide Block, UHMW 06350001 5 16 Bolt Socket Head M12x1.75 -40 87009109 6 16 87076515 Hi-Collar Lock Washer M12 7 10 Hex Nut Nylock M12x1.75 87102500


4

Cross-Drive Assembly



| | | | Cross-Drive Assembly |
|-----|--------|----------|--|
| ID# | Qty | Part # | Description |
| - | (1) | 06352501 | Cross-Drive Set, 24 Slat @ 3.65" Slat Centers (Includes Items 1-7) |
| 1 | 2 | 06352502 | Cross-Drive #1 & #3 |
| 2 | 1 | 06352503 | Cross-Drive #2 |
| | (1) | 06499601 | Cross-Drive Set, 24 Slat @ 97 mm Slat Centers (Includes Items 1-7) |
| 1 | 2 | 06499602 | Cross-Drive #1 & #3 |
| 2 | 1 | 06499603 | Cross-Drive #2 |
| - | (1) | 06499801 | Cross-Drive Set, 21 Slat @ 3.65" Slat Centers (Includes Items 1-7) |
| 1 | 2 | 06499802 | Cross-Drive #1 & #3 |
| 2 | 1 | 06499803 | Cross-Drive #2 |
| | (1) | 06623901 | Cross-Drive Set, 21 Slat @ 97 mm Slat Centers (Includes Items 1-7) |
| 1 | 2 | 06623902 | Cross-Drive #1 & #3 |
| 2 | 1 | 06623903 | Cross-Drive #2 |
| - | (1) | 10171701 | Cross-Drive Set, 27 Slat @ 3.65" Slat Centers (Includes Items 1-7) |
| 1 | 2 | 10171702 | Cross-Drive #1 & #3 |
| 2 | 1 | 10171703 | Cross-Drive #2 |
| 3 | Varies | 06352902 | Nut Bar Drive Shoe |
| 4 | Varies | 86650275 | 1/8" x 1-1/4" Roll Pin |
| 5 | 6 | 06353101 | Lower Cross-Drive Clamp, Smooth |
| 6 | 12 | 87076515 | WASHER LOCK HIGH COLLAR 12MM |
| 7 | 12 | 87009112 | Bolt Socket Head M12-1.75 X 35MM 12.9, ZINC, SHCS - Patch |


Cylinder Pack Assembly (Sept '24 - Present)



| | Cylinder Pack Assembly (Sept '24 - Present) | | | |
|-----|---|----------|--|--|
| ID# | Qty | Part # | Description | |
| 1 | (1) | Cylinde | r Pack Assembly with Electric Control Valve | |
| - | - | 11785001 | -08 JIC Pressure/Return Lines (Includes Items 2-4, 7-28) | |
| - | - | 11785002 | -08 ORFS Pressure/Return Lines (Includes Items 2-4, 7-28) | |
| - | - | 11785003 | -10 ORFS Pressure/-08 ORFS Return Lines (Includes Items 2-4, 7-28) | |
| 2 | (1) | 11784901 | Base Cylinder Pack Assembly KMD-175 Cartridge Check Valve | |
| 3 | (1) | 11636401 | Front Manifold Assembly (See separate exploded view) | |
| 4 | (1) | 11636601 | Rear Manifold Assembly (See separate exploded view) | |
| 7 | (1) | 06350501 | Switching Valve Assembly (See separate exploded view) | |
| 8 | (1) | 06350601 | Right Tie Block Assembly (See separate exploded view) | |

| | Cylinder Pack Assembly (Sept '24 - Present) | | | | |
|-----|---|----------|---|--------------------------|--------------------------------------|
| ID# | Qty | Part # | Description | | |
| 9 | 1 | 06353501 | Rod Assembly, #1 Cylinder | | |
| 10 | 1 | 06353502 | Rod Assembly, #2 Cylinder | | |
| 11 | 1 | 06353503 | Rod Assembly, #3 Cylinder | | |
| 12 | 3 | 84350295 | Seal Piston CP-222 | | |
| 13 | 3 | 06351101 | Piston 1.75" Dia. Single Seal | | |
| 14 | 3 | 84403001 | Wear Ring 1.75"x1.5"x.375" | | |
| 15 | 3 | 86650400 | Pin Drive Lock 3/16"x1/2" | | |
| 16 | 4 | 06351501 | Transfer Tube, 3/8"x.049" | | |
| 17 | 3 | 06351401 | Barrel, 1.75" Cylinder | | |
| 18 | 6 | 84388639 | Backup, O-Ring 8-032 -Buna 90 | | |
| 19 | 6 | 84375432 | O-Ring 2-032 -Buna 90 | | |
| 20 | 2 | 06352401 | Mount Plate, Rear Cylinder | | |
| 21 | 14 | 87076510 | Washer Lock M10 Hi Collar | | |
| 22 | 10 | 87009102 | Bolt Socket Head M10x1.5 -180 | | |
| 23 | 4 | 87009103 | Bolt Socket Head M10x1.5 -200 | | |
| | - | Return | Fitting (Fitting Varies with Cylinder Pack Options) | | |
| 24 | 1 | 1 | 84684300 | 6400-08-08 MJIC Straight | |
| | | 84685683 | FF6400-08-08 MORFS Straight | | |
| 25 | 1 | 84703400 | 08 FNTX-S JIC 5/8" CAP NUT | | |
| | | 84703864 | 08 FNL-S FNL ORFS 8 STEEL CAP | | |
| | - | Pressur | e Fitting (Fitting Varies with Cylinder Pack Options) | | |
| | | 84684400 | 6400-08-10 MJIC Straight | | |
| 26 | 1 | 84685684 | FF6400-08-10 MORFS Straight | | |
| | | 84685685 | FF6400-10-10 MORFS Straight | | |
| | | 84703400 | 08 FNTX-S JIC 1/2" CAP NUT (304C-08) | | |
| 27 | 1 | 84703864 | 08 FNL-S FNL ORFS 8 STEEL CAP | | |
| | • | • | | 84703500 | 10 FNTX-S JIC 5/8" CAP NUT (304C-10) |
| | | 84703865 | 10 FNL-S FNL ORFS 10 STEEL CAP | | |
| 28 | 1 | 85108800 | Electric Solenoid Cartridge Valve SV10-40 (Electric Option) | | |
| | - | 85108798 | Seal Kit for Cartridge Valves (Includes (1) 910 O-Ring) | | |
| | - | | Control Valve Coils (Contact KEITH Mfg for information) | | |
| | 1 | 85601800 | Control Valve Coil 12V (Contact KEITH Mfg for information) | | |
| | 1 | 85602000 | Control Valve Coil 24V (Contact KEITH Mfg for information) | | |
| - | 1 | 85601805 | Coil 12VDC Deutsch Weather-Pak (Contact KEITH Mfg for information) | | |
| | 1 | 85600250 | Coil 24VDC Deutsch Weather-Pak (Contact KEITH Mfg for information) | | |
| | 1 | 85102790 | DIN Plug Connector (Contact KEITH Mfg for information)(Not Shown) | | |
| - | 1 | 06714701 | Connector Kit Deutsch DT06-2S (For Use With Weather-Pak Coils)(Not Shown) | | |
| - | - | 06723801 | Seal Kit Cyl Pack (Includes items 12,14-15,18-19,35-36,40,43-44, 56-64,66-38) | | |

Front Manifold Assembly (Sept '24 - Present)



9

Use hydraulic oil or Vaseline to lubricate seals.


Do NOT use grease!

Do NOT use Teflon tape!


11636401

Front Manifold Assembly (Sept '24 - Present) Part # **Description** ID# Qty Front Manifold Assembly w/Cartridge CV (Includes Items 26-38, 42-54) **(1)** (2) Control Valve Assembly (Includes items 32-37) CONTROL VALVE POPPET CONTROL VALVE PISTON **SPRING 71142** 08 HP5ON-S HOLLOW HEX PLUG M O-RING 111 O-RING BUNA 90 908 O-RING BUNA 90 (3) Cartridge Check Valve Assembly (Includes items 27-30) O-RING 908 BUNA 90 SPRING COMPRESSION B3-43 KMD O-RING 2-012 #6 FACE SEAL NITRILE O-Ring 904 Buna 90 POPPET 175 CARTRIDGE **CARTRIDGE BODY 175** 04 HP5ON-S Hollow Hex Plug M O-Ring Hex Socket (6408-H04-O) # 012 O-RING, BUNA, 90 DURO 12 HP5ON-S Hollow Hex Plug M O-Ring Hex Socket (6408-H12-O) KMD 175 X 3.65 FRONT MANIFOLD 011 O-RING BUNA 90 O-RING 017 BUNA 90 O-Ring - Buna 90 - # 026 912 O-RING BUNA 90 SEAL ROD 3/4X1X3/8 G01-42 WEAR RING .875X.750X.375 MODIFIED WIPER ROD ¾ SH959-05 DOWEL PIN 5_16 X 1_2

Rear Manifold Assembly (Sept '24 - Present)



Rear Manifold Assembly (Sept '24 - Present) ID# Part # **Description** Qty Rear Manifold Assembly w/Cartridge CKV (Includes Items 26-37, 39, 42-46) (1) (2) Control Valve Assembly (Includes items 32-37) CONTROL VALVE POPPET CONTROL VALVE PISTON **SPRING 71142** 08 HP5ON-S HOLLOW HEX PLUG M O-RING 111 O-RING BUNA 90 908 O-RING BUNA 90 Cartridge Check Valve Assembly (Includes items 27-30) (3) O-RING 908 BUNA 90 SPRING COMPRESSION B3-43 KMD O-RING 2-012 #6 FACE SEAL NITRILE O-Ring 904 Buna 90 POPPET 175 CARTRIDGE **CARTRIDGE BODY 175** 04 HP5ON-S HOLLOW HEX PLUG M O-RING HEX SOCKET (6408-H04-O) 12 HP5ON-S HOLLOW HEX PLUG M O-RING KMD 175 X 3.65 REAR MANIFOLD CARTRIDGE CV 912 O-RING BUNA 90




| | Cylinder Pack Assembly (Pre - Sept '24) | | | |
|-----|---|----------|--|--|
| ID# | Qty | Part # | Description | |
| 1 | (1) | Cylinder | Pack Assembly with Electric Control Valve | |
| | - | 06714201 | -08 JIC Pressure & Return Lines (Includes Items 5-28) | |
| _ | - | 06714202 | -08 ORFS Pressure & Return Lines (Includes Items 5-28) | |
| - | - | 06714203 | -10 ORFS Pressure/-08 ORFS Return Line (Includes Items 5-28) | |
| 1 | (1) | Cylinder | Pack Assembly with Manual Control Valve | |
| - | - | 06714301 | -08 JIC Pressure & Return Lines (Includes Items 5-28) | |
| - | - | 06714302 | -08 ORFS Pressure & Return Lines (Includes Items 5-28) | |
| | - | 06714303 | -10 ORFS Pressure/-08 ORFS Return Line (Includes Items 5-28) | |
| 5 | (1) | 06350301 | Front Manifold Assembly (See separate exploded view) | |
| 6 | (1) | 06350401 | Rear Manifold Assembly (See separate exploded view) | |

Cylinder Pack Assembly (Pre - Sept '24)


| ID# | Qty | Part # | Description |
|-----|-----|------------|---|
| 7 | (1) | 06350501 | Switching Valve Assembly (See separate exploded view) |
| 8 | (1) | 06350601 | Right Tie Block Assembly (See separate exploded view) |
| 9 | 1 | 06353501 | Rod Assembly, #1 Cylinder |
| 10 | 1 | 06353502 | Rod Assembly, #2 Cylinder |
| 11 | 1 | 06353503 | Rod Assembly, #3 Cylinder |
| 12 | 3 | 84350295 | Seal Piston CP-222 |
| 13 | 3 | 06351101 | Piston 1.75" Dia. Single Seal |
| 14 | 3 | 84403001 | Wear Ring 1.75"x1.5"x.375" |
| 15 | 3 | 86650400 | Pin Drive Lock 3/16"x1/2" |
| 16 | 4 | 06351501 | Transfer Tube, 3/8"x.049" |
| 17 | 3 | 06351401 | Barrel, 1.75" Cylinder |
| 18 | 6 | 84388639 | Backup, O-Ring 8-032 -Buna 90 |
| 19 | 6 | 84375432 | O-Ring 2-032 -Buna 90 |
| 20 | 2 | 06352401 | Mount Plate, Rear Cylinder |
| 21 | 14 | 87076510 | Washer Lock M10 Hi Collar |
| 22 | 10 | 87009102 | Bolt Socket Head M10x1.5 -180 |
| 23 | 4 | 87009103 | Bolt Socket Head M10x1.5 -200 |
| - | - | Return F | itting (Fitting Varies with Cylinder Pack Options) |
| | | 84684300 | 6400-08-08 MJIC Straight |
| 24 | 1 | 84685683 | FF6400-08-08 MORFS Straight |
| 25 | | 84703400 | 08 FNTX-S JIC 5/8" CAP NUT |
| 25 | 1 | 84703864 | 08 FNL-S FNL ORFS 8 STEEL CAP |
| - | - | Pressure | Fitting (Fitting Varies with Cylinder Pack Options) |
| | | 84684400 | 6400-08-10 MJIC Straight |
| 26 | 1 | 84685684 | FF6400-08-10 MORFS Straight |
| | | 84685685 | FF6400-10-10 MORFS Straight |
| | | 84703400 | 08 FNTX-S JIC 1/2" CAP NUT (304C-08) |
| 27 | 4 | 84703864 | 08 FNL-S FNL ORFS 8 STEEL CAP |
| 27 | 1 | 84703500 | 10 FNTX-S JIC 5/8" CAP NUT (304C-10) |
| | | 84703865 | 10 FNL-S FNL ORFS 10 STEEL CAP |
| - | - | Control \ | /alve Cartridge (Cartridge Varies with Cylinder Pack Options) |
| 20 | -1 | 85105200 | Manual Cartridge Valve MRV4-10 (Manual Option) |
| 28 | 1 | 85108800 | Solenoid Cartridge Valve SV10-40 (Electric Option) |
| - | - | 85108798 | Seal Kit for Cartridge Valves |
| _ | - | Electric (| Control Valve Coils (Contact KEITH Mfg for information) |
| - | 1 | 85601800 | Control Valve Coil 12V (Contact KEITH Mfg for information) |
| | 1 | 85602000 | Control Valve Coil 24V (Contact KEITH Mfg for information) |
| - | 1 | 85601805 | Coil 12VDC Deutsch Weather-Pak (Contact KEITH Mfg for information) |
| - | 1 | 85600250 | Coil 24VDC Deutsch Weather-Pak (Contact KEITH Mfg for information) |
| - | 1 | 85102790 | DIN Plug Connector (Contact KEITH Mfg for information)(Not Shown) |
| - | 1 | 06714701 | Connector Kit Deutsch DT06-2S (For Use With Weather-Pak Coils)(Not Shown) |
| - | - | 06723801 | Seal Kit Cyl Pack (Includes items 12,14-15,18-19,35-36,40,43-44, 56-64,66-38) |
| | | | |

Front Manifold Assembly (Pre - Sept '24)




| | | | Front Manifold Assembly (Pre - Sept '24) |
|-----|-----|----------|--|
| ID# | Qty | Part # | Description |
| 5 | (1) | 06350301 | Front Manifold Assembly (Includes items listed below) |
| 30 | (2) | 07904901 | Control Valve Assembly (Includes items 31-36) |
| 31 | 1 | 06351801 | CONTROL VALVE POPPET |
| 32 | 1 | 06351901 | CONTROL VALVE PISTON |
| 33 | 1 | 84454705 | SPRING 71142 |
| 34 | 2 | 84687500 | 08 HP5ON-S HOLLOW HEX PLUG M O-RING |
| 35 | 1 | 84376200 | 111 O-RING BUNA 90 |
| 36 | 2 | 84387000 | 908 O-RING BUNA 90 |
| 37 | (3) | 07338901 | Check Valve Assembly (Includes items 38-40,42) |
| 38 | 1 | 06351601 | Check Valve Poppet |
| 39 | 1 | 06351701 | -6 EXTENDED HEX CAP |
| 40 | 1 | 84386800 | 906 O-RING BUNA 90 |
| 42 | 1 | 84450220 | Spring B3-43 |
| 43 | 3 | 84375210 | # 012 O-RING, BUNA, 90 DURO |
| 44 | 1 | 84386600 | O-Ring 904 Buna 90 (not used after Apr-2023) |
| 47 | 1 | 84687300 | 6408-H-04 Hollow Hex Plug (Includes Item 20) (not used after Apr-2023) |
| 48 | 1 | 84680770 | 1/16" Pipe Plug Socket 7/8" Taper (not used after Apr-2023) |
| 49 | 2 | 84687700 | 12 HP5ON-S HOLLOW HEX PLUG M O-RING |
| _52 | 1 | 06350702 | KMD 175 X 3.65 FRONT MANIFOLD |
| 56 | 6 | 84375200 | 011 O-RING BUNA 90 |
| 57 | 1 | 84375302 | O-RING 017 BUNA 90 |
| 58 | 1 | 84375426 | O-Ring - Buna 90 - # 026 |
| 59 | 2 | 84387400 | 912 O-RING BUNA 90 |
| 60 | 3 | 84352301 | SEAL ROD 3/4X1X3/8 G01-42 |
| 63 | 3 | 84403002 | WEAR RING .875X.750X.500 |
| 64 | 3 | 84427201 | WIPER CANNED .75 X 1 X 3/8 |
| 65 | 4 | 86651500 | DOWEL PIN 5_16 X 1_2 |

Rear Manifold Assembly (Pre - Sept '24)



| | | | Rear Manifold Assembly (Pre - Sept '24) |
|-----|-----|----------|--|
| ID# | Qty | Part # | Description |
| 6 | (1) | 06350401 | Rear Manifold Assembly (Includes items listed below) |
| 30 | (2) | 07904901 | Control Valve Assembly (Includes items 31-36) |
| 31 | 1 | 06351801 | CONTROL VALVE POPPET |
| 32 | 1 | 06351901 | CONTROL VALVE PISTON |
| 33 | 1 | 84454705 | SPRING 71142 |
| 34 | 2 | 84687500 | 08 HP5ON-S HOLLOW HEX PLUG M O-RING |
| 35 | 1 | 84376200 | 111 O-RING BUNA 90 |
| 36 | 2 | 84387000 | 908 O-RING BUNA 90 |
| 37 | (3) | 07338901 | Check Valve Assembly (Includes items 38-40,42) |
| 38 | 1 | 06351601 | Check Valve Poppet |
| 39 | 1 | 06351701 | -6 EXTENDED HEX CAP |
| 40 | 1 | 84386800 | 906 O-RING BUNA 90 |
| 42 | 1 | 84450220 | Spring B3-43 |
| 44 | 1 | 84386600 | O-Ring 904 Buna 90 (not used after Apr-2023) |
| 47 | 1 | 84687300 | 6408-H-04 Hollow Hex Plug (Includes Item 20) (not used after Apr-2023) |
| 48 | 1 | 84680770 | 1/16" Pipe Plug Socket 7/8" Taper (not used after Apr-2023) |
| 49 | 2 | 84687700 | 12 HP5ON-S HOLLOW HEX PLUG M O-RING |
| 53 | 1 | 06350801 | KMD 175 X 3.65 REAR MANIFOLD |
| 59 | 2 | 84387400 | 912 O-RING BUNA 90 |

Control Valve Assembly




Use hydraulic oil or Vaseline to lubricate seals.

Do NOT use grease!

Do NOT use Teflon tape!

| | | | Control Valve Assembly |
|-----|-----|----------|--|
| ID# | Qty | Part # | Description |
| 30 | (1) | 07904901 | Control Valve Assembly (Includes items listed below) |
| 31 | 1 | 06351801 | CONTROL VALVE POPPET |
| 32 | 1 | 06351901 | CONTROL VALVE PISTON |
| 33 | 1 | 84454705 | SPRING 71142 |
| 34 | 2 | 84687500 | 08 HP5ON-S HOLLOW HEX PLUG M O-RING |
| 35 | 1 | 84376200 | 111 O-RING BUNA 90 |
| 36 | 2 | 84387000 | 908 O-RING BUNA 90 |

Cartridge Check Valve Assembly (Sept '24 - Present)




Use hydraulic oil or Vaseline to lubricate seals.

Do NOT use grease!

Do NOT use Teflon tape!

| | Cartridge Check Valve Assembly (Sept '24 - Present) | | | |
|-----|---|----------|---|--|
| ID# | Qty | Part # | Description | |
| 41 | (1) | 11622401 | Cartridge Check Valve Assembly KMD175 (Includes items listed below) | |
| 36 | 1 | 84387000 | O-RING 908 BUNA 90 | |
| 42 | 1 | 84450220 | SPRING COMPRESSION B3-43 KMD | |
| 43 | 1 | 84375210 | O-RING 2-012 #6 FACE SEAL NITRILE | |
| 44 | 1 | 84386600 | O-Ring 904 Buna 90 | |
| 45 | 1 | 11622201 | POPPET 175 CARTRIDGE | |
| 46 | 1 | 11622301 | CARTRIDGE BODY 175 | |
| 47 | 1 | 84687300 | 04 HP5ON-S HOLLOW HEX PLUG M O-RING HEX SOCKET (6408-H04-O) | |

Check Valve Assembly (Pre - Sept '24)




Use hydraulic oil or Vaseline to lubricate seals.

Do NOT use grease!

Do NOT use Teflon tape!


| Check Valve Assembly (Pre - Sept '24) | | | | | |
|---------------------------------------|-----|----------|--|--|--|
| ID# | Qty | Part # | Description | | |
| 37 | (1) | 07338901 | Check Valve Assembly (Includes items listed below) | | |
| 38 | 1 | 06351601 | Check Valve Poppet | | |
| 39 | 1 | 06351701 | -6 EXTENDED HEX CAP | | |
| 40 | 1 | 84386800 | 906 O-RING BUNA 90 | | |
| 42 | 1 | 84450220 | Spring B3-43 | | |

Right Tie Block Assembly



| Right Tie Block Assembly | | | | | |
|--------------------------|-----|----------|--|--|--|
| ID# | Qty | Part # | Description | | |
| 8 | (1) | 06350601 | Right Tie Block Assembly (Includes Items listed below) | | |
| 43 | 5 | 84375210 | O-Ring - Buna 90 - # 012 | | |
| 55 | 1 | 06351001 | RIGHT TIE BLOCK - VENT TO SHIFT | | |
| 56 | 1 | 84375200 | O-Ring - Buna 90 - # 011 | | |
| 65 | 2 | 86651500 | Dowel Pin - 5/16 x 1/2 | | |

Switching Valve Assembly




Use hydraulic oil or Vaseline to lubricate seals.

Do NOT use grease!

Do NOT use Teflon tape!

| Switching Valve Assembly | | | | | |
|--------------------------|-----|----------|--|--|--|
| ID# | Qty | Part # | Description | | |
| 7 | (1) | 06350501 | Switching Valve Assembly (Includes Items listed below) | | |
| 43 | 7 | 84375210 | O-RING 2-012 #6 FACE SEAL NITRILE | | |
| 54 | 1 | 06350902 | KMD 175 SWITCHING VALVE BODY MACHINE DETAIL | | |
| 56 | 3 | 84375200 | O-Ring - Buna 90 - # 011 | | |
| 57 | 1 | 84375302 | O-Ring - Buna 90 - # 017 | | |
| 58 | 1 | 84375426 | O-Ring - Buna 90 - # 026 | | |
| 65 | 2 | 86651500 | PIN DOWEL 5/16X1/2 | | |
| 66 | 2 | 84376700 | O-Ring - Buna 90 - # 114 | | |
| 67 | 2 | 84380800 | O-Ring - Buna 90 - # 212 | | |
| 68 | 2 | 84386598 | 902 O-Ring Buna 90 | | |
| 69 | 2 | 84687200 | 02 HP5ON-S HOLLOW HEX PLUG M O-RING HEX SOCKET | | |
| 70 | 1 | 06352001 | CONTROL ROD - VENT TO SHIFT | | |
| 71 | 2 | 06352101 | SWITCHING VALVE POPPET RING | | |
| 72 | 2 | 06352201 | SWITCHING VALVE POPPET PISTON | | |
| 73 | 1 | 06352301 | SWITCHING VALVE POPPET GUIDE ROD | | |
| 74 | 2 | 86628500 | Hex Nut - 3/8 - 16 | | |

Ball Valve (On/Off) Assembly JIC - Electric (Optional)



Use hydraulic oil or Vaseline to lubricate seals.


Do NOT use grease!

Do NOT use Teflon tape!


Ball Valve (On/Off) Assembly JIC - Electric

| ID# | Qty | < 10 gpm Part # | Description |
|-----|-----|--------------------|---|
| 1 | (1) | 06532601 | Ball Valve Assembly KMD Elec (< 10 GPM) (Includes items below) |
| 3 | 1 | 84802480 | BALL VALVE 1/2" V500HP-8 KMD 175 AE2S#8-11DB |
| 4 | 2 | 84692020 | 08 S5OX-S Straight Thread Tee MJIC X MJIC X ADJ O-Ring (6803-08-08) |
| 6 | 1 | 84682900 | 08 39T3-S Swept Elbow MJIC X 90° FJIC (6701-08-08) |
| 8 | 1 | 84692985 | 08 AOEX6-S Swivel Elbow (6809-08-08-NOW) |
| 9 | 1 | 84691140 | 08 C5OX-S Straight Thread Elbow MJIC X ADJ O-Ring (6801-08-08) |
| 12 | 1 | 85105920 | BODY VALVE HYDRAFORCE 7024280 |
| 14 | 1 | 85108560 | VALVE CART. SV10-21-0-N-0 HF |

Hydraulic Schematic



Wiring Diagram



INSTALLATION

- 1. Remove the existing ball valve. It is mounted on the front of the drive frame, on the drivers side, between the pressure and return lines.
- 2. Install the electrical on/off control assembly.
- 3. Connect the pressure and return lines as shown.
- 4. Supply electrical power to the solenoid.
- 5. Install the switch in the electrical supply coil.
- 6. Run the wiring in water-tight flex conduit.


OPERATION

- 1. Shift the ball valve handle to the open position.
- 2. Set the electrical switch to the Off position.
- 3. Engage the PTO to start the hydraulic pump.
- 4. Turn electrical switch to the On position to start the walking floor. (Solenoid coil must be energized for the walking floor to move.)

To start or stop the floor using the manual ball valve on the drive.

- Set the electrical switch to the Off position.
- Close the ball valve to start the walking floor.
- Open the ball valve to stop the walking floor.

Ball Valve (On/Off) Assembly JIC - Manual (Optional)



| D# Qty | Part # | Description | |- | (1) | 05392001 | Ball Valve Assembly O-Ring Boss 1/2" w/Handle & Tees (Includes items 1-2) | | 1 | 84802480 | BALL VALVE 1/2" V500HP-8 KMD 175 AE2S#8-11DB | | 2 | 2 | 84692020 | 08 S50X-S Straight Thread Tee MJIC X MJIC X ADJ O-Ring (6803-08-08)

(Final Page)