



You completed this test on *08/05/2022, 03:17*
Your score is 83.33%

Legend:

Given answer(s)

Expected correct answer(s)

✓ *Given answer is correct*

✗ *Given answer is incorrect*

Way to go!

Legend:

Given answer(s)

Expected correct answer(s)

✓ *Given answer is correct*

✗ *Given answer is incorrect*

INCORRECT

Which of the following options accurately describes the behavior of an open relay server?

An open relay server operates by only handling mail coming from a specific list of IP addresses.

✗ *An open relay server requires you to authenticate using a password.*

An open relay server does not require you to authenticate.

An open relay server will only relay messages sent directly by a telnet client.

CORRECT

Which of the following options best indicate a legitimate reason that would describe why you would want to configure the *forwarder address* fields within the WHM Home » Server Contacts » Edit System Mail Preferences interface?

To prevent "mailer daemon" messages from being sent to the incorrect destination.

✓ ***To prevent emails destined for "root" from getting frozen within the mail queue.***

To prevent missing notification emails sent via cPanel's "Announcements" list.

To initialize all mail capabilities on the server, allowing users to utilize their accounts' mail features.

CORRECT

If there is a long delay indicated when an email is being sent, the Mailer Daemon will send a warning message to which of the following destinations?

The server's root mail contact.

✓ ***The email's sender.***

The email's recipient.

No notifications are sent when this occurs.

CORRECT

Which of the following options describe an actual value that can be adjusted within the WHM Home » Service Configuration » Mailserver Configuration interface?

Controlling the time and frequency of system updates to the Dovecot software.

Controlling whether monitoring of the Dovecot service is enabled or disabled.

✓ ***Controlling the maximum and spare quantities of authentication daemon processes.***

None of these options are found on the Mailserver Configuration interface.

CORRECT

Given the following, which best describes an actual reason that the system may place a message into the Exim queue?

None of these options describe reasons for Exim to queue a message.

✓ ***The load average on the server is above the delivery threshold.***

The message has been locally rejected by the SpamAssassin daemon process.

The Exim service has been stopped and the SMTP daemon is not running.

CORRECT

Justine's boss just told her that the **authentication daemon** for the mail server is broken. Which of the following options best indicates the component of the mail system that is affected by this?

The component that sends mail to other servers.

The component that scans mail to determine its spam score.

The component that routes local mail files into the appropriate folder.

✓ ***The component that validates user credentials.***

Passed. Let's continue.

