

You completed this test on *08/05/2022, 04:09*Your score is 83.33%

Legend:

Given answer(s)

Expected correct answer(s)

✓ Given answer is correct

Given answer is incorrect

CORRECT

In which WHM interface can you configure the forwarders for the root, cPanel, and nobody mail accounts?

✓ WHM Home » Server Contacts » Edit System Mail Preferences

WHM Home » Service Configuration » Exim Configuration Editor

WHM Home » Service Configuration » Mailserver Configuration

WHM Home » Server Contacts » Contact Manager

CORRECT

Within which of the following WHM interfaces can you enable additional ports for Exim to listen for SMTP connections on?

WHM Home » Service Configuration » Exim Ports Configuration

WHM Home » Service Configuration » Exim Configuration Manager

✓ WHM Home » Service Configuration » Service Manager

WHM Home » Server Configuration » Tweak Settings

A service can be enabled to allow Exim to listen on alternate ports from within the Service Manager interface in WHM.

CORRECT

Given the following, which option best describes an actual reason that the system may place a message into the Exim queue?

✓ There are DNS issues preventing Exim from finding the remote mail server.

None of these options describe reasons for Exim to queue a message.

The Exim service has been stopped and the SMTP daemon is not running.

The message has been instructed to route to /dev/null.

CORRECT

The following options found in the Exim Configuration Manager - Basic Editor interface in WHM enables the checking of DNS resolution to see if the sender's domain exists?

✓ Sender Verification

Sender Verification Callouts

Require HELO before MAIL

Enable Sender Rewriting Scheme (SRS) Support

INCORRECT

Given the following options, which best describes something about an email address that can be determined by using the WHM Home » Email » Mail Troubleshooter interface, found in WHM?

x It will indicate if the destination email address has reached its quota limitation.

It will indicate whether the destination address forwards mail to a remote server.

It will indicate if the destination email address has been greylisted.

It will indicate whether the file permissions on the destination email address' mail folder are correct.

CORRECT

If the mail server defers a message, what did it do to the message?

Delayed it.

Rejected it.

Returned it to the sender (bounced).

Classified it as spam.

Passed. Let's continue.

•