E2B-R3 Export Config

Document Approval

Signatories below are aware of their responsibilities, as defined in COR-SOP-001 (Document Control Procedures).

Role	Signature and Date
Author	
Business Review / Approval	
Quality Review / Approval	
Client Review / Approval	

Version Control

Version	Effective Date	Author	Comments
1 0	23-Dec-25	Denis Celovic	Initial Document Version at the Client13 Inception
1 1	05-Feb-26	Denis Celovic	Updated document for 2nd Validation: - updated 'Cause of death' export logic in scenario when "Autopsy details available" is Yes/Unknown and cause of death not provided - updated 'Batch/lot number' export logic as it was missing - updated 'Are you taking any other medication?' to clarify the question is outputted into H.1 Narrative - updated 'Enter name of medical condition' logic for medical history to reflect actual mapping to D.7.1.r.1 group - updated 'When did you first / last experience your symptoms? (LAST)', 'What were the dates of hospitalization? (END)', 'When did you start/stop using this product? (STOP)' export logic when Product/Event end date is Ongoing - updated 'Administration route of dose' to be outputted into H.1 instead G.k.4.r.10.1 - updated 'Relationship with Patient' export logic as it was missing in the previous version
1 2	17-Feb-26	Isaac Mehigan	Updated 'When did you start/stop using this batch? (START)', 'When did you start/stop using this batch? (END)', 'Expiry date' and 'Administration route of dose' export logic

Purpose and Content

Document Purpose

This document represents how data are exported into E2B-R3 format.

Tab	Description
Introduction	Document Signatures, Purpose and Version history
CL01301 Public Reporting	Journey: Public Reporting E2B-R3 Output
E2B Header Fields	E2B-R3 Header fields output

© Qinecsa Solutions 2026 | Confidential. Do not copy without permission.

Field descriptions (Configured in Journey) (field labels, triggering logic and options available per reporter/report categories may differ; please refer to REQ_157 A11a for the full logic)				DIF Schema (Mapping configured in Journey)			Export Profile and Redaction (Configurable)		E2B-R3 Related Output Logic (Hard coded in product/ non-configurable)				
Page	**FIELD DESCRIPTION (labels subject to configuration accurate at time of writing)**	**Branch Applicable**	**FIELD TYPE**	**DIF Path**	**Associated DIF Path**	**DIF Enums Applicable**	**Export Profile Setting Associated**	**Redaction Possible**	**E2B Group / Element**	**Associated E2B Element(s)**	**E2B Xpaths**	**Null Flavour Supported**	**Business Logic**
Landing Page	**Please select who you are (I am)**	Patient Friend HCP	Widget Type: Radio buttons Options: 1. A Patient or Consumer 2. A Friend, Caregiver or Family 3. A Healthcare professional	report.additional_context_options[]	n/a	n/a	No	No	H.1 Case narrative - (100000AN)	n/a	/MCCI_IN200100UV01[@ITSVersion='XML_1.0'][@xsi:schemaLocation='urn:hl7-org:v3 MCCI_IN200100UV01.xsd']/PORR_IN049016UV[r]/controlActProcess[@classCode='CACT'][@moodCode='EVN']/subject[@typeCode='SUBJ'][1]/investigationEvent[@classCode='INVSTG'][@moodCode='EVN']/text/text()	No	H.1=Data will be outputted to the narrative section.<form_label> : <value entered>
PRODUCT	**For which product do you want to share a potential concern?**	Patient Friend HCP	Widget Type: Product Lookup + Free text entry	report.patient.products[].name	report.patient.products[].characterisation	n/a	No	No	G.k.2.2 Medicinal Product Name as Reported by the Primary Source - (250AN)	G.k.1 Characterisation of Drug Role - (1N)	/MCCI_IN200100UV01[@ITSVersion='XML_1.0'][@xsi:schemaLocation='urn:hl7-org:v3 MCCI_IN200100UV01.xsd']/PORR_IN049016UV[r]/controlActProcess[@classCode='CACT'][@moodCode='EVN']/subject[@typeCode='SUBJ'][1]/investigationEvent[@classCode='INVSTG'][@moodCode='EVN']/component[@typeCode='COMP'][adverseEventAssessment][1]/adverseEventAssessment[@classCode='INVSTG'][@moodCode='EVN']/subject1[@typeCode='SBJ'][1]/primaryRole[@classCode='INVSBJ']/subjectOf2[@typeCode='SBJ'][organizer/code[@code='4'][@codeSystem='2.16.840.1.113883.3.989.2.1.1.20'][1]/organizer[@classCode='CATEGORY'][	N/A	G.k.2.2 = Medicinal Product will be outputted to the structured field. G.k.1 = Data will be outputted to the structured field. suspect: G.k.1 = 1 concomitant: G.k.1 = 2 interacting: G.k.1 = 3 drug_not_administered: G.k.1 = 4
PRODUCT	**What condition are you treating?**	Patient Friend HCP	Widget Type: Adverse Event lookup and Free text entry	report.patient.products[].event.meddra_term	report.patient.products[].event.meddra_code report.patient.products[].event.meddra_version	n/a	No	No	G.k.7.r.1 Indication as Reported by the Primary Source (250AN)	G.k.7.r.2b Indication (MedDRA code) (8N) G.k.7.r.2a MedDRA Version for Indication (4AN)	Value: /MCCI_IN200100UV01[@ITSVersion='XML_1.0'][@xsi:schemaLocation='urn:hl7-org:v3 MCCI_IN200100UV01.xsd']/PORR_IN049016UV[r]/controlActProcess[@classCode='CACT'][@moodCode='EVN']/subject[@typeCode='SUBJ'][1]/investigationEvent[@classCode='INVSTG'][@moodCode='EVN']/component[@typeCode='COMP'][adverseEventAssessment][1]/adverseEventAssessment[@classCode='INVSTG'][@moodCode='EVN']/subject1[@typeCode='SBJ'][1]/primaryRole[@classCode='INVSBJ']/subjectOf2[@typeCode='SBJ'][organizer/code[@code='4'][@codeSystem='2.16.840.1.113883.3.989.2.1.1.20'][1]/organizer[@classCode='CATEGORY'][@moodCode='EVN']/component[@typeCode='COMP'][substanceAdministration/id][k]/substanceAdministration[@classCode='SBADM'][@moodCode='EVN']/inboundRelationship[@typeCode='RSON'][observation/code[@code='19'][@codeSystem='2.16.840.1.113883.3.989.2.1.1.19'][r]/observation[@classCode='OBS'][@moodCode='EVN'][performer[@typeCode='PRF']/assignedEntity[@classCode='ASSIGNED']/code[@code='3'][@codeSystem='2.16.840.1.113883.3.989.2.1.1.21'][1]/value[@xsi:type='CE'][@codeSystem='2.16.840.1.113883.6.163'][1]/originalText/text() NullFlavor: /MCCI_IN200100UV01[@ITSVersion='XML_1.0'][@xsi:schemaLocation='urn:hl7-org:v3 MCCI_IN200100UV01.xsd']/PORR_IN049016UV[r]/controlActProcess[@classCode='CACT'][@moodCode='EVN']/sub'Value: /MCCI_IN200100UV01[@ITSVersion='XML_1.0'][@xsi:schemaLocation='urn:hl7-org:v3	N/A	If element passsed is coded (auto code is enable). G.k.7.r.1 - Data will be outputted to the structured field. G.k.7.r.2a - Data will be outputted to the structured field. Only 1 MedDRA version is allowed per ICSR. Example For MedDRA version 15.1 value allowed is '15.1'.(Application should always consider the highest MedDRA vesion available on the system to encode and same version number should be the output for the tag.) G.k.7.r.2b - LLT Code for the term G.k.7.r.1 will be outputted to the structured field. If the adverse event was selected from a non-English MedDRA and the selected term has multiple English match terms, the system will select the lowest LLT term based on the client configuration requirements.
PRODUCT	**Batch/lot number**	Patient Friend HCP	WidgetType: Free text entry Options: unknown	report.patient.products[].number	n/a	n/a	No	No	G.k.4.r.7 Batch / Lot Number (35AN)	n/a	/MCCI_IN200100UV01[@ITSVersion='XML_1.0'][@xsi:schemaLocation='urn:hl7-org:v3 MCCI_IN200100UV01.xsd']/PORR_IN049016UV[r]/controlActProcess[@classCode='CACT'][@moodCode='EVN']/subject[@typeCode='SUBJ'][1]/investigationEvent[@classCode='INVSTG'][@moodCode='EVN']/component[@typeCode='COMP'][adverseEventAssessment][1]/adverseEventAssessment[@classCode='INVSTG'][@moodCode='EVN']/subject1[@typeCode='SBJ'][1]/primaryRole[@classCode='INVSBJ']/subjectOf2[@typeCode='SBJ'][organizer/code[@code='4'][@codeSystem='2.16.840.1.113883.3.989.2.1.1.20'][1]/organizer[@classCode='CATEGORY'][	N/A	G.k.4.r.7 - Data in the DIFF will be outputted to the structured field. Applies to suspect products only, all other product records will only have a blank XML tag here.
PRODUCT	**Expiry date**	Patient Friend HCP	WidgetType: Date picker + Radio button Options: unknown	report.report.patient.products[].expiry_date	n/a	n/a	No	No	H.1 Case narrative - (100000AN)	n/a	/MCCI_IN200100UV01[@ITSVersion='XML_1.0'][@xsi:schemaLocation='urn:hl7-org:v3 MCCI_IN200100UV01.xsd']/PORR_IN049016UV[r]/controlActProcess[@classCode='CACT'][@moodCode='EVN']/subject[@typeCode='SUBJ'][1]/investigationEvent[@classCode='INVSTG'][@moodCode='EVN']/text/text()	N/A	H.1=Data will be outputted to the narrative section once per batch under the Products information in the format: (A) (B) (Expiry date: C) Dates for (Start: D Stop: E) Administration route: F Where: A is the product name B is the batch number C is the expiry date in format DD MMM YYYY, If blank then Unspecified, if unkown then Unknown D is the product start date in format DD MMM YYYY, If blank then Unspecified, if Unknown then Unknown E is the Product stop date in format DD MMM YYYY, If blank then Unspecified, if unknown then Unknown, if ongoing then Ongoing F is the Administration route chosen or typed. If blank then Unspecified

© Qinecsa Solutions 2026 | Confidential. Do not copy without permission.

Field descriptions (Configured in Journey) (field labels, triggering logic and options available per reporter/report categories may differ; please refer to REQ_157 A11a for the full logic)				DIF Schema (Mapping configured in Journey)			Export Profile and Redaction (Configurable)		E2B-R3 Related Output Logic (Hard coded in product/ non-configurable)				
Page	**FIELD DESCRIPTION (labels subject to configuration accurate at time of writing)**	**Branch Applicable**	**FIELD TYPE**	**DIF Path**	**Associated DIF Path**	**DIF Enums Applicable**	**Export Profile Setting Associated**	**Redaction Possible**	**E2B Group / Element**	**Associated E2B Element(s)**	**E2B Xpaths**	**Null Flavour Supported**	**Business Logic**
PRODUCT	**When did you start/stop using this batch? (START)**	Patient Friend HCP	WidgetType: Date picker + Radio button Options: unknown	report.patient.products[].dosages[].administration_dates.start	n/a	n/a	No	No	G.k.4.r.4 Date and Time of Start of Drug (Date)	n/a	1. When more than two values in the following data elements appear 1) G.k.4.r.2、G.k.4.r.3 2) G.k.4.r.4 3) G.k.4.r.5 4) G.k.4.r.6a、G.k.4.r.6b The first comp element with data type SXPR Parenthetic Set Expression of Time (SXPR_TS) [Intervale of Point in Time (IVL_TS)]: /MCCI_IN200100UV01[@ITSVersion='XML_1.0'][@xsi:schemaLocation='urn:hl7-org:v3 MCCI_IN200100UV01.xsd']/PORR_IN049016UV[r]/controlActProcess[@classCode='CACT'][@moodCode='EVN']/subject[@typeCode='SUBJ'][1]/investigationEvent[@classCode='INVSTG'][@moodCode='EVN']/component[@typeCode='COMP'][adverseEventAssessment][1]/adverseEventAssessment[@classCode='INVSTG'][@moodCode='EVN']/subject1[@typeCode='SBJ'][1]/primaryRole[@classCode='INVSBJ']/subjectOf2[@typeCode='SBJ'][organizer/code[@code='4'][@codeSystem='2.16.840.1.113883.3.989.2.1.1.20']][1]/organizer[@classCode='CATEGORY'][@moodCode='EVN']/component[@typeCode='COMP'][substanceAdministration/id][k]/substanceAdministration[@classCode='SBADM'][@moodCode='EVN']/outboundRelationship2[@typeCode='COMP'][substanceAdministration][r]/substanceAdministration[@classCode='SBADM'][@moodCode='EVN']/effectiveTime[@xsi:type='SXPR_TS']/comp[@xsi:type='IVL_TS']/low/@value NullFlavor : /MCCI_IN200100UV01[@ITSVersion='XML_1.0'][@xsi:schemaLocation='urn:hl7-org:v3 MCCI_IN200100UV01.xsd']/PORR_IN049016UV[r]/controlActProcess[@classCode='CACT'][@moodCode='EVN']/subject[@typeCode='SUBJ'][1]/investigationEvent[@classCode='INVSTG'][@moodCode='EVN']/component[@typeCode='COMP'][adverseEventAssessment][1]/adverseE	Yes	G.k.4.r.4 = Data will be outputted to the structured field. Minimum precision required is the year (i.e. 'CCYY'). If Unknown selected: then nullFlavor: ASKU If Blank: then No output Cannot be a future date See Stop date below for various output examples to case narrative.
PRODUCT	**When did you start/stop using this batch? (END)**	Patient Friend HCP	WidgetType: Date picker + Radio button Options: unknown Ongoing	report.patient.products[].dosages[].administration_dates.end	n/a	n/a	No	No	G.k.4.r.5 Date and Time of Last Administration (Date)	n/a	1. When more than two values in the following data elements appear 1) G.k.4.r.2、G.k.4.r.3 2) G.k.4.r.4 3) G.k.4.r.5 4) G.k.4.r.6a、G.k.4.r.6b The first comp element with data type SXPR Parenthetic Set Expression of Time (SXPR_TS) [Intervale of Point in Time (IVL_TS)] : /MCCI_IN200100UV01[@ITSVersion='XML_1.0'][@xsi:schemaLocation='urn:hl7-org:v3 MCCI_IN200100UV01.xsd']/PORR_IN049016UV[r]/controlActProcess[@classCode='CACT'][@moodCode='EVN']/subject[@typeCode='SUBJ'][1]/investigationEvent[@classCode='INVSTG'][@moodCode='EVN']/component[@typeCode='COMP'][adverseEventAssessment][1]/adverseEventAssessment[@classCode='INVSTG'][@moodCode='EVN']/subject1[@typeCode='SBJ'][1]/primaryRole[@classCode='INVSBJ']/subjectOf2[@typeCode='SBJ'][organizer/code[@code='4'][@codeSystem='2.16.840.1.113883.3.989.2.1.1.20']][1]/organizer[@classCode='CATEGORY'][@moodCode='EVN']/component[@typeCode='COMP'][substanceAdministration/id][k]/substanceAdministration[@classCode='SBADM'][@moodCode='EVN']/outboundRelationship2[@typeCode='COMP'][substanceAdministration][r]/substanceAdministration[@classCode='SBADM'][@moodCode='EVN']/effectiveTime[@xsi:type='SXPR_TS']/comp[@xsi:type='IVL_TS']/high/@value NullFlavor : /MCCI_IN200100UV01[@ITSVersion='XML_1.0'][@xsi:schemaLocation='urn:hl7-org:v3 MCCI_IN200100UV01.xsd']/PORR_IN049016UV[r]/controlActProcess[@classCode='CACT'][@moodCode='EVN']/subject[@typeCode='SUBJ'][1]/investigationEvent[@classCode='INVSTG'][@moodCode='EVN']/component[@typeCode='COMP'][adverseEventAssessment][1]/adverseE	Yes	G.k.4.r.5 Date and Time of Last Administration (Date) Minimum precision required is the year (i.e. 'CCYY'). If Unknown selected: then nullFlavor: ASKU If Blank, Ongoing: then No output If ONGOING Then H.1 Case Narrative Output: - Start date is left blank and Stop Date is Ongoing: Dates for <suspect product>: (Start: Unspecified Stop: Ongoing) - Start date is Unknown and Stop Date is Ongoing: Dates for <suspect product>: (Start: Unknown Stop: Ongoing) - Start date is populated and Stop Date is Ongoing: Dates for <suspect product>: (Start: DD MMM YYYY Stop: Ongoing)

© Qinecsa Solutions 2026 | Confidential. Do not copy without permission.

Field descriptions (Configured in Journey) (field labels, triggering logic and options available per reporter/report categories may differ; please refer to REQ_157 A11a for the full logic)				DIF Schema (Mapping configured in Journey)			Export Profile and Redaction (Configurable)		E2B-R3 Related Output Logic (Hard coded in product/ non-configurable)				
Page	**FIELD DESCRIPTION (labels subject to configuration accurate at time of writing)**	**Branch Applicable**	**FIELD TYPE**	**DIF Path**	**Associated DIF Path**	**DIF Enums Applicable**	**Export Profile Setting Associated**	**Redaction Possible**	**E2B Group / Element**	**Associated E2B Element(s)**	**E2B Xpaths**	**Null Flavour Supported**	**Business Logic**
PRODUCT	**Pharmaceutical dose form**	HCP	Widget Type: dropdown	report.patient.products[].dosages[].form	n/a	Label: Tablet Value: tablet Label: Capsule Value: capsule Label: Injection Value: injection Label: Cream Value: cream Label: Syrup Value: syrup Label: Other Value: other	No	No	G.k.4.r.9.1 Pharmaceutical Dose Form (free text) (60 AN)	n/a	Value : /MCCI_IN200100UV01[@ITSVersion='XML_1.0'][@xsi:schemaLocation='urn:hl7-org:v3 MCCI_IN200100UV01.xsd']/PORR_IN049016UV[r]/controlActProcess[@classCode='CACT'][@moodCode='EVN']/subject[@typeCode='SUBJ'][1]/investigationEvent[@classCode='INVSTG'][@moodCode='EVN']/component[@typeCode='COMP'][adverseEventAssessment][1]/adverseEventAssessment[@classCode='INVSTG'][@moodCode='EVN']/subject1[@typeCode='SBJ'][1]/primaryRole[@classCode='INVSBJ']/subjectOf2[@typeCode='SBJ'][organizer/code[@code='4'][@codeSystem='2.16.840.1.113883.3.989.2.1.1.20'][1]/organizer[@classCode='CATEGORY'][@moodCode='EVN']/component[@typeCode='COMP'][substanceAdministration/id][k]/substanceAdministration[@classCode='SBADM'][@moodCode='EVN']/outboundRelationship2[@typeCode='COMP'][substanceAdministration][r]/substanceAdministration[@classCode='SBADM'][@moodCode='EVN']/consumable[@typeCode='CSM'][1]/instanceOfKind[@classCode='INST']/kindOfProduct[@classCode='MMAT'][@determinerCode='KIND']/formCode[@codeSystem='TBD-DoseForm']/originalText/text() NullFlavor : /MCCI_IN200100UV01[@ITSVersion='XML_1.0'][@xsi:schemaLocation='urn:hl7-org:v3 MCCI_IN200100UV01.xsd']/PORR_IN049016UV[r]/controlActProcess[@classCode='CACT'][@moodCode='EVN']/subject[@typeCode='SUBJ'][1]/investigationEvent[@classCode='INVSTG'][@moodCode='EVN']/component[@typeCode='COMP'][adverseEventAssessment][1]/adverseE	Yes	G.k.4.r.9.1 = Data will be outputted to the Structured field. If "Unknown" or "unknown" or "UNKNOWN" then NullFlavour 'UNK'.
PRODUCT	**Other**	HCP	Widget Type: Free text entry	report.patient.products[].dosages[].form	n/a		No	No	G.k.4.r.9.1 Pharmaceutical Dose Form (free text) (60 AN)	n/a	Value : /MCCI_IN200100UV01[@ITSVersion='XML_1.0'][@xsi:schemaLocation='urn:hl7-org:v3 MCCI_IN200100UV01.xsd']/PORR_IN049016UV[r]/controlActProcess[@classCode='CACT'][@moodCode='EVN']/subject[@typeCode='SUBJ'][1]/investigationEvent[@classCode='INVSTG'][@moodCode='EVN']/component[@typeCode='COMP'][adverseEventAssessment][1]/adverseEventAssessment[@classCode='INVSTG'][@moodCode='EVN']/subject1[@typeCode='SBJ'][1]/primaryRole[@classCode='INVSBJ']/subjectOf2[@typeCode='SBJ'][organizer/code[@code='4'][@codeSystem='2.16.840.1.113883.3.989.2.1.1.20'][1]/organizer[@classCode='CATEGORY'][@moodCode='EVN']/component[@typeCode='COMP'][substanceAdministration/id][k]/substanceAdministration[@classCode='SBADM'][@moodCode='EVN']/outboundRelationship2[@typeCode='COMP'][substanceAdministration][r]/substanceAdministration[@classCode='SBADM'][@moodCode='EVN']/consumable[@typeCode='CSM'][1]/instanceOfKind[@classCode='INST']/kindOfProduct[@classCode='MMAT'][@determinerCode='KIND']/formCode[@codeSystem='TBD-DoseForm']/originalText/text() NullFlavor : /MCCI_IN200100UV01[@ITSVersion='XML_1.0'][@xsi:schemaLocation='urn:hl7-org:v3 MCCI_IN200100UV01.xsd']/PORR_IN049016UV[r]/controlActProcess[@classCode='CACT'][@moodCode='EVN']/subject[@typeCode='SUBJ'][1]/investigationEvent[@classCode='INVSTG'][@moodCode='EVN']/component[@typeCode='COMP'][adverseEventAssessment][1]/adverseE	Yes	G.k.4.r.9.1 = Data will be outputted to the Structured field. If "Unknown" or "unknown" or "UNKNOWN" then NullFlavour 'UNK'.

Field descriptions (Configured in Journey) (field labels, triggering logic and options available per reporter/report categories may differ; please refer to REQ_157 A11a for the full logic)				DIF Schema (Mapping configured in Journey)			Export Profile and Redaction (Configurable)		E2B-R3 Related Output Logic (Hard coded in product/ non-configurable)				
Page	**FIELD DESCRIPTION (labels subject to configuration accurate at time of writing)**	**Branch Applicable**	**FIELD TYPE**	**DIF Path**	**Associated DIF Path**	**DIF Enums Applicable**	**Export Profile Setting Associated**	**Redaction Possible**	**E2B Group / Element**	**Associated E2B Element(s)**	**E2B Xpaths**	**Null Flavour Supported**	**Business Logic**
PRODUCT	**Administration route of dose**	HCP	Widget Type: dropdown	products[].dosages[].administration_route	n/a	(refer to CCS A11 for the list of RoA options)	No	No	G.k.4.r.10.1 Route of Administration (free text) (60 AN)	n/a	Value : /MCCI_IN200100UV01[@ITSVersion='XML_1.0'][@xsi:schemaLocation='urn:hl7-org:v3 MCCI_IN200100UV01.xsd']/PORR_IN049016UV[r]/controlActProcess[@classCode='CACT'][@moodCode='EVN']/subject[@typeCode='SUBJ'][1]/investigationEvent[@classCode='INVSTG'][@moodCode='EVN']/component[@typeCode='COMP'][adverseEventAssessment][1]/adverseEventAssessment[@classCode='INVSTG'][@moodCode='EVN']/subject1[@typeCode='SBJ'][1]/primaryRole[@classCode='INVSBJ']/subjectOf2[@typeCode='SBJ'][organizer/code[@code='4'][@codeSystem='2.16.840.1.113883.3.989.2.1.1.20']][1]/organizer[@classCode='CATEGORY'][@moodCode='EVN']/component[@typeCode='COMP'][substanceAdministration/id][k]/substanceAdministration[@classCode='SBADM'][@moodCode='EVN']/outboundRelationship2[@typeCode='COMP'][substanceAdministration][r]/substanceAdministration[@classCode='SBADM'][@moodCode='EVN']/routeCode[@codeSystem='2.16.840.1.113883.3.989.2.1.1.14']/originalText/text() NullFlavor : /MCCI_IN200100UV01[@ITSVersion='XML_1.0'][@xsi:schemaLocation='urn:hl7-org:v3 MCCI_IN200100UV01.xsd']/PORR_IN049016UV[r]/controlActProcess[@classCode='CACT'][@moodCode='EVN']/subject[@typeCode='SUBJ'][1]/investigationEvent[@classCode='INVSTG'][@moodCode='EVN']/component[@typeCode='COMP'][adverseEventAssessment][1]/adverseEventAssessment[@classCode='INVSTG'][@moodCode='EVN']/subject1[@typeCode='SBJ'][1]/primaryRole[@classCode='INVSBJ']/subjectOf2[	No	If Route of Administration (RoA) option chosen or typed matches Reportum pre-defined list then: G.k.4.r.10.1 = RoA option chosen or typed H.1=Data will be outputted to the narrative section once per batch under the Products information in the format: (A) (B) (Expiry date: C) Dates for (Start: D Stop: E) Administration route: F Where: A is the product name B is the batch number C is the expiry date in format DD MMM YYYY, If blank then Unspecified, if unkown then Unknown D is the product start date in format DD MMM YYYY, If blank then Unspecified, if Unknown then Unknown E is the Product stop date in format DD MMM YYYY, If blank then Unspecified, if unknown then Unknown, if ongoing then Ongoing F is the Administration route chosen or typed. If blank then Unspecified
PRODUCT	**Other**	HCP	Widget Type: Free text entry	products[].dosages[].administration_route	n/a	n/a	No	No	G.k.4.r.10.1 Route of Administration (free text) (60 AN)	n/a	Value : /MCCI_IN200100UV01[@ITSVersion='XML_1.0'][@xsi:schemaLocation='urn:hl7-org:v3 MCCI_IN200100UV01.xsd']/PORR_IN049016UV[r]/controlActProcess[@classCode='CACT'][@moodCode='EVN']/subject[@typeCode='SUBJ'][1]/investigationEvent[@classCode='INVSTG'][@moodCode='EVN']/component[@typeCode='COMP'][adverseEventAssessment][1]/adverseEventAssessment[@classCode='INVSTG'][@moodCode='EVN']/subject1[@typeCode='SBJ'][1]/primaryRole[@classCode='INVSBJ']/subjectOf2[@typeCode='SBJ'][organizer/code[@code='4'][@codeSystem='2.16.840.1.113883.3.989.2.1.1.20']][1]/organizer[@classCode='CATEGORY'][@moodCode='EVN']/component[@typeCode='COMP'][substanceAdministration/id][k]/substanceAdministration[@classCode='SBADM'][@moodCode='EVN']/outboundRelationship2[@typeCode='COMP'][substanceAdministration][r]/substanceAdministration[@classCode='SBADM'][@moodCode='EVN']/routeCode[@codeSystem='2.16.840.1.113883.3.989.2.1.1.14']/originalText/text() NullFlavor : /MCCI_IN200100UV01[@ITSVersion='XML_1.0'][@xsi:schemaLocation='urn:hl7-org:v3 MCCI_IN200100UV01.xsd']/PORR_IN049016UV[r]/controlActProcess[@classCode='CACT'][@moodCode='EVN']/subject[@typeCode='SUBJ'][1]/investigationEvent[@classCode='INVSTG'][@moodCode='EVN']/component[@typeCode='COMP'][adverseEventAssessment][1]/adverseEventAssessment[@classCode='INVSTG'][@moodCode='EVN']/subject1[@typeCode='SBJ'][1]/primaryRole[@classCode='INVSBJ']/subjectOf2[	No	If Route of Administration (RoA) option chosen or typed matches Reportum pre-defined list then: G.k.4.r.10.1 = RoA option chosen or typed H.1=Data will be outputted to the narrative section once per batch under the Products information in the format: (A) (B) (Expiry date: C) Dates for (Start: D Stop: E) Administration route: F Where: A is the product name B is the batch number C is the expiry date in format DD MMM YYYY, If blank then Unspecified, if unkown then Unknown D is the product start date in format DD MMM YYYY, If blank then Unspecified, if Unknown then Unknown E is the Product stop date in format DD MMM YYYY, If blank then Unspecified, if unknown then Unknown, if ongoing then Ongoing F is the Administration route chosen or typed. If blank then Unspecified
PRODUCT	**Dosage**	Patient Friend HCP	Widget Type: Free text entry	report.patient.products[].dosages[].additional_info	n/a	n/a	No	No	G.k.4.r.8 Dosage Text (2000AN)	n/a	/MCCI_IN200100UV01[@ITSVersion='XML_1.0'][@xsi:schemaLocation='urn:hl7-org:v3 MCCI_IN200100UV01.xsd']/PORR_IN049016UV[r]/controlActProcess[@classCode='CACT'][@moodCode='EVN']/subject[@typeCode='SUBJ'][1]/investigationEvent[@classCode='INVSTG'][@moodCode='EVN']/component[@typeCode='COMP'][adverseEventAssessment][1]/adverseEventAssessment[@classCode='INVSTG'][@moodCode='EVN']/subject1[@typeCode='SBJ'][1]/primaryRole[@classCode='INVSBJ']/subjectOf2[@typeCode='SBJ'][organizer/code[@code='4'][@codeSystem='2.16.840.1.113883.3.989.2.1.1.20']][1]/organizer[@classCode='CATEGORY'][@moodCode='EVN']/component[@typeCode='COMP'][substanceAdministration/id][k]/substanceAdministration[@classCode='SBADM'][@moodCode='EVN']/outboundRelationship2[@typeCode='COMP'][substanceAdministration][r]/substanceAdministration[@classCode='SBADM'][@moodCode='EVN']/text/text()	N/A	G.k.4.r.8 = Data will be outputted to the structured field.

Field descriptions (Configured in Journey) (field labels, triggering logic and options available per reporter/report categories may differ; please refer to REQ_157 A11a for the full logic)				DIF Schema (Mapping configured in Journey)			Export Profile and Redaction (Configurable)		E2B-R3 Related Output Logic (Hard coded in product/ non-configurable)				
Page	**FIELD DESCRIPTION (labels subject to configuration accurate at time of writing)**	**Branch Applicable**	**FIELD TYPE**	**DIF Path**	**Associated DIF Path**	**DIF Enums Applicable**	**Export Profile Setting Associated**	**Redaction Possible**	**E2B Group / Element**	**Associated E2B Element(s)**	**E2B Xpaths**	**Null Flavour Supported**	**Business Logic**
PRODUCT	**What was the action taken for the drug due to the event?**	Patient Friend HCP	Widget Type: dropdown	report.patient.products[]..action_taken	n/a	Label: No change Value: no_change Label: Dose decreased Value: decreased Label: Dose increased Value: increased Label: Withdrawn Value: stopped_completely Label: Unknown Value: unknown Label: Not applicable Value: not_applicable Label: Suspended/Interrupted Value: temporarily_discontinued	e2b_r3.dose_chaged_defaults	No	G.k.8 Action(s) Taken with Drug (1N)	n/a	Value : /MCCI_IN200100UV01[@ITSVersion='XML_1.0'][@xsi:schemaLocation='urn:hl7-org:v3 MCCI_IN200100UV01.xsd']/PORR_IN049016UV[r]/controlActProcess[@classCode='CACT'][@moodCode='EVN']/subject[@typeCode='SUBJ'][1]/investigationEvent[@classCode='INVSTG'][@moodCode='EVN']/component[@typeCode='COMP'][adverseEventAssessment[1]/adverseEventAssessment[@classCode='INVSTG'][@moodCode='EVN']/subject1[@typeCode='SBJ'][1]/primaryRole[@classCode='INVSBJ']/subjectOf2[@typeCode='SBJ'][organizer/code[@code='4'][@codeSystem='2.16.840.1.113883.3.989.2.1.1.20'][1]/organizer[@classCode='CATEGORY'][@moodCode='EVN']/component[@typeCode='COMP'][substanceAdministration/id][k]/substanceAdministration[@classCode='SBADM'][@moodCode='EVN']/inboundRelationship[@typeCode='CAUS'][act/code[@codeSystem='2.16.840.1.113883.3.989.2.1.1.15'][1]/act[@classCode='ACT'][@moodCode='EVN']/code[@codeSystem='2.16.840.1.113883.3.989.2.1.1.15']/@code Code Version: /MCCI_IN200100UV01[@ITSVersion='XML_1.0'][@xsi:schemaLocation='urn:hl7-org:v3 MCCI_IN200100UV01.xsd']/PORR_IN049016UV[r]/controlActProcess[@classCode='CACT'][@moodCode='EVN']/subject[@typeCode='SUBJ'][1]/investigationEvent[@classCode='INVSTG'][@moodCode='EVN']/component[@typeCode='COMP'][adverseEventAssessment[1]/adverseEventAssessment[@classCode='INVSTG'][@moodCode='EVN']/subject1[@typeCode='SBJ'][1]/primaryRole[@classCode='INVSBJ']/subjectOf2[@typeCode='SBJ'][organizer/code[@code='4'][@codeSystem='2.16.84	N/A	if temporarily_discontinued, then G.k.8 =1 and H.1 = '<Product name>: Drug withdrawn)' if stopped_completely, then G.k.8 =1 and H.1 = '<Product name>: Drug Discontinued)' if previously_discontinued, then G.k.8 =1 and H.1 = '<Product name>: Previously discontinued/Treatment completed)' if dose_return_stopped_completely, then G.k.8 =1 and H.1 = '<Product name>: Dose return stopped completely)' if decreased, then G.k.8 =2 if increased, then G.k.8 =3 if no_change, then G.k.8 =4 if unknown, then G.k.8 =0 and H.1 = '<Product name>: unknown)' if not_available, then G.k.8 =0 and H.1 = '<Product name>: Not available)' if not_provided, then G.k.8 =0 and H.1 = '<Product name>: Not provided)' if not_applicable, then G.k.8 =9
PRODUCT	**You may take a photo of the product packaging, including batch / lot number information.**	Patient Friend HCP	Widget Type: Attachment	report.attachments.{original | redacted}.file_type	n/a	n/a	No	No	C.1.6.1.r.2: Included Documents (attribute, 'mediaType')	n/a	/MCCI_IN200100UV01[@ITSVersion='XML_1.0'][@xsi:schemaLocation='urn:hl7-org:v3 MCCI_IN200100UV01.xsd']/PORR_IN049016UV[r]/controlActProcess[@classCode='CACT'][@moodCode='EVN']/subject[@typeCode='SUBJ'][1]/investigationEvent[@classCode='INVSTG'][@moodCode='EVN']/reference[@typeCode='REFR'][document/code[@code='1'][@codeSystem='2.16.840.1.113883.3.989.2.1.1.27'][r]/document[@classCode='DOC'][@moodCode='EVN']/text/text()	No	Based on the file extension, a corresponding MIME Type will be assigned from the application type library.
EFFECT	**What are the patient's symptoms?**	Patient Friend HCP	Widget Type: MedDRA + Free text entry	report.patient.adverse_events[].event.meddra_term	report.patient.adverse_events[].event.meddra_code report.patient.adverse_events[].event.meddra_version	n/a	No	No	E.i.1.2 Reaction / Event as Reported by the Primary Source for Translation (250AN)	E.i.2.1b - Reaction / Event (MedDRA code) (8N) E.i.2.1a - MedDRA Version for Reaction / Event (4AN)	/MCCI_IN200100UV01[@ITSVersion='XML_1.0'][@xsi:schemaLocation='urn:hl7-org:v3 MCCI_IN200100UV01.xsd']/PORR_IN049016UV[r]/controlActProcess[@classCode='CACT'][@moodCode='EVN']/subject[@typeCode='SUBJ'][1]/investigationEvent[@classCode='INVSTG'][@moodCode='EVN']/component[@typeCode='COMP'][adverseEventAssessment[1]/adverseEventAssessment[@classCode='INVSTG'][@moodCode='EVN']/subject1[@typeCode='SBJ'][1]/primaryRole[@classCode='INVSBJ']/subjectOf2[@typeCode='SBJ'][observation[id][code[@code='29'][@codeSystem='2.16.840.1.113883.3.989.2.1.1.19']][i]/observation[@classCode='OBS'][@moodCode='EVN']/outboundRelationship2[@typeCode='PERT'][observation/code[@code='30'][@codeSystem='2.16.840.1.113883.3.989.2.1.1.19'][1]/observation[@classCode='OBS'][@moodCode='EVN']/value[@xsi:type='ED'][1]/text() /MCCI_IN200100UV01[@ITSVersion='XML_1.0'][@xsi:schemaLocation='urn:hl7-org:v3 MCCI_IN200100UV01.xsd']/PORR_IN049016UV[r]/controlActProcess[@classCode='CACT'][@moodCode='EVN']/subject[@typeCode='SUBJ'][1]/investigationEvent[@classCode='INVSTG'][@moodCode='EVN']/component[@typeCode='COMP'][adverseEventAssessment[1]/adverseEventAssessment[@classCode='INVSTG'][@moodCode='EVN']/subject1[@typeCode='SBJ'][1]/primaryRole[@classCode='INVSBJ']/subjectOf2[@typeCode='SBJ'][observation[id][code[@code='29'][@codeSystem='2.16.840.1.113883.3.989.2.1.1.19']][i]/observation[@classCode='OBS'][@moodCode='EVN']/value[@xsi:type='CE'][@codeSystem='2.16.840.1.113883.6.163'][1]/@codeSystemVersion	N/A	-When the user enters a Coded Term or selects "No Adverse Event" which is encoded by the MedDRA dictionary, then meddra_term = E.i.1.2 - set to the text value chosen/entered by the user meddra_version = E.i.2.1a - Set version of MedDRA Dictionary. (Application should always consider the highest MedDRA version available on the system to encode and same version number should be the output for the tag.) meddra_code = E.i.2.1b - set LLT code of the MedDRA term selected. -When the user enters a free text (Verbatim) which is not encoded by the MedDRA dictionary. term = E.i.1.2 - set to the text value chosen/entered by the user Translation workflow logic: For the country where "translation" is applied, a description during "ingestion review" and "quality review" is outputted to E.i.1.1a (and E.i.1.1b) and a description after "translation" is outputted to E.i.1.2.

© Qinecsa Solutions 2026 | Confidential. Do not copy without permission.

Field descriptions (Configured in Journey) (field labels, triggering logic and options available per reporter/report categories may differ; please refer to REQ_157 A11a for the full logic)				DIF Schema (Mapping configured in Journey)			Export Profile and Redaction (Configurable)		E2B-R3 Related Output Logic (Hard coded in product/ non-configurable)				
Page	**FIELD DESCRIPTION (labels subject to configuration accurate at time of writing)**	**Branch Applicable**	**FIELD TYPE**	**DIF Path**	**Associated DIF Path**	**DIF Enums Applicable**	**Export Profile Setting Associated**	**Redaction Possible**	**E2B Group / Element**	**Associated E2B Element(s)**	**E2B Xpaths**	**Null Flavour Supported**	**Business Logic**
EFFECT	**What date did they first/last experience their symptoms?**	Patient Friend HCP	WidgetType: Date picker + Radio button Options: unknown	report.patient.adverse_events[].dates.start	n/a	n/a	No	No	E.i.4 Date of Start of Reaction / Event (Date / Time)	n/a	When all the elements E.i.4, E.i.5, and E.i.6 do not appear: Value : /MCCI_IN200100UV01[@ITSVersion='XML_1.0'][@xsi:schemaLocation='urn:hl7-org:v3 MCCI_IN200100UV01.xsd']/PORR_IN049016UV[r]/controlActProcess[@classCode='CACT'][@moodCode='EVN']/subject[@typeCode='SUBJ'][1]/investigationEvent[@classCode='INVSTG'][@moodCode='EVN']/component[@typeCode='COMP'][adverseEventAssessment][1]/adverseEventAssessment[@classCode='INVSTG'][@moodCode='EVN']/subject1[@typeCode='SBJ'][1]/primaryRole[@classCode='INVSBJ']/subjectOf2[@typeCode='SBJ'][observation[id][code[@code='29'][@codeSystem='2.16.840.1.113883.3.989.2.1.1.19']][i]/observation[@classCode='OBS'][@moodCode='EVN']/effectiveTime[@xsi:type='IVL_TS']/low/@value When all the elements E.i.4, E.i.5, and E.i.6 do not appear: NullFlavor : /MCCI_IN200100UV01[@ITSVersion='XML_1.0'][@xsi:schemaLocation='urn:hl7-org:v3 MCCI_IN200100UV01.xsd']/PORR_IN049016UV[r]/controlActProcess[@classCode='CACT'][@moodCode='EVN']/subject[@typeCode='SUBJ'][1]/investigationEvent[@classCode='INVSTG'][@moodCode='EVN']/component[@typeCode='COMP'][adverseEventAssessment][1]/adverseEventAssessment[@classCode='INVSTG'][@moodCode='EVN']/subject1[@typeCode='SBJ'][1]/primaryRole[@classCode='INVSBJ']/subjectOf2[@typeCode='SBJ'][observation[id][code[@code='29'][@codeSystem='2.16.840.1.113883.3.989.2.1.1.19']][i]/observation[@classCode='OBS'][@moodCode='EVN']/effectiveTime[@xsi:type='IVL_TS']/low/@nullFlavor	Yes	Minimum precision required is the year (i.e. 'CCYY'). E.i.4= Data will be outputted to the structured field. If Unknown selected: then nullFlavor: ASKU If Blank: then No output Future Date is not allowed
EFFECT	**When did you first / last experience your symptoms? (LAST)**	Patient Friend HCP	WidgetType: Date picker + Radio button Options: unknown Ongoing	report.patient.adverse_events[].dates.end	n/a	n/a	No	No	E.i.5 Date of End of Reaction / Event (Date / Time)	n/a	When all the elements E.i.4, E.i.5, and E.i.6 do not appear : Value : /MCCI_IN200100UV01[@ITSVersion='XML_1.0'][@xsi:schemaLocation='urn:hl7-org:v3 MCCI_IN200100UV01.xsd']/PORR_IN049016UV[r]/controlActProcess[@classCode='CACT'][@moodCode='EVN']/subject[@typeCode='SUBJ'][1]/investigationEvent[@classCode='INVSTG'][@moodCode='EVN']/component[@typeCode='COMP'][adverseEventAssessment][1]/adverseEventAssessment[@classCode='INVSTG'][@moodCode='EVN']/subject1[@typeCode='SBJ'][1]/primaryRole[@classCode='INVSBJ']/subjectOf2[@typeCode='SBJ'][observation[id][code[@code='29'][@codeSystem='2.16.840.1.113883.3.989.2.1.1.19']][i]/observation[@classCode='OBS'][@moodCode='EVN']/effectiveTime[@xsi:type='IVL_TS']/high/@value When all the elements E.i.4, E.i.5, and E.i.6 do not appear : NullFlavor : /MCCI_IN200100UV01[@ITSVersion='XML_1.0'][@xsi:schemaLocation='urn:hl7-org:v3 MCCI_IN200100UV01.xsd']/PORR_IN049016UV[r]/controlActProcess[@classCode='CACT'][@moodCode='EVN']/subject[@typeCode='SUBJ'][1]/investigationEvent[@classCode='INVSTG'][@moodCode='EVN']/component[@typeCode='COMP'][adverseEventAssessment][1]/adverseEventAssessment[@classCode='INVSTG'][@moodCode='EVN']/subject1[@typeCode='SBJ'][1]/primaryRole[@classCode='INVSBJ']/subjectOf2[@typeCode='SBJ'][observation[id][code[@code='29'][@codeSystem='2.16.840.1.113883.3.989.2.1.1.19']][i]/observation[@classCode='OBS'][@moodCode='EVN']/effectiveTime[@xsi:type='IVL_TS']/high/@nullFlavor	Yes	Minimum precision required is the year (i.e. 'CCYY'). E.i.5= Data will be outputted to the structured field. If Unknown selected: then nullFlavor: ASKU If Blank: then No output Future Date is not allowed If ONGOING Then H.1 Data will be outputted to the narrative section under the events information. Multiple events can exist. Each event information should be grouped together in an order. - Start date is left blank and Stop Date is Ongoing: Dates for <select adverse event>: (From: Unspecified To: Ongoing) - Start date is Unknown and Stop Date is Ongoing: Dates for <select adverse event>: (From: Unknown To: Ongoing) - Start date is populated and Stop Date is Ongoing: Dates for <select adverse event>: (From: DD MMM YYYY To: Ongoing)
EFFECT	**Were the symptoms treated?**	Patient Friend HCP	Widget Type: Radio buttons Options: 1.Yes 2. No	report.additional_context_options[]	n/a	n/a	No	No	H.1 Case narrative - (100000AN)	n/a	/MCCI_IN200100UV01[@ITSVersion='XML_1.0'][@xsi:schemaLocation='urn:hl7-org:v3 MCCI_IN200100UV01.xsd']/PORR_IN049016UV[r]/controlActProcess[@classCode='CACT'][@moodCode='EVN']/subject[@typeCode='SUBJ'][1]/investigationEvent[@classCode='INVSTG'][@moodCode='EVN']/text/text()	No	H.1=Data will be outputted to the narrative section. <form_label> : <value entered>
EFFECT	**Were the symptoms treated? (other)**	Patient Friend HCP	Widget Type: Area, Free text entry	report.patient.adverse_events[].treatment_provided_text	n/a	n/a	No	No	H.1 Case narrative - (100000AN)	n/a	/MCCI_IN200100UV01[@ITSVersion='XML_1.0'][@xsi:schemaLocation='urn:hl7-org:v3 MCCI_IN200100UV01.xsd']/PORR_IN049016UV[r]/controlActProcess[@classCode='CACT'][@moodCode='EVN']/subject[@typeCode='SUBJ'][1]/investigationEvent[@classCode='INVSTG'][@moodCode='EVN']/text/text()	N/A	H.1=Data will be outputted to the narrative section under the events information. Multiple events can exist. Each event information should be grouped together in an order. <form_label> : <value entered> Example: Treatment provided : Pain Killer
EFFECT	**What were the dates of hospitalization? (START)**	Patient Friend HCP	WidgetType: Date picker + Radio button Options: unknown	report.patient.adverse_events[].hospitalisation_dates.start	n/a		No	No	H.1 Case narrative - (100000AN)	n/a	/MCCI_IN200100UV01[@ITSVersion='XML_1.0'][@xsi:schemaLocation='urn:hl7-org:v3 MCCI_IN200100UV01.xsd']/PORR_IN049016UV[r]/controlActProcess[@classCode='CACT'][@moodCode='EVN']/subject[@typeCode='SUBJ'][1]/investigationEvent[@classCode='INVSTG'][@moodCode='EVN']/text/text()	N/A	See Narrative Configuration

© Qinecsa Solutions 2026 | Confidential. Do not copy without permission.

Field descriptions (Configured in Journey) (field labels, triggering logic and options available per reporter/report categories may differ; please refer to REQ_157 A11a for the full logic)				DIF Schema (Mapping configured in Journey)			Export Profile and Redaction (Configurable)		E2B-R3 Related Output Logic (Hard coded in product/ non-configurable)				
Page	**FIELD DESCRIPTION (labels subject to configuration accurate at time of writing)**	**Branch Applicable**	**FIELD TYPE**	**DIF Path**	**Associated DIF Path**	**DIF Enums Applicable**	**Export Profile Setting Associated**	**Redaction Possible**	**E2B Group / Element**	**Associated E2B Element(s)**	**E2B Xpaths**	**Null Flavour Supported**	**Business Logic**
EFFECT	**What were the dates of hospitalization? (END)**	Patient Friend HCP	WidgetType: Date picker + Radio button Options: unknown Ongoing	report.patient.adverse_events[].hospitalisation_dates.end	n/a		No	No	H.1 Case narrative - (100000AN)	n/a	/MCCI_IN200100UV01[@ITSVersion='XML_1.0'][@xsi:schemaLocation='urn:hl7-org:v3 MCCI_IN200100UV01.xsd']/PORR_IN049016UV[r]/controlActProcess[@classCode='CACT'][@moodCode='EVN']/subject[@typeCode='SUBJ'][1]/investigationEvent[@classCode='INVSTG'][@moodCode='EVN']/text/text()	N/A	H.1 = Data will be outputted to the narrative section under the events information. Multiple events can exist. Each event information should be grouped together in an order. If value entered then, <form_label> : <value entered> Example: Hospitalization End Dates : <value entered> If no data entered, then no output. if unknown, then Hospitalization Dates : unknown If Ongoing, then H.1 Case Narrative Output - Start Date is left blank and End Date is Ongoing Hospitalized Dates: (Start: Unspecified Stop: Ongoing) - Start Date is unknown and End Date is Ongoing Hospitalized Dates: (Start: Unknown Stop: Ongoing) - Start Date is populated and End Date is Ongoing Hospitalized Dates: (Start: DD MMM YYYY Stop: Ongoing)
EFFECT	**How serious were the patient's symptoms?**	Patient Friend HCP	Widget Type: Check box buttons Options: 1. The event was not serious	report.patient.adverse_events[].seriousness[]	(if seriousness 'death') report.patient.adverse_events[].outcome.latest_outcome	Options: 1.not_serious	No	No	E.i.3.2 Seriousness Criteria at Event Level	E.i.3.2a Results in Death (Boolean) E.i.3.2b Life Threatening (Boolean) E.i.3.2c Caused / Prolonged Hospitalisation (Boolean) E.i.3.2d Disabling / Incapacitating (Boolean) E.i.3.2e Congenital Anomaly / Birth Defect (Boolean) E.i.3.2f Other Medically Important Condition (Boolean) E.i.7 Outcome of Reaction / Event at the Time of Last Observation (1N)	"/MCCI_IN200100UV01[@ITSVersion='XML_1.0'][@xsi:schemaLocation='urn:hl7-org:v3 MCCI_IN200100UV01.xsd']/PORR_IN049016UV[r]/controlActProcess[@classCode='CACT'][@moodCode='EVN']/subject[@typeCode='SUBJ'][1]/investigationEvent[@classCode='INVSTG'][@moodCode='EVN']/component[@typeCode='COMP'][adverseEventAssessment][1]/adverseEventAssessment[@classCode='INVSTG'][@moodCode='EVN']/subject1[@typeCode='SBJ'][1]/primaryRole[@classCode='INVSBJ']/subjectOf2[@typeCode='SBJ'][observation[id][code[@code='29'][@codeSystem='2.16.840.1.113883.3.989.2.1.1.19']][i]/observation[@classCode='OBS'][@moodCode='EVN']/outboundRelationship2[@typeCode='PERT'][observation/code[@code='34'][@codeSystem='2.16.840.1.113883.3.989.2.1.1.19']][1]/observation[@classCode='OBS'][@moodCode='EVN']/value[@xsi:type='BL'][1]/@value /MCCI_IN200100UV01[@ITSVersion='XML_1.0'][@xsi:schemaLocation='urn:hl7-org:v3 MCCI_IN200100UV01.xsd']/PORR_IN049016UV[r]/controlActProcess[@classCode='CACT'][@moodCode='EVN']/subject[@typeCode='SUBJ'][1]/investigationEvent[@classCode='INVSTG'][@moodCode='EVN']/component[@typeCode='COMP'][adverseEventAssessment][1]/adverseEventAssessment[@classCode='INVSTG'][@moodCode='EVN']/subject1[@typeCode='SBJ'][1]/primaryRole[@classCode='INVSBJ']/subjectOf2[@typeCode='SBJ'][observation[id][code[@code='29'][@codeSystem='2.16.840.1.113883.3.989.2.1.1.19']][i]/observation[@classCode='OBS'][@moodCode='EVN']/outboundRelationship2[@typeCode='PERT'][observation/code[@code='21'][@codeSystem='2.16.840.1.113883.3.989.2.1.1.19']][1]/observation[@classCode='OBS'][@moodCode='EVN']/val	Yes	Tag E.i.3.2a to E.i.3.2f will always be grouped together. Allowed value is "True" or NullFlavor "NI" (No information)" If tag is available then outputted value will be "True". If tag is not available then outputted value will be "NI". if medically_significant, E.i.3.2f = "True" will be outputted to the Structure field. if hospitalisation, E.i.3.2c = "True" will be outputted to the Structure field. if life_threatening, E.i.3.2b = "True" will be outputted to the Structure field. if death, E.i.3.2a = "True" will be outputted to the Structure field and E.i.7 = 5 (fatal) if congenital_anomaly, E.i.3.2e = "True" will be outputted to the Structure field." if disabling OR persistent_disability, E.i.3.2d = "True" will be outputted to the Structure field.
EFFECT	**How serious were the patient's symptoms?**	Patient **Friend** **HCP**	**Widget Type:** Check box buttons **Options:** 1. Medical intervention required 2. Hospitalization required 3. Life threatening 4. Persistent/significant disability 5. Congenital anomaly/birth defect 6.Medically significant **7. Death** (The options highlighted in bold will on appear on the Friend, HCP branches)	report.patient.adverse_events[].seriousness[]	(if seriousness 'death') report.patient.adverse_events[].outcome.latest_outcome	Options: 1.intervention_required 2. hospitalisation 3. life_threatening 4. persistent_disability 5. congenital_anomaly 6. medically_significant **7. death**	No	No	E.i.3.2 Seriousness Criteria at Event Level	E.i.3.2a Results in Death (Boolean) E.i.3.2b Life Threatening (Boolean) E.i.3.2c Caused / Prolonged Hospitalisation (Boolean) E.i.3.2d Disabling / Incapacitating (Boolean) E.i.3.2e Congenital Anomaly / Birth Defect (Boolean) E.i.3.2f Other Medically Important Condition (Boolean) E.i.7 Outcome of Reaction / Event at the Time of Last Observation (1N)	"/MCCI_IN200100UV01[@ITSVersion='XML_1.0'][@xsi:schemaLocation='urn:hl7-org:v3 MCCI_IN200100UV01.xsd']/PORR_IN049016UV[r]/controlActProcess[@classCode='CACT'][@moodCode='EVN']/subject[@typeCode='SUBJ'][1]/investigationEvent[@classCode='INVSTG'][@moodCode='EVN']/component[@typeCode='COMP'][adverseEventAssessment][1]/adverseEventAssessment[@classCode='INVSTG'][@moodCode='EVN']/subject1[@typeCode='SBJ'][1]/primaryRole[@classCode='INVSBJ']/subjectOf2[@typeCode='SBJ'][observation[id][code[@code='29'][@codeSystem='2.16.840.1.113883.3.989.2.1.1.19']][i]/observation[@classCode='OBS'][@moodCode='EVN']/outboundRelationship2[@typeCode='PERT'][observation/code[@code='34'][@codeSystem='2.16.840.1.113883.3.989.2.1.1.19']][1]/observation[@classCode='OBS'][@moodCode='EVN']/value[@xsi:type='BL'][1]/@value /MCCI_IN200100UV01[@ITSVersion='XML_1.0'][@xsi:schemaLocation='urn:hl7-org:v3 MCCI_IN200100UV01.xsd']/PORR_IN049016UV[r]/controlActProcess[@classCode='CACT'][@moodCode='EVN']/subject[@typeCode='SUBJ'][1]/investigationEvent[@classCode='INVSTG'][@moodCode='EVN']/component[@typeCode='COMP'][adverseEventAssessment][1]/adverseEventAssessment[@classCode='INVSTG'][@moodCode='EVN']/subject1[@typeCode='SBJ'][1]/primaryRole[@classCode='INVSBJ']/subjectOf2[@typeCode='SBJ'][observation[id][code[@code='29'][@codeSystem='2.16.840.1.113883.3.989.2.1.1.19']][i]/observation[@classCode='OBS'][@moodCode='EVN']/outboundRelationship2[@typeCode='PERT'][observation/code[@code='21'][@codeSystem='2.16.840.1.113883.3.989.2.1.1.19']][1]/observation[@classCode='OBS'][@moodCode='EVN']/val	Yes	Tag E.i.3.2a to E.i.3.2f will always be grouped together. Allowed value is "True" or NullFlavor "NI" (No information)" If tag is available then outputted value will be "True". If tag is not available then outputted value will be "NI". if medically_significant, E.i.3.2f = "True" will be outputted to the Structure field. if hospitalisation, E.i.3.2c = "True" will be outputted to the Structure field. if life_threatening, E.i.3.2b = "True" will be outputted to the Structure field. if death, E.i.3.2a = "True" will be outputted to the Structure field and E.i.7 = 5 (fatal) if congenital_anomaly, E.i.3.2e = "True" will be outputted to the Structure field." if disabling OR persistent_disability, E.i.3.2d = "True" will be outputted to the Structure field.

© Qinecsa Solutions 2026 | Confidential. Do not copy without permission.

Field descriptions (Configured in Journey) (field labels, triggering logic and options available per reporter/report categories may differ; please refer to REQ_157 A11a for the full logic)				DIF Schema (Mapping configured in Journey)			Export Profile and Redaction (Configurable)		E2B-R3 Related Output Logic (Hard coded in product/ non-configurable)				
Page	**FIELD DESCRIPTION (labels subject to configuration accurate at time of writing)**	**Branch Applicable**	**FIELD TYPE**	**DIF Path**	**Associated DIF Path**	**DIF Enums Applicable**	**Export Profile Setting Associated**	**Redaction Possible**	**E2B Group / Element**	**Associated E2B Element(s)**	**E2B Xpaths**	**Null Flavour Supported**	**Business Logic**
EFFECT	**What was the outcome of the event?**	Patient Friend HCP	Widget Type: Radio buttons Options: 1)Recovered completely 2)Recovered with lasting effects 3)Improved 4) Persisting	report.patient.adverse_events[].outcome.latest_outcome	n/a	Options: 1) recovered-completely 2)recovered-lasting 3)improved 4)persisting	No	No	E.i.7 Outcome of Reaction / Event at the Time of Last Observation (1N)	n/a	Outcome of Reaction / Event at the Time of Last Observation: Coded With Equivalents (CE) : code=Character String (ST) : /MCCI_IN200100UV01[@ITSVersion='XML_1.0'][@xsi:schemaLocation='urn:hl7-org:v3 MCCI_IN200100UV01.xsd')/PORR_IN049016UV[r]/controlActProcess[@classCode='CACT'][@moodCode='EVN']/subject[@typeCode='SUBJ'][1]/investigationEvent[@classCode='INVSTG'][@moodCode='EVN']/component[@typeCode='COMP'][adverseEventAssessment][1]/adverseEventAssessment[@classCode='INVSTG'][@moodCode='EVN']/subject1[@typeCode='SBJ'][1]/primaryRole[@classCode='INVSBJ']/subjectOf2[@typeCode='SBJ'][observation[id][code[@code='29'][@codeSystem='2.16.840.1.113883.3.989.2.1.1.19']][][i]/observation[@classCode='OBS'][@moodCode='EVN']/outboundRelationship2[@typeCode='PERT'][observation/code[@code='27'][@codeSystem='2.16.840.1.113883.3.989.2.1.1.19'][1]/observation[@classCode='OBS'][@moodCode='EVN']/value[@xsi:type='CE'][@codeSystem='2.16.840.1.113883.3.989.2.1.1.11'][1]/@code Outcome of Reaction / Event at the Time of Last Observation: ICH Code List Version : /MCCI_IN200100UV01[@ITSVersion='XML_1.0'][@xsi:schemaLocation='urn:hl7-org:v3 MCCI_IN200100UV01.xsd')/PORR_IN049016UV[r]/controlActProcess[@classCode='CACT'][@moodCode='EVN']/subject[@typeCode='SUBJ'][1]/investigationEvent[@classCode='INVSTG'][@moodCode='EVN']/component[@typeCode='COMP'][adverseEventAssessment][1]/adverseEventAssessment[@classCode='INVSTG'][@moodCode='EVN']/subject1[@typeCode='SBJ'][1]/primaryRole[@classCode='INVSBJ']/subjectOf2[	N/A	E.i.7 = Data will be outputted to the structured field. if recovered_completely, then set 1 if improved, then set 2 if persisting, then set 3 if worsened, then set 3 if recovered_lasting, then set 4 if death, then set 5 if unknown, then set 0
EFFECT	**n the reporter's medical opinion, is there a reasonable possibility this event is related to this suspect product(s)?**	HCP	Widget Type: Radio buttons Options: 1. Yes 2. No 3. Unknown	report.patient.products[].event_reaction[].assessment.result	report.patient.products[].event_reaction[].assessment..source report.patient.products[].event_reaction[].assessment.method	n/a	No	No	G.k.9.i.2.r - Assessment of Relatedness of Drug to reaction(s)/Event(s)	G.k.9.i.2.r.1 Source of Assessment (60AN) G.k.9.i.2.r.2 Method of Assessment (60AN) G.k.9.i.2.r.3 Result of Assessment (60AN)	/MCCI_IN200100UV01[@ITSVersion='XML_1.0'][@xsi:schemaLocation='urn:hl7-org:v3 MCCI_IN200100UV01.xsd')/PORR_IN049016UV[r]/controlActProcess[@classCode='CACT'][@moodCode='EVN']/subject[@typeCode='SUBJ'][1]/investigationEvent[@classCode='INVSTG'][@moodCode='EVN']/component[@typeCode='COMP'][adverseEventAssessment][1]/adverseEventAssessment[@classCode='INVSTG'][@moodCode='EVN']/component[@typeCode='COMP'][causalityAssessment/code[@code='39'][@codeSystem='2.16.840.1.113883.3.989.2.1.1.19'][r]/causalityAssessment[@classCode='OBS'][@moodCode='EVN'][subject1[@typeCode='SUBJ']/adverseEffectReference[@classCode='OBS'][@moodCode='EVN']/id[@root='UUID of i-th reaction']][subject2[@typeCode='SUBJ']/productUseReference[@classCode='SBADM'][@moodCode='EVN']/id[@root='UUID of k-th drug']]/value[@xsi:type='ST']/text() /MCCI_IN200100UV01[@ITSVersion='XML_1.0'][@xsi:schemaLocation='urn:hl7-org:v3 MCCI_IN200100UV01.xsd')/PORR_IN049016UV[r]/controlActProcess[@classCode='CACT'][@moodCode='EVN']/subject[@typeCode='SUBJ'][1]/investigationEvent[@classCode='INVSTG'][@moodCode='EVN']/component[@typeCode='COMP'][adverseEventAssessment][1]/adverseEventAssessment[@classCode='INVSTG'][@moodCode='EVN']/component[@typeCode='COMP'][causalityAssessment/code[@code='39'][@codeSystem='2.16.840.1.113883.3.989.2.1.1.19'][r]/causalityAssessment[@classCode='OBS'][@moodCode='EVN'][subject1[@typeCode='SUBJ']/adverseEffectReference[@classCode='OBS'][@moodCode='EVN']/id[@root='UUID of i-th	N/A	When a response has been recorded: G.k.9.i.2.r group created for each drug and reaction/event : Association is done via unique references for each product and unique references for each Reaction / Event. G.k.9.i.2.r.1: 'Primary Source Reporter' G.k.9.i.2.r.2: 'Global Introspection' G.k.9.i.2.r.3: Data will be outputted to the structured field as follows:. if related then 'Related' if possibly_related then 'Possibly related' if not_related then 'Not related' if unlikely_related then 'Unlikely related' if unknown then 'Unknown' if not_provided then 'Not Provided'

Field descriptions (Configured in Journey) (field labels, triggering logic and options available per reporter/report categories may differ; please refer to REQ_157 A11a for the full logic)				DIF Schema (Mapping configured in Journey)			Export Profile and Redaction (Configurable)		E2B-R3 Related Output Logic (Hard coded in product/ non-configurable)				
Page	**FIELD DESCRIPTION (labels subject to configuration accurate at time of writing)**	**Branch Applicable**	**FIELD TYPE**	**DIF Path**	**Associated DIF Path**	**DIF Enums Applicable**	**Export Profile Setting Associated**	**Redaction Possible**	**E2B Group / Element**	**Associated E2B Element(s)**	**E2B Xpaths**	**Null Flavour Supported**	**Business Logic**
EFFECT	**Cause of death**	Friend HCP	Widget Type: MedDRA + Free text entry	report.patient.death.reported_causes[].event.meddra_term	report.patient.death.reported_causes[].event.meddra_code report.patient.death.reported_causes[].event.meddra_version	n/a	No	No	D.9.2.r.2 Reported Cause(s) of Death (free text) 250AN	D.9.2.r.1b Reported Cause(s) of Death (MedDRA code) (8N) D.9.2.r.1a MedDRA Version for Reported Cause(s) of Death (4N)	/MCCI_IN200100UV01[@ITSVersion='XML_1.0'][@xsi:schemaLocation='urn:hl7-org:v3 MCCI_IN200100UV01.xsd']/PORR_IN049016UV[r]/controlActProcess[@classCode='CACT'][@moodCode='EVN']/subject[@typeCode='SUBJ'][1]/investigationEvent[@classCode='INVSTG'][@moodCode='EVN']/component[@typeCode='COMP'][adverseEventAssessment][1]/adverseEventAssessment[@classCode='INVSTG'][@moodCode='EVN']/subject1[@typeCode='SBJ'][1]/primaryRole[@classCode='INVSBJ']/subjectOf2[@typeCode='SBJ'][observation/code[@code='32'][@codeSystem='2.16.840.1.113883.3.989.2.1.1.19'][r]/observation[@classCode='OBS'][@moodCode='EVN']/value[@xsi:type='CE'][@codeSystem='2.16.840.1.113883.6.163'][1]/originalText/text() /MCCI_IN200100UV01[@ITSVersion='XML_1.0'][@xsi:schemaLocation='urn:hl7-org:v3 MCCI_IN200100UV01.xsd']/PORR_IN049016UV[r]/controlActProcess[@classCode='CACT'][@moodCode='EVN']/subject[@typeCode='SUBJ'][1]/investigationEvent[@classCode='INVSTG'][@moodCode='EVN']/component[@typeCode='COMP'][adverseEventAssessment][1]/adverseEventAssessment[@classCode='INVSTG'][@moodCode='EVN']/subject1[@typeCode='SBJ'][1]/primaryRole[@classCode='INVSBJ']/subjectOf2[@typeCode='SBJ'][observation/code[@code='32'][@codeSystem='2.16.840.1.113883.3.989.2.1.1.19'][r]/observation[@classCode='OBS'][@moodCode='EVN']/value[@xsi:type='CE'][@codeSystem='2.16.840.1.113883.6.163'][1]/@code /MCCI_IN200100UV01[@ITSVersion='XML_1.0'][@xsi:schemaLocation='urn:hl7-org:v3	N/A	-if event.meddra_term is 'Not Provided', then add the following text to the Case Narrative H.1 'Cause of death was not provided'. -if event.meddra_term is 'Unknown', then add the following text to the Case Narrative H.1 'Cause of death was unknown'. -if the event.meddra is a free text(uncoded event): D.9.2.r.2 = Data will be outputted to the field. D.9.2.r.1a - Blank D.9.2.r.1b - Blank -if the event.meddra is a coded event: D.9.2.r.2 = Data will be outputted to the field. D.9.2.r.1a - current version of MedDRA D.9.2.r.1b - LLT code of the term selected (When "Autopsy details available" is Yes/Unknown and cause of death not provided then Cause of death is outputting as "Unknown") If user leaves multiple causes of death, the system will output multiple reportedcausedeath group (one for each value). The mapping and verbatim output follows the rules described above. For example, if two causes of death are reported, the first cause would be described in items D.9.2.1.1 through D.9.2.1.2 and the other cause would be described in items D.9.2.2.1 through D.9.2.2.2.
EFFECT	**Date of death**	Friend HCP	WidgetType: Date picker + Radio button Options: unknown	report.patient.death.date	n/a	n/a	No	Yes	D.9.1 Date of Death - Date / Time	n/a	/MCCI_IN200100UV01[@ITSVersion='XML_1.0'][@xsi:schemaLocation='urn:hl7-org:v3 MCCI_IN200100UV01.xsd']/PORR_IN049016UV[r]/controlActProcess[@classCode='CACT'][@moodCode='EVN']/subject[@typeCode='SUBJ'][1]/investigationEvent[@classCode='INVSTG'][@moodCode='EVN']/component[@typeCode='COMP'][adverseEventAssessment][1]/adverseEventAssessment[@classCode='INVSTG'][@moodCode='EVN']/subject1[@typeCode='SBJ'][1]/primaryRole[@classCode='INVSBJ']/player1[@classCode='PSN'][@determinerCode='INSTANCE']/deceasedTime/@value	ASKU MSK	D.9.1 = Data will be outputted to the structure field. Minimum precision required is the year (i.e. 'CCYY'). If Unknown selected: nullFlavor: ASKU If Blank: No output.(No Tag) When redaction system level configuration is enabled and report's site redaction configuration is enabled: D.9.1 is left blank with nullFlavor = MSK when the field is configured to be redacted and has the value.
EFFECT	**Autopsy done on patient**	Friend HCP	Widget Type: Radio buttons Options: 1. Yes 2. No 3. Unknown	report.patient.death.was_autopsy_performed	n/a	n/a	No	No	D.9.3 Was Autopsy Done? - Boolean	n/a	/MCCI_IN200100UV01[@ITSVersion='XML_1.0'][@xsi:schemaLocation='urn:hl7-org:v3 MCCI_IN200100UV01.xsd']/PORR_IN049016UV[r]/controlActProcess[@classCode='CACT'][@moodCode='EVN']/subject[@typeCode='SUBJ'][1]/investigationEvent[@classCode='INVSTG'][@moodCode='EVN']/component[@typeCode='COMP'][adverseEventAssessment][1]/adverseEventAssessment[@classCode='INVSTG'][@moodCode='EVN']/subject1[@typeCode='SBJ'][1]/primaryRole[@classCode='INVSBJ']/subjectOf2[@typeCode='SBJ'][observation/code[@code='5'][@codeSystem='2.16.840.1.113883.3.989.2.1.1.19']][1]/observation[@classCode='OBS'][@moodCode='EVN']/value[@xsi:type='BL'][1]/@value	UNK	D.9.3 = Data will be outputted to the structured field. Yes = true No = false Unknown = nullFlavor: UNK
EFFECT	**Autopsy details available**	Friend HCP	Widget Type: Radio buttons Options: 1. Yes 2. No 3. Unknown	report.patient.death.are_autopsy_details_available	n/a	n/a	No	No	H.1 Case Narrative - 100000AN	n/a	/MCCI_IN200100UV01[@ITSVersion='XML_1.0'][@xsi:schemaLocation='urn:hl7-org:v3 MCCI_IN200100UV01.xsd']/PORR_IN049016UV[r]/controlActProcess[@classCode='CACT'][@moodCode='EVN']/subject[@typeCode='SUBJ'][1]/investigationEvent[@classCode='INVSTG'][@moodCode='EVN']/text/text()	N/A	H.1 = Data will be outputted to the narrative section under the Patient information. <form_label> : <value entered> Example: Autopsy details available: yes

© Qinecsa Solutions 2026 | Confidential. Do not copy without permission.

Field descriptions (Configured in Journey) (field labels, triggering logic and options available per reporter/report categories may differ; please refer to REQ_157 A11a for the full logic)				DIF Schema (Mapping configured in Journey)			Export Profile and Redaction (Configurable)		E2B-R3 Related Output Logic (Hard coded in product/ non-configurable)				
Page	**FIELD DESCRIPTION (labels subject to configuration accurate at time of writing)**	**Branch Applicable**	**FIELD TYPE**	**DIF Path**	**Associated DIF Path**	**DIF Enums Applicable**	**Export Profile Setting Associated**	**Redaction Possible**	**E2B Group / Element**	**Associated E2B Element(s)**	**E2B Xpaths**	**Null Flavour Supported**	**Business Logic**
EFFECT	**Describe the autopsy-determined cause of death**	Friend HCP	Widget Type: MedDRA + Free text entry	report.patient.death.autopsy_causes[].event.meddra_term	report.patient.death.autopsy_causes[].event.meddra_code report.patient.death.autopsy_causes[].event.meddra_version	n/a	No	No	D.9.4.r.2 Autopsy-determined Cause(s) of Death (free text) (250AN)	D.9.4.r.1b Autopsy-determined Cause(s) of Death (MedDRA code) (8N) D.9.4.r.1a MedDRA Version for Autopsy-determined Cause(s) of Death (4N)	/MCCI_IN200100UV01[@ITSVersion='XML_1.0'][@xsi:schemaLocation='urn:hl7-org:v3 MCCI_IN200100UV01.xsd']/PORR_IN049016UV[r]/controlActProcess[@classCode='CACT'][@moodCode='EVN']/subject[@typeCode='SUBJ'][1]/investigationEvent[@classCode='INVSTG'][@moodCode='EVN']/component[@typeCode='COMP'][adverseEventAssessment[1]/adverseEventAssessment[@classCode='INVSTG'][@moodCode='EVN']/subject1[@typeCode='SBJ'][1]/primaryRole[@classCode='INVSBJ']/subjectOf2[@typeCode='SBJ'][observation/code[@code='5'][@codeSystem='2.16.840.1.113883.3.989.2.1.1.19'][1]/observation[@classCode='OBS'][@moodCode='EVN']/outboundRelationship2[@typeCode='DRIV'][observation/code[@code='8'][@codeSystem='2.16.840.1.113883.3.989.2.1.1.19'][r]/observation[@classCode='OBS'][@moodCode='EVN']/value[@xsi:type='CE'][@codeSystem='2.16.840.1.113883.6.163'][1]/originalText/text() /MCCI_IN200100UV01[@ITSVersion='XML_1.0'][@xsi:schemaLocation='urn:hl7-org:v3 MCCI_IN200100UV01.xsd']/PORR_IN049016UV[r]/controlActProcess[@classCode='CACT'][@moodCode='EVN']/subject[@typeCode='SUBJ'][1]/investigationEvent[@classCode='INVSTG'][@moodCode='EVN']/component[@typeCode='COMP'][adverseEventAssessment[1]/adverseEventAssessment[@classCode='INVSTG'][@moodCode='EVN']/subject1[@typeCode='SBJ'][1]/primaryRole[@classCode='INVSBJ']/subjectOf2[@typeCode='SBJ'][observation/code[@code='5'][@codeSystem='2.16.840.1.113883.3.989.2.1.1.19'][1]/observation[@classCode='OBS'][@moodCode='EVN']/outboundRelationship2[@typeCode='DRIV'][observation/code[@code='8'][@codeSystem='2.16.840.1.113883.3.989.2.1.	N/A	-if the event.meddra is a free text(uncoded event): D.9.4.r.2 = Data will be outputted to the field. D.9.4.r.1a - Blank D.9.4.r.1b - Blank -if the event.meddra is a coded event: D.9.4.r.2 = Data will be outputted to the field. D.9.4.r.1a - current version of MedDRA D.9.4.r.1b - LLT code of the term selected If the user leaves multiple autopsy determined cause, the system will output multiple autopsy determined cause. Only one MedDRA version is allowed per ICSR. For example, if MedDRA version is 15.1, then the value allowed is '15.1' Note: The application should always consider the highest MedDRA version available on the system to encode the term, and the same version number should be outputted.
YOU page for Patient branch PATIENT page for Friend, HCP branch	**Please fill in at least one of the following details:Patient's initials**	Patient Friend HCP	Widget Type: Free text entry + unknown option	report.patient.initials	n/a	n/a	No	Yes	D.1 Patient (name or initials) - 60AN	n/a	D.1: /MCCI_IN200100UV01[@ITSVersion='XML_1.0'][@xsi:schemaLocation='urn:hl7-org:v3 MCCI_IN200100UV01.xsd']/PORR_IN049016UV[r]/controlActProcess[@classCode='CACT'][@moodCode='EVN']/subject[@typeCode='SUBJ'][1]/investigationEvent[@classCode='INVSTG'][@moodCode='EVN']/component[@typeCode='COMP'][adverseEventAssessment[1]/adverseEventAssessment[@classCode='INVSTG'][@moodCode='EVN']/subject1[@typeCode='SBJ'][1]/primaryRole[@classCode='INVSBJ']/player1[@classCode='PSN'][@determinerCode='INSTANCE']/name[1]/text()	MSK	D.1= Data will be captured in the structured Field (Note: if unknown on the Form is selected, then the same will be captured in the structured field. Also if the redaction is enabled, then "uknown" value will be masked). When redaction system level configuration is enabled and report's site redaction configuration is enabled: D.1 is left blank with nullFlavor = MSK when the field is configured to be redacted.
YOU page for Patient branch PATIENT page for Friend, HCP branch	**Age (Select one)**	Patient Friend HCP	Widget Type: Radio buttons Options: 1. Date of birth 2. Age	report.additional_context_options[]	n/a	n/a	No	No	H.1 Case narrative - (100000AN)	n/a	/MCCI_IN200100UV01[@ITSVersion='XML_1.0'][@xsi:schemaLocation='urn:hl7-org:v3 MCCI_IN200100UV01.xsd']/PORR_IN049016UV[r]/controlActProcess[@classCode='CACT'][@moodCode='EVN']/subject[@typeCode='SUBJ'][1]/investigationEvent[@classCode='INVSTG'][@moodCode='EVN']/text/text()	No	H.1=Data will be outputted to the narrative section. <form_label> : <value entered>
YOU page for Patient branch PATIENT page for Friend, HCP branch	**Please fill in at least one of the following details: Patient's age (value)**	Patient Friend HCP	Widget Type: Integer	report.patient.age.value	n/a	n/a	No	No	D.2.2a - 5N	n/a	D.2.2a: /MCCI_IN200100UV01[@ITSVersion='XML_1.0'][@xsi:schemaLocation='urn:hl7-org:v3 MCCI_IN200100UV01.xsd']/PORR_IN049016UV[r]/controlActProcess[@classCode='CACT'][@moodCode='EVN']/subject[@typeCode='SUBJ'][1]/investigationEvent[@classCode='INVSTG'][@moodCode='EVN']/component[@typeCode='COMP'][adverseEventAssessment[1]/adverseEventAssessment[@classCode='INVSTG'][@moodCode='EVN']/subject1[@typeCode='SBJ'][1]/primaryRole[@classCode='INVSBJ']/subjectOf2[@typeCode='SBJ'][observation/code[@code='3'][@codeSystem='2.16.840.1.113883.3.989.2.1.1.19'][1]/observation[@classCode='OBS'][@moodCode='EVN']/value[@xsi:type='PQ'][1]/@value	N/A	Optional, but required if D.2.2b is populated D.2.2a = Data will be captured in the structured field.
YOU page for Patient branch PATIENT page for Friend, HCP branch	**Please fill in at least one of the following details: Patient's age (unit)**	Patient Friend HCP	Widget Type: List Options: 1)Years 2)Months 3)Days	report.patient.age.unit	n/a	Options: 1) year 2) month 3) day	No	No	D.2.2b - 50AN	n/a	D.2.2b: /MCCI_IN200100UV01[@ITSVersion='XML_1.0'][@xsi:schemaLocation='urn:hl7-org:v3 MCCI_IN200100UV01.xsd']/PORR_IN049016UV[r]/controlActProcess[@classCode='CACT'][@moodCode='EVN']/subject[@typeCode='SUBJ'][1]/investigationEvent[@classCode='INVSTG'][@moodCode='EVN']/component[@typeCode='COMP'][adverseEventAssessment[1]/adverseEventAssessment[@classCode='INVSTG'][@moodCode='EVN']/subject1[@typeCode='SBJ'][1]/primaryRole[@classCode='INVSBJ']/subjectOf2[@typeCode='SBJ'][observation/code[@code='3'][@codeSystem='2.16.840.1.113883.3.989.2.1.1.19'][1]/observation[@classCode='OBS'][@moodCode='EVN']/value[@xsi:type='PQ'][1]/@unit	N/A	(Optional, but required if D.2.2a is populated) D.2.2b: UCUM codes values: month = 'mo' year = 'a' day = 'd' decade = '10.a'week = 'wk' hour = 'h'

Field descriptions (Configured in Journey) (field labels, triggering logic and options available per reporter/report categories may differ; please refer to REQ_157 A11a for the full logic)				DIF Schema (Mapping configured in Journey)			Export Profile and Redaction (Configurable)		E2B-R3 Related Output Logic (Hard coded in product/ non-configurable)				
Page	**FIELD DESCRIPTION (labels subject to configuration accurate at time of writing)**	**Branch Applicable**	**FIELD TYPE**	**DIF Path**	**Associated DIF Path**	**DIF Enums Applicable**	**Export Profile Setting Associated**	**Redaction Possible**	**E2B Group / Element**	**Associated E2B Element(s)**	**E2B Xpaths**	**Null Flavour Supported**	**Business Logic**
YOU page for Patient branch PATIENT page for Friend, HCP branch	**Date of Birth**	Patient Friend HCP	WidgetType: Date picker	report.patient.date_of_birth	n/a		No	Yes	D.2.1 Date of Birth - (Date / Time) H.1 Case narrative - (100000AN)	n/a	D.2.1: /MCCI_IN200100UV01[@ITSVersion='XML_1.0'][@xsi:schemaLocation='urn:hl7-org:v3 MCCI_IN200100UV01.xsd']/PORR_IN049016UV[r]/controlActProcess[@classCode='CACT'][@moodCode='EVN']/subject[@typeCode='SUBJ'][1]/investigationEvent[@classCode='INVSTG'][@moodCode='EVN']/component[@typeCode='COMP'][adverseEventAssessment][1]/adverseEventAssessment[@classCode='INVSTG'][@moodCode='EVN']/subject1[@typeCode='SBJ'][1]/primaryRole[@classCode='INVSBJ']/player1[@classCode='PSN'][@determinerCode='INSTANCE']/birthTime/@value H.1: /MCCI_IN200100UV01[@ITSVersion='XML_1.0'][@xsi:schemaLocation='urn:hl7-org:v3 MCCI_IN200100UV01.xsd']/PORR_IN049016UV[r]/controlActProcess[@classCode='CACT'][@moodCode='EVN']/subject[@typeCode='SUBJ'][1]/investigationEvent[@classCode='INVSTG'][@moodCode='EVN']/text/text()	MSK	If user opts to leave a 'Date of Birth' and leaves a full valid date then: D.2.1: Data will be outputted to the structured field. Minimum precision required is the day (i.e. 'CCYYMMDD'). If a 'Date of Birth' is selected as unknown, the date is included in the H.1 Case Narrative: H.1:<form_label> : <value entered> If a 'Date of Birth' is left blank date, D.2.1 Date of Birth is not to be included in XML. When redaction system level configuration is enabled and report's site redaction configuration is enabled: D.2.1 is left blank with nullFlavor = MSK when the field is configured to be redacted (Partial or Unknown DoB is not redacted)
YOU page for Patient branch PATIENT page for Friend, HCP branch	**Please fill in at least one of the following details: Patient's sex assigned at birth**	Patient Friend HCP	Widget Type: Radio buttons Options: 1. Male 2. Female	report.patient.sex	n/a	Options: 1) male 2) female	No	No	D.5 Sex - 1N	n/a	/MCCI_IN200100UV01[@ITSVersion='XML_1.0'][@xsi:schemaLocation='urn:hl7-org:v3 MCCI_IN200100UV01.xsd']/PORR_IN049016UV[r]/controlActProcess[@classCode='CACT'][@moodCode='EVN']/subject[@typeCode='SUBJ'][1]/investigationEvent[@classCode='INVSTG'][@moodCode='EVN']/component[@typeCode='COMP'][adverseEventAssessment][1]/adverseEventAssessment[@classCode='INVSTG'][@moodCode='EVN']/subject1[@typeCode='SBJ'][1]/primaryRole[@classCode='INVSBJ']/player1[@classCode='PSN'][@determinerCode='INSTANCE']/administrativeGenderCode[@codeSystem='1.0.5218']/@code	UNK	D.5: Data will be outputted to the strucutred field. male = '1', female = '2' unknown = nullFlavor: UNK
YOU page for Patient branch PATIENT page for Friend, HCP branch	**Is the patient pregnant?**	Patient Friend HCP	Widget Type: Radio buttons Options: 1. Yes 2. No 3. Don't know	report.patient.is_pregnant	n/a	Options: 1) yes 2) no 3) unknown	No	No	H.1 Case narrative - (100000AN)	n/a	/MCCI_IN200100UV01[@ITSVersion='XML_1.0'][@xsi:schemaLocation='urn:hl7-org:v3 MCCI_IN200100UV01.xsd']/PORR_IN049016UV[r]/controlActProcess[@classCode='CACT'][@moodCode='EVN']/subject[@typeCode='SUBJ'][1]/investigationEvent[@classCode='INVSTG'][@moodCode='EVN']/text/text()	N/A	See Narrative Configuration
YOU page for Patient branch PATIENT page for Friend, HCP branch	**Last menstrual period**	Patient Friend HCP	WidgetType: Date picker + Radio button Options: unknown	report.patient.last_period	n/a	n/a	No	No	D.6 Last Menstrual Period Date (Date)	n/a	/MCCI_IN200100UV01[@ITSVersion='XML_1.0'][@xsi:schemaLocation='urn:hl7-org:v3 MCCI_IN200100UV01.xsd']/PORR_IN049016UV[r]/controlActProcess[@classCode='CACT'][@moodCode='EVN']/subject[@typeCode='SUBJ'][1]/investigationEvent[@classCode='INVSTG'][@moodCode='EVN']/component[@typeCode='COMP'][adverseEventAssessment][1]/adverseEventAssessment[@classCode='INVSTG'][@moodCode='EVN']/subject1[@typeCode='SBJ'][1]/primaryRole[@classCode='INVSBJ']/subjectOf2[@typeCode='SBJ'][observation/code[@code='22'][@codeSystem='2.16.840.1.113883.3.989.2.1.1.19'][1]/observation[@classCode='OBS'][@moodCode='EVN']/value[@xsi:type='TS'][1]/@value /MCCI_IN200100UV01[@ITSVersion='XML_1.0'][@xsi:schemaLocation='urn:hl7-org:v3 MCCI_IN200100UV01.xsd']/PORR_IN049016UV[r]/controlActProcess[@classCode='CACT'][@moodCode='EVN']/subject[@typeCode='SUBJ'][1]/investigationEvent[@classCode='INVSTG'][@moodCode='EVN']/component[@typeCode='COMP'][adverseEventAssessment][1]/adverseEventAssessment[@classCode='INVSTG'][@moodCode='EVN']/subject1[@typeCode='SBJ'][1]/primaryRole[@classCode='INVSBJ']/subjectOf2[@typeCode='SBJ'][observation/code[@code='22'][@codeSystem='2.16.840.1.113883.3.989.2.1.1.19'][1]/observation[@classCode='OBS'][@moodCode='EVN']/value[@xsi:type='TS'][1]/@nullFlavor	N/A	D.6= Data will be outputted to the structured field. Minimum precision required is the year (i.e. 'CCYY'). In case of 'unknown', append to case narrative H.1: <form_label> : <value entered> Example: 'Last menstrual date: unknown'

Field descriptions (Configured in Journey) (field labels, triggering logic and options available per reporter/report categories may differ; please refer to REQ_157 A11a for the full logic)				DIF Schema (Mapping configured in Journey)			Export Profile and Redaction (Configurable)		E2B-R3 Related Output Logic (Hard coded in product/ non-configurable)				
Page	**FIELD DESCRIPTION (labels subject to configuration accurate at time of writing)**	**Branch Applicable**	**FIELD TYPE**	**DIF Path**	**Associated DIF Path**	**DIF Enums Applicable**	**Export Profile Setting Associated**	**Redaction Possible**	**E2B Group / Element**	**Associated E2B Element(s)**	**E2B Xpaths**	**Null Flavour Supported**	**Business Logic**
YOU page for Patient branch PATIENT page for Friend, HCP branch	**Patient ID or reference number (if known)**	HCP	Widget Type: Free text entry	report.patient.patient_id	n/a	n/a	e2b_r3 > patient_id_in_case_narrative	Yes	D.1.1.4 Investigation Number H.1 Case narrative	n/a	D.1.1.4: /MCCI_IN200100UV01[@ITSVersion='XML_1.0'][@xsi:schemaLocation='urn:hl7-org:v3 MCCI_IN200100UV01.xsd']/PORR_IN049016UV[r]/controlActProcess[@classCode='CACT'][@moodCode='EVN']/subject[@typeCode='SUBJ'][1]/investigationEvent[@classCode='INVSTG'][@moodCode='EVN']/component[@typeCode='COMP'][adverseEventAssessment][1]/adverseEventAssessment[@classCode='INVSTG'][@moodCode='EVN']/subject1[@typeCode='SBJ'][1]/primaryRole[@classCode='INVSBJ']/player1[@classCode='PSN'][@determinerCode='INSTANCE']/asIdentifiedEntity[@classCode='IDENT'][code[@code='4'][@codeSystem='2.16.840.1.113883.3.989.2.1.1.4'][1]/id[@root='2.16.840.1.113883.3.989.2.1.3.10'][1]/@extension H.1: /MCCI_IN200100UV01[@ITSVersion='XML_1.0'][@xsi:schemaLocation='urn:hl7-org:v3 MCCI_IN200100UV01.xsd']/PORR_IN049016UV[r]/controlActProcess[@classCode='CACT'][@moodCode='EVN']/subject[@typeCode='SUBJ'][1]/investigationEvent[@classCode='INVSTG'][@moodCode='EVN']/text/text()	MSK	The logic of output depends upon the export profile setting and the length of the value entered. 1) When export profile setting (e2b_r3 > patient_id_in_case_narrative) is set to be enabled: <form_label> : <value entered> E.g. 'Patient Registration ID: 67-8980-223' 2) When export profile setting (e2b_r3 > patient_id_in_case_narrative) is set to be disabled then: D.1.1.4 = trimmed entered value If Redaction is enabled then D.1.1.4 = nullflavor: MSK If source value is less or equal to 20AN length then: D.1.1.4 = trimmed entered value If Redaction is enabled then D.1.1.4 = nullflavor: MSK If source value is greater than 20AN length then: D.1.1.4 = 'see narrative' H.1 = <form_label> : <value entered> If Redaction is enabled then H.1 = '<patient_id config label>: ' <REDACTED STATEMENT>.
PATIENT	**Height (centimetres or inches)**	HCP	Widget Type: Integer	report.patient.height.value	report.patient.height.unit	n/a	No	No	D.4 Height (cm) - 3N	n/a	MCCI_IN200100UV01[@ITSVersion='XML_1.0'][@xsi:schemaLocation='urn:hl7-org:v3 MCCI_IN200100UV01.xsd']/PORR_IN049016UV[r]/controlActProcess[@classCode='CACT'][@moodCode='EVN']/subject[@typeCode='SUBJ'][1]/investigationEvent[@classCode='INVSTG'][@moodCode='EVN']/component[@typeCode='COMP'][adverseEventAssessment][1]/adverseEventAssessment[@classCode='INVSTG'][@moodCode='EVN']/subject1[@typeCode='SBJ'][1]/primaryRole[@classCode='INVSBJ']/subjectOf2[@typeCode='SBJ'][observation/code[@code='17'][@codeSystem='2.16.840.1.113883.3.989.2.1.1.19'][1]/observation[@classCode='OBS'][@moodCode='EVN']/value[@xsi:type='PQ'][@unit='cm'][1]/@value	D.4 = Convert this value into cm rounding to a whole number. Data output should be in cms. Round up or round down in order to obtain a whole number.
PATIENT	**Weight (kilograms or pounds)**	HCP	Widget Type: Integer	report.patient.weight.value	report.patient.weight.unit	n/a	No	No	D.3 Body Weight (kg) - 6N	n/a	/MCCI_IN200100UV01[@ITSVersion='XML_1.0'][@xsi:schemaLocation='urn:hl7-org:v3 MCCI_IN200100UV01.xsd']/PORR_IN049016UV[r]/controlActProcess[@classCode='CACT'][@moodCode='EVN']/subject[@typeCode='SUBJ'][1]/investigationEvent[@classCode='INVSTG'][@moodCode='EVN']/component[@typeCode='COMP'][adverseEventAssessment][1]/adverseEventAssessment[@classCode='INVSTG'][@moodCode='EVN']/subject1[@typeCode='SBJ'][1]/primaryRole[@classCode='INVSBJ']/subjectOf2[@typeCode='SBJ'][observation/code[@code='7'][@codeSystem='2.16.840.1.113883.3.989.2.1.1.19'][1]/observation[@classCode='OBS'][@moodCode='EVN']/value[@xsi:type='PQ'][@unit='kg'][1]/@value	N/A	Convert entered value into KG allowing 2 decimals. D.3 = Data output should be in Kg.
YOU	**Do we have permission to contact you?**	Friend HCP	Widget Type: Radio buttons Options: 1. Yes 2. No	report.reporter[].consent_to_contact	n/a	Options: 1) yes 2) no	No	No	H.1 Case narrative - (100000AN)	n/a	/MCCI_IN200100UV01[@ITSVersion='XML_1.0'][@xsi:schemaLocation='urn:hl7-org:v3 MCCI_IN200100UV01.xsd']/PORR_IN049016UV[r]/controlActProcess[@classCode='CACT'][@moodCode='EVN']/subject[@typeCode='SUBJ'][1]/investigationEvent[@classCode='INVSTG'][@moodCode='EVN']/text/text()	N/A	See Narrative Configuration
YOU	**Do we have permission to contact you? My email address**	Patient	Widget Type: Free text entry	report.reporter[].email	n/a	n/a	No	No	H.1 Case narrative - (100000AN)	n/a	/MCCI_IN200100UV01[@ITSVersion='XML_1.0'][@xsi:schemaLocation='urn:hl7-org:v3 MCCI_IN200100UV01.xsd']/PORR_IN049016UV[r]/controlActProcess[@classCode='CACT'][@moodCode='EVN']/subject[@typeCode='SUBJ'][1]/investigationEvent[@classCode='INVSTG'][@moodCode='EVN']/text/text()	N/A	See Narrative Configuration
YOU	**Do we have permission to contact you? My name**	Patient	Widget Type: Free text entry	report.reporter[].first_name	n/a	n/a	No	Yes	C.2.r.1.2 Reporter's Given Name - 60AN	n/a	/MCCI_IN200100UV01[@ITSVersion='XML_1.0'][@xsi:schemaLocation='urn:hl7-org:v3 MCCI_IN200100UV01.xsd']/PORR_IN049016UV[r]/controlActProcess[@classCode='CACT'][@moodCode='EVN']/subject[@typeCode='SUBJ'][1]/investigationEvent[@classCode='INVSTG'][@moodCode='EVN']/outboundRelationship[@typeCode='SPRT'][relatedInvestigation/code[@code='2'][@codeSystem='2.16.840.1.113883.3.989.2.1.1.22'][r]/relatedInvestigation[@classCode='INVSTG'][@moodCode='EVN']/subjectOf2[@typeCode='SUBJ']/controlActEvent[@classCode='CACT'][@moodCode='EVN']/author[@typeCode='AUT']/assignedEntity[@classCode='ASSIGNED']/assignedPerson[@classCode='PSN'][@determinerCode='INSTANCE']/name/given[1]/text()	MSK	C.2.r.1.2 = Data will be outputted to the structured field. -If the value is redacted, then the entered value will be displayed with a null flavor (MSK). Field, site, and system level configurations need to be enabled for redaction.

© Qinecsa Solutions 2026 | Confidential. Do not copy without permission.

Field descriptions (Configured in Journey) (field labels, triggering logic and options available per reporter/report categories may differ; please refer to REQ_157 A11a for the full logic)				DIF Schema (Mapping configured in Journey)			Export Profile and Redaction (Configurable)		E2B-R3 Related Output Logic (Hard coded in product/ non-configurable)				
Page	**FIELD DESCRIPTION (labels subject to configuration accurate at time of writing)**	**Branch Applicable**	**FIELD TYPE**	**DIF Path**	**Associated DIF Path**	**DIF Enums Applicable**	**Export Profile Setting Associated**	**Redaction Possible**	**E2B Group / Element**	**Associated E2B Element(s)**	**E2B Xpaths**	**Null Flavour Supported**	**Business Logic**
YOU page for Patient branch PATIENT page for Friend, HCP branch	**Is there anything else you would like to share, including any relevant medical history?**	Patient Friend HCP	Widget Type: Area, Free text entry	report.patient.products[].additional_info	n/a	n/a	No	No	G.k.11 Additional Information on Drug (free text) (2000AN)	n/a	/MCCI_IN200100UV01[@ITSVersion='XML_1.0'][@xsi:schemaLocation='urn:hl7-org:v3 MCCI_IN200100UV01.xsd']/PORR_IN049016UV[r]/controlActProcess[@classCode='CACT'][@moodCode='EVN']/subject[@typeCode='SUBJ'][1]/investigationEvent[@classCode='INVSTG'][@moodCode='EVN']/component[@typeCode='COMP'][adverseEventAssessment][1]/adverseEventAssessment[@classCode='INVSTG'][@moodCode='EVN']/subject1[@typeCode='SBJ'][1]/primaryRole[@classCode='INVSBJ']/subjectOf2[@typeCode='SBJ'][organizer/code[@code='4'][@codeSystem='2.16.840.1.113883.3.989.2.1.1.20'][1]/organizer[@classCode='CATEGORY'][@moodCode='EVN']/component[@typeCode='COMP'][substanceAdministration/id][k]/substanceAdministration[@classCode='SBADM'][@moodCode='EVN']/outboundRelationship2[@typeCode='REFR'][observation/code[@code='2'][@codeSystem='2.16.840.1.113883.3.989.2.1.1.19'][1]/observation[@classCode='OBS'][@moodCode='EVN']/value[@xsi:type='ST'][1]/text()	N/A	G.K.11 can hold upto 2000AN. -If the total data length is more then 2000AN, then the information will be exported to Case Narrative (H.1)and a Fixed text will be appended into the G.K.11 to look into Case Narrative (H.1). G.K.11: ===CONTENT WAS EXPORTED INTO H.1 DUE TO FIELD EXCEEDING MAX LENGTH===. H.1: Is there any additional info about <product name>: 'value chosen by user' + [LF] + content entered by the end-user in the text area" -If the total data length is not more then 2000AN, then the information will captured in the G.K.11. 2000AN character data lenght is also depended on the text "Is Accidental Exposure pertinent: yes" and "Is Lack of Efficacy pertinent: yes". Example: 2000 Characters ========== Is Accidental Exposure pertinent: yes LF + Is Lack of Efficacy pertinent: yes LF + 1923 Character
YOU	**Do we have permission to contact you for further information? Your first name**	Friend HCP	Widget Type: Free text entry	report.reporter[].first_name	n/a	n/a	No	Yes	C.2.r.1.2 Reporter's Given Name - 60AN	n/a	/MCCI_IN200100UV01[@ITSVersion='XML_1.0'][@xsi:schemaLocation='urn:hl7-org:v3 MCCI_IN200100UV01.xsd']/PORR_IN049016UV[r]/controlActProcess[@classCode='CACT'][@moodCode='EVN']/subject[@typeCode='SUBJ'][1]/investigationEvent[@classCode='INVSTG'][@moodCode='EVN']/outboundRelationship[@typeCode='SPRT'][relatedInvestigation/code[@code='2'][@codeSystem='2.16.840.1.113883.3.989.2.1.1.22'][r]/relatedInvestigation[@classCode='INVSTG'][@moodCode='EVN']/subjectOf2[@typeCode='SUBJ']/controlActEvent[@classCode='CACT'][@moodCode='EVN']/author[@typeCode='AUT']/assignedEntity[@classCode='ASSIGNED']/assignedPerson[@classCode='PSN'][@determinerCode='INSTANCE']/name/given[1]/text()	MSK	C.2.r.1.2 = Data will be outputted to the structured field. -If the value is redacted, then the entered value will be displayed with a null flavor (MSK). Field, site, and system level configurations need to be enabled for redaction.
YOU	**Do we have permission to contact you for further information? Your last name**	Friend HCP	Widget Type: Free text entry	report.reporter[].last_name	n/a	n/a	No	Yes	C.2.r.1.4 Reporter's Family Name - 60AN	n/a	/MCCI_IN200100UV01[@ITSVersion='XML_1.0'][@xsi:schemaLocation='urn:hl7-org:v3 MCCI_IN200100UV01.xsd']/PORR_IN049016UV[r]/controlActProcess[@classCode='CACT'][@moodCode='EVN']/subject[@typeCode='SUBJ'][1]/investigationEvent[@classCode='INVSTG'][@moodCode='EVN']/outboundRelationship[@typeCode='SPRT'][relatedInvestigation/code[@code='2'][@codeSystem='2.16.840.1.113883.3.989.2.1.1.22'][r]/relatedInvestigation[@classCode='INVSTG'][@moodCode='EVN']/subjectOf2[@typeCode='SUBJ']/controlActEvent[@classCode='CACT'][@moodCode='EVN']/author[@typeCode='AUT']/assignedEntity[@classCode='ASSIGNED']/assignedPerson[@classCode='PSN'][@determinerCode='INSTANCE']/name/family[1]/text()	MSK	C.2.r.1.4 = Data will be outputted to the structured field. -If the value is redacted, then the entered value will be displayed with a null flavor (MSK). Field, site, and system level configurations need to be enabled for redaction.
YOU	**How should we contact you? Email**	Friend HCP	Widget Type: Free text entry	report.reporter[].email	n/a	n/a	No	No	H.1 Case narrative - (100000AN)	n/a	/MCCI_IN200100UV01[@ITSVersion='XML_1.0'][@xsi:schemaLocation='urn:hl7-org:v3 MCCI_IN200100UV01.xsd']/PORR_IN049016UV[r]/controlActProcess[@classCode='CACT'][@moodCode='EVN']/subject[@typeCode='SUBJ'][1]/investigationEvent[@classCode='INVSTG'][@moodCode='EVN']/text/text()	N/A	See Narrative Configuration
YOU	**How should we contact you? Phone number**	Friend HCP	Widget Type: Free text entry	report.reporter[].phones[].number	report.reporter[].phones[].type	n/a	reporter_tel_in_case_narrative	Yes	C.2.r.2.7 Reporter's Telephone - 33AN H.1 Case Narrative - 100000AN	n/a	substring[/MCCI_IN200100UV01[@ITSVersion='XML_1.0'][@xsi:schemaLocation='urn:hl7-org:v3 MCCI_IN200100UV01.xsd']/PORR_IN049016UV[r]/controlActProcess[@classCode='CACT'][@moodCode='EVN']/subject[@typeCode='SUBJ'][1]/investigationEvent[@classCode='INVSTG'][@moodCode='EVN']/outboundRelationship[@typeCode='SPRT'][relatedInvestigation/code[@code='2'][@codeSystem='2.16.840.1.113883.3.989.2.1.1.22'][r]/relatedInvestigation[@classCode='INVSTG'][@moodCode='EVN']/subjectOf2[@typeCode='SUBJ']/controlActEvent[@classCode='CACT'][@moodCode='EVN']/author[@typeCode='AUT']/assignedEntity[@classCode='ASSIGNED']/telecom[starts-with(@value,'tel:')][1]/@value, 5) H.1 Case Narrative /MCCI_IN200100UV01[@ITSVersion='XML_1.0'][@xsi:schemaLocation='urn:hl7-org:v3 MCCI_IN200100UV01.xsd']/PORR_IN049016UV[r]/controlActProcess[@classCode='CACT'][@moodCode='EVN']/subject[@typeCode='SUBJ'][1]/investigationEvent[@classCode='INVSTG'][@moodCode='EVN']/text/text()	MSK	When export profile setting reporter_tel_in_case_narrative = true then, see Narrative Configuration H.1=all telephone numbers are outputted in the narrative section under Reporter information When export profile setting reporter_tel_in_case_narrative = false then, C.2.r.2.7 = first telephone number in the list H.1 = all other telephone numbers in the list If the value is redacted, then the entered value will be displayed with a null flavor (MSK) when outputing to C.2.r.2.7 and with redacted statement when outputting into H.1. Field, site, and system level configurations need to be enabled for redaction. (telephone is configured as 'main' type in DIF)

© Qinecsa Solutions 2026 | Confidential. Do not copy without permission.

Field descriptions (Configured in Journey) (field labels, triggering logic and options available per reporter/report categories may differ; please refer to REQ_157 A11a for the full logic)				DIF Schema (Mapping configured in Journey)			Export Profile and Redaction (Configurable)		E2B-R3 Related Output Logic (Hard coded in product/ non-configurable)				
Page	**FIELD DESCRIPTION (labels subject to configuration accurate at time of writing)**	**Branch Applicable**	**FIELD TYPE**	**DIF Path**	**Associated DIF Path**	**DIF Enums Applicable**	**Export Profile Setting Associated**	**Redaction Possible**	**E2B Group / Element**	**Associated E2B Element(s)**	**E2B Xpaths**	**Null Flavour Supported**	**Business Logic**
YOU	**How should we contact you? HCP Email**	Patient Friend HCP	Widget Type: Free text entry	report.reporter[].email	n/a	n/a	No	No	H.1 Case narrative - (100000AN)	n/a	/MCCI_IN200100UV01[@ITSVersion='XML_1.0'][@xsi:schemaLocation='urn:hl7-org:v3 MCCI_IN200100UV01.xsd']/PORR_IN049016UV[r]/controlActProcess[@classCode='CACT'][@moodCode='EVN']/subject[@typeCode='SUBJ'][1]/investigationEvent[@classCode='INVSTG'][@moodCode='EVN']/text/text()	N/A	See Narrative Configuration
YOU	**How should we contact you? HCP Phone number**	Patient Friend HCP	Widget Type: Free text entry	report.reporter[].phones[].number	report.reporter[].phones[].type	n/a	reporter_tel_in_case_narrative	Yes	C.2.r.2.7 Reporter's Telephone - 33AN H.1 Case Narrative - 100000AN	n/a	substring(/MCCI_IN200100UV01[@ITSVersion='XML_1.0'][@xsi:schemaLocation='urn:hl7-org:v3 MCCI_IN200100UV01.xsd']/PORR_IN049016UV[r]/controlActProcess[@classCode='CACT'][@moodCode='EVN']/subject[@typeCode='SUBJ'][1]/investigationEvent[@classCode='INVSTG'][@moodCode='EVN']/outboundRelationship[@typeCode='SPRT'][relatedInvestigation/code[@code='2'][@codeSystem='2.16.840.1.113883.3.989.2.1.1.22']][r]/relatedInvestigation[@classCode='INVSTG'][@moodCode='EVN']/subjectOf2[@typeCode='SUBJ']/controlActEvent[@classCode='CACT'][@moodCode='EVN']/author[@typeCode='AUT']/assignedEntity[@classCode='ASSIGNED']/telecom[starts-with(@value,'tel:')][1]/@value, 5) H.1 Case Narrative /MCCI_IN200100UV01[@ITSVersion='XML_1.0'][@xsi:schemaLocation='urn:hl7-org:v3 MCCI_IN200100UV01.xsd']/PORR_IN049016UV[r]/controlActProcess[@classCode='CACT'][@moodCode='EVN']/subject[@typeCode='SUBJ'][1]/investigationEvent[@classCode='INVSTG'][@moodCode='EVN']/text/text()	MSK	When export profile setting reporter_tel_in_case_narrative = true then, see Narrative Configuration H.1=all telephone numbers are outputted in the narrative section under Reporter information When export profile setting reporter_tel_in_case_narrative = false then, C.2.r.2.7 = first telephone number in the list H.1 = all other telephone numbers in the list If the value is redacted, then the entered value will be displayed with a null flavor (MSK) when outputing to C.2.r.2.7 and with redacted statement when outputting into H.1. Field, site, and system level configurations need to be enabled for redaction. (telephone is configured as 'main' type in DIF)
YOU	**Do we have permission to contact your Healthcare Professional (HCP) about this report?**	Patient Friend HCP	Widget Type: Radio buttons Options: 1. Yes 2. No	report.reporter[].is_hcp	n/a	n/a	No	No	H.1 Case narrative - (100000AN)	n/a	/MCCI_IN200100UV01[@ITSVersion='XML_1.0'][@xsi:schemaLocation='urn:hl7-org:v3 MCCI_IN200100UV01.xsd']/PORR_IN049016UV[r]/controlActProcess[@classCode='CACT'][@moodCode='EVN']/subject[@typeCode='SUBJ'][1]/investigationEvent[@classCode='INVSTG'][@moodCode='EVN']/text/text()	N/A	H.1 Data will be outputted to the narrative section under the Reporter information. Multiple reporters can exist. Each reporter information should be grouped together in an order. <form_label> : <value entered> Example: Reporter is a Healthcare Professional: yes
YOU	**Relationship with Patient**	Friend	Widget Type: Free text entry	report.additional_context_options[]	n/a	n/a	No	No	H.1 Case narrative - (100000AN)	n/a	/MCCI_IN200100UV01[@ITSVersion='XML_1.0'][@xsi:schemaLocation='urn:hl7-org:v3 MCCI_IN200100UV01.xsd']/PORR_IN049016UV[r]/controlActProcess[@classCode='CACT'][@moodCode='EVN']/subject[@typeCode='SUBJ'][1]/investigationEvent[@classCode='INVSTG'][@moodCode='EVN']/text/text()	No	H.1=Data will be outputted to the narrative section. <form_label> : <value entered>
YOU	**Hospital/Institution**	Friend HCP	Widget Type: Free text entry	report.reporter[].institution	n/a	n/a	No	No	C.2.r.2.1 Reporter's Organisation - 60AN	n/a	/MCCI_IN200100UV01[@ITSVersion='XML_1.0'][@xsi:schemaLocation='urn:hl7-org:v3 MCCI_IN200100UV01.xsd']/PORR_IN049016UV[r]/controlActProcess[@classCode='CACT'][@moodCode='EVN']/subject[@typeCode='SUBJ'][1]/investigationEvent[@classCode='INVSTG'][@moodCode='EVN']/outboundRelationship[@typeCode='SPRT'][relatedInvestigation/code[@code='2'][@codeSystem='2.16.840.1.113883.3.989.2.1.1.22']][r]/relatedInvestigation[@classCode='INVSTG'][@moodCode='EVN']/subjectOf2[@typeCode='SUBJ']/controlActEvent[@classCode='CACT'][@moodCode='EVN']/author[@typeCode='AUT']/assignedEntity[@classCode='ASSIGNED']/representedOrganization[@classCode='ORG'][@determinerCode='INSTANCE']/assignedEntity[@classCode='ASSIGNED']/representedOrganization[@classCode='ORG'][@determinerCode='INSTANCE']/name/text()	N/A	C.2.r.2.1 = Data will be outputted to the structured field.
YOU	**Please enter you details: Address**	Friend HCP	Widget Type: Free text entry	report.reporter[].address_line_1	n/a	n/a	No	Yes	C.2.r.2.3 Reporter's Street - 100AN	n/a	/MCCI_IN200100UV01[@ITSVersion='XML_1.0'][@xsi:schemaLocation='urn:hl7-org:v3 MCCI_IN200100UV01.xsd']/PORR_IN049016UV[r]/controlActProcess[@classCode='CACT'][@moodCode='EVN']/subject[@typeCode='SUBJ'][1]/investigationEvent[@classCode='INVSTG'][@moodCode='EVN']/outboundRelationship[@typeCode='SPRT'][relatedInvestigation/code[@code='2'][@codeSystem='2.16.840.1.113883.3.989.2.1.1.22']][r]/relatedInvestigation[@classCode='INVSTG'][@moodCode='EVN']/subjectOf2[@typeCode='SUBJ']/controlActEvent[@classCode='CACT'][@moodCode='EVN']/author[@typeCode='AUT']/assignedEntity[@classCode='ASSIGNED']/addr[1]/streetAddressLine[1]/text()	MSK	C.2.r.2.3 = Data will be outputted to the structured field. Will be merged with address line 2 (if present), with a comma and a space separating them. -If the value is redacted, then the entered value will be displayed with a null flavor (MSK). Field, site, and system level configurations need to be enabled for redaction. When entered in user selected language, the Country value will be exported in English.
YOU	**Please enter you details: City/Town**	Friend HCP	Widget Type: Free text entry	report.reporter[].city	n/a	n/a	No	Yes	C.2.r.2.4 Reporter's City - 35AN	n/a	/MCCI_IN200100UV01[@ITSVersion='XML_1.0'][@xsi:schemaLocation='urn:hl7-org:v3 MCCI_IN200100UV01.xsd']/PORR_IN049016UV[r]/controlActProcess[@classCode='CACT'][@moodCode='EVN']/subject[@typeCode='SUBJ'][1]/investigationEvent[@classCode='INVSTG'][@moodCode='EVN']/outboundRelationship[@typeCode='SPRT'][relatedInvestigation/code[@code='2'][@codeSystem='2.16.840.1.113883.3.989.2.1.1.22']][r]/relatedInvestigation[@classCode='INVSTG'][@moodCode='EVN']/subjectOf2[@typeCode='SUBJ']/controlActEvent[@classCode='CACT'][@moodCode='EVN']/author[@typeCode='AUT']/assignedEntity[@classCode='ASSIGNED']/addr[1]/city[1]/text()	MSK	C.2.r.2.4 = Data will be outputted to the structured field. - If the value is redacted, then the entered value will be displayed with a null flavor (MSK). Field, site, and system level configurations need to be enabled for redaction.

© Qinecsa Solutions 2026 | Confidential. Do not copy without permission.

Field descriptions (Configured in Journey) (field labels, triggering logic and options available per reporter/report categories may differ; please refer to REQ_157 A11a for the full logic)				DIF Schema (Mapping configured in Journey)			Export Profile and Redaction (Configurable)		E2B-R3 Related Output Logic (Hard coded in product/ non-configurable)				
Page	**FIELD DESCRIPTION (labels subject to configuration accurate at time of writing)**	**Branch Applicable**	**FIELD TYPE**	**DIF Path**	**Associated DIF Path**	**DIF Enums Applicable**	**Export Profile Setting Associated**	**Redaction Possible**	**E2B Group / Element**	**Associated E2B Element(s)**	**E2B Xpaths**	**Null Flavour Supported**	**Business Logic**
YOU	**Please enter you details:County/state/province**	Friend HCP	Widget Type: Free text entry	report.reporter[].county	n/a	n/a	No	Yes	C.2.r.2.5 Reporter's State or Province - 40AN	n/a	/MCCI_IN200100UV01[@ITSVersion='XML_1.0'][@xsi:schemaLocation='urn:hl7-org:v3 MCCI_IN200100UV01.xsd']/PORR_IN049016UV[r]/controlActProcess[@classCode='CACT'][@moodCode='EVN']/subject[@typeCode='SUBJ'][1]/investigationEvent[@classCode='INVSTG'][@moodCode='EVN']/outboundRelationship[@typeCode='SPRT'][relatedInvestigation/code[@code='2'][@codeSystem='2.16.840.1.113883.3.989.2.1.1.22'][r]/relatedInvestigation[@classCode='INVSTG'][@moodCode='EVN']/subjectOf2[@typeCode='SUBJ']/controlActEvent[@classCode='CACT'][@moodCode='EVN']/author[@typeCode='AUT']/assignedEntity[@classCode='ASSIGNED']/addr[1]/state[1]/text()	MSK	C.2.r.2.5 = Data will be outputted to the structured field. -If the value is redacted, then the entered value will be displayed with a null flavor (MSK). Field, site, and system level configurations need to be enabled for redaction.
YOU	**Please enter you details:Post code**	Friend HCP	Widget Type: Free text entry	report.reporter[].postcode	n/a	n/a	No	Yes	C.2.r.2.6 Reporter's Postcode - 15AN	n/a	/MCCI_IN200100UV01[@ITSVersion='XML_1.0'][@xsi:schemaLocation='urn:hl7-org:v3 MCCI_IN200100UV01.xsd']/PORR_IN049016UV[r]/controlActProcess[@classCode='CACT'][@moodCode='EVN']/subject[@typeCode='SUBJ'][1]/investigationEvent[@classCode='INVSTG'][@moodCode='EVN']/outboundRelationship[@typeCode='SPRT'][relatedInvestigation/code[@code='2'][@codeSystem='2.16.840.1.113883.3.989.2.1.1.22'][r]/relatedInvestigation[@classCode='INVSTG'][@moodCode='EVN']/subjectOf2[@typeCode='SUBJ']/controlActEvent[@classCode='CACT'][@moodCode='EVN']/author[@typeCode='AUT']/assignedEntity[@classCode='ASSIGNED']/addr[1]/postalCode[1]/text()	MSK	C.2.r.2.6 = Data will be outputted to the structured field. -If the value is redacted, then the entered value will be displayed with a null flavor (MSK). Field, site, and system level configurations need to be enabled for redaction.
YOU	**Please enter you details: Country**	Friend HCP	Widget Type: Drop down	report.reporter[].country	n/a	n/a	No	No	C.2.r.3 Reporter's Country Code - 2A	n/a	/MCCI_IN200100UV01[@ITSVersion='XML_1.0'][@xsi:schemaLocation='urn:hl7-org:v3 MCCI_IN200100UV01.xsd']/PORR_IN049016UV[r]/controlActProcess[@classCode='CACT'][@moodCode='EVN']/subject[@typeCode='SUBJ'][1]/investigationEvent[@classCode='INVSTG'][@moodCode='EVN']/outboundRelationship[@typeCode='SPRT'][relatedInvestigation/code[@code='2'][@codeSystem='2.16.840.1.113883.3.989.2.1.1.22'][r]/relatedInvestigation[@classCode='INVSTG'][@moodCode='EVN']/subjectOf2[@typeCode='SUBJ']/controlActEvent[@classCode='CACT'][@moodCode='EVN']/author[@typeCode='AUT']/assignedEntity[@classCode='ASSIGNED']/assignedPerson[@classCode='PSN'][@determinerCode='INSTANCE']/asLocatedEntity[@classCode='LOCE'][1]/location[@classCode='COUNTRY'][@determinerCode='INSTANCE']/code[@codeSystem='1.0.3166.1.2.2']/@code	N/A	C.2.r.3 = Data will be outputted to the structured field. Date Supported is ISO 3166-1 (alpha 2), EU country code.
ADDITIONAL	**Is there any additional documentation or evidence you would like to attach?**	Patient Friend HCP	Widget Type: Attachment	report.attachments.{original | redacted}.file_type	n/a	n/a	No	No	C.1.6.1.r.2: Included Documents (attribute, 'mediaType')	n/a	/MCCI_IN200100UV01[@ITSVersion='XML_1.0'][@xsi:schemaLocation='urn:hl7-org:v3 MCCI_IN200100UV01.xsd']/PORR_IN049016UV[r]/controlActProcess[@classCode='CACT'][@moodCode='EVN']/subject[@typeCode='SUBJ'][1]/investigationEvent[@classCode='INVSTG'][@moodCode='EVN']/reference[@typeCode='REFR'][document/code[@code='1'][@codeSystem='2.16.840.1.113883.3.989.2.1.1.27'][r]/document[@classCode='DOC'][@moodCode='EVN']/text/text()	No	Based on the file extension, a corresponding MIME Type will be assigned from the application type library.
ADDITIONAL	**Are you taking any other medication?**	Patient Friend HCP	Widget Type: Radio buttons Options: 1. Yes 2. No	report.additional_context_options[]	n/a	Options: 1) yes 2) no	No	No	H.1 Case narrative - (100000AN)	n/a	/MCCI_IN200100UV01[@ITSVersion='XML_1.0'][@xsi:schemaLocation='urn:hl7-org:v3 MCCI_IN200100UV01.xsd']/PORR_IN049016UV[r]/controlActProcess[@classCode='CACT'][@moodCode='EVN']/subject[@typeCode='SUBJ'][1]/investigationEvent[@classCode='INVSTG'][@moodCode='EVN']/text/text()	No	H.1=Data will be outputted to the narrative section. <form_label> : <value entered>

© Qinecsa Solutions 2026 | Confidential. Do not copy without permission.

Field descriptions (Configured in Journey) (field labels, triggering logic and options available per reporter/report categories may differ; please refer to REQ_157 A11a for the full logic)				DIF Schema (Mapping configured in Journey)			Export Profile and Redaction (Configurable)		E2B-R3 Related Output Logic (Hard coded in product/ non-configurable)				
Page	**FIELD DESCRIPTION (labels subject to configuration accurate at time of writing)**	**Branch Applicable**	**FIELD TYPE**	**DIF Path**	**Associated DIF Path**	**DIF Enums Applicable**	**Export Profile Setting Associated**	**Redaction Possible**	**E2B Group / Element**	**Associated E2B Element(s)**	**E2B Xpaths**	**Null Flavour Supported**	**Business Logic**
ADDITIONAL	**Pease tell us which product**	Patient Friend HCP	Widget Type: MedDRA + Free text entry	report.patient.products[].name	report.patient.products[].characterisation	n/a	No	No	G.k.2.2 Medicinal Product Name as Reported by the Primary Source - (250AN)	G.k.1 Characterisation of Drug Role - (1N)	/MCCI_IN200100UV01[@ITSVersion='XML_1.0'][@xsi:schemaLocation='urn:hl7-org:v3 MCCI_IN200100UV01.xsd']/PORR_IN049016UV[r]/controlActProcess[@classCode='CACT'][@moodCode='EVN']/subject[@typeCode='SUBJ'][1]/investigationEvent[@classCode='INVSTG'][@moodCode='EVN']/component[@typeCode='COMP'][adverseEventAssessment[1]/adverseEventAssessment[@classCode='INVSTG'][@moodCode='EVN']/subject1[@typeCode='SBJ'][1]/primaryRole[@classCode='INVSBJ']/subjectOf2[@typeCode='SBJ'][organizer/code[@code='4'][@codeSystem='2.16.840.1.113883.3.989.2.1.1.20'][1]/organizer[@classCode='CATEGORY'][@moodCode='EVN']/component[@typeCode='COMP'][substanceAdministration/id][k]/substanceAdministration[@classCode='SBADM'][@moodCode='EVN']/consumable[@typeCode='CSM'][1]/instanceOfKind[@classCode='INST']/kindOfProduct[@classCode='MMAT'][@determinerCode='KIND']/name[1]/text() "Value : /MCCI_IN200100UV01[@ITSVersion='XML_1.0'][@xsi:schemaLocation='urn:hl7-org:v3 MCCI_IN200100UV01.xsd']/PORR_IN049016UV[r]/controlActProcess[@classCode='CACT'][@moodCode='EVN']/subject[@typeCode='SUBJ'][1]/investigationEvent[@classCode='INVSTG'][@moodCode='EVN']/component[@typeCode='COMP'][adverseEventAssessment[1]/adverseEventAssessment[@classCode='INVSTG'][@moodCode='EVN']/component[@typeCode='COMP'][causalityAssessment/code[@code='20'][@codeSystem='2.16.840.1.113883.3.989.2.1.1.19']]/causalityAssessment[@classCode='OBS'][@moodCode='EVN'][subject2[@typeCode='SUBJ']/productUseReference[@classCode='SBADM'][@moodCode='EVN']/id	N/A	G.k.2.2 = Medicinal Product will be outputted to the structured field. G.k.1 = Data will be outputted to the structured field. suspect: G.k.1 = 1 concomitant: G.k.1 = 2 interacting: G.k.1 = 3 drug_not_administered: G.k.1 = 4
ADDITIONAL	**What condition are you treating?**	Patient Friend HCP	Widget Type: MedDRA + Free text entry	report.patient.products[].event.meddra_term	report.patient.products[].event.meddra_code report.patient.products[].event.meddra_version	n/a	No	No	G.k.7.r.1 Indication as Reported by the Primary Source (250AN)	G.k.7.r.2b Indication (MedDRA code) (8N) G.k.7.r.2a MedDRA Version for Indication (4AN)	Value: /MCCI_IN200100UV01[@ITSVersion='XML_1.0'][@xsi:schemaLocation='urn:hl7-org:v3 MCCI_IN200100UV01.xsd']/PORR_IN049016UV[r]/controlActProcess[@classCode='CACT'][@moodCode='EVN']/subject[@typeCode='SUBJ'][1]/investigationEvent[@classCode='INVSTG'][@moodCode='EVN']/component[@typeCode='COMP'][adverseEventAssessment[1]/adverseEventAssessment[@classCode='INVSTG'][@moodCode='EVN']/subject1[@typeCode='SBJ'][1]/primaryRole[@classCode='INVSBJ']/subjectOf2[@typeCode='SBJ'][organizer/code[@code='4'][@codeSystem='2.16.840.1.113883.3.989.2.1.1.20'][1]/organizer[@classCode='CATEGORY'][@moodCode='EVN']/component[@typeCode='COMP'][substanceAdministration/id][k]/substanceAdministration[@classCode='SBADM'][@moodCode='EVN']/inboundRelationship[@typeCode='RSON'][observation/code[@code='19'][@codeSystem='2.16.840.1.113883.3.989.2.1.1.19']][r]/observation[@classCode='OBS'][@moodCode='EVN'][performer[@typeCode='PRF']/assignedEntity[@classCode='ASSIGNED']/code[@code='3'][@codeSystem='2.16.840.1.113883.3.989.2.1.1.21']][1]/value[@xsi:type='CE'][@codeSystem='2.16.840.1.113883.6.163'][1]/originalText/text() NullFlavor: /MCCI_IN200100UV01[@ITSVersion='XML_1.0'][@xsi:schemaLocation='urn:hl7-org:v3 MCCI_IN200100UV01.xsd']/PORR_IN049016UV[r]/controlActProcess[@classCode='CACT'][@moodCode='EVN']/sub'Value: /MCCI_IN200100UV01[@ITSVersion='XML_1.0'][@xsi:schemaLocation='urn:hl7-org:v3	N/A	If element passsed is coded (auto code is enable). G.k.7.r.1 - Data will be outputted to the structured field. G.k.7.r.2a - Data will be outputted to the structured field. Only 1 MedDRA version is allowed per ICSR. Example For MedDRA version 15.1 value allowed is '15.1'.(Application should always consider the highest MedDRA vesion available on the system to encode and same version number should be the output for the tag.) G.k.7.r.2b - LLT Code for the term G.k.7.r.1 will be outputted to the structured field. If the adverse event was selected from a non-English MedDRA and the selected term has multiple English match terms, the system will select the lowest LLT term based on the client configuration requirements.

© Qinecsa Solutions 2026 | Confidential. Do not copy without permission.

Field descriptions (Configured in Journey) (field labels, triggering logic and options available per reporter/report categories may differ; please refer to REQ_157 A11a for the full logic)				DIF Schema (Mapping configured in Journey)			Export Profile and Redaction (Configurable)		E2B-R3 Related Output Logic (Hard coded in product/ non-configurable)				
Page	**FIELD DESCRIPTION (labels subject to configuration accurate at time of writing)**	**Branch Applicable**	**FIELD TYPE**	**DIF Path**	**Associated DIF Path**	**DIF Enums Applicable**	**Export Profile Setting Associated**	**Redaction Possible**	**E2B Group / Element**	**Associated E2B Element(s)**	**E2B Xpaths**	**Null Flavour Supported**	**Business Logic**
ADDITIONAL	**When did you start/stop using this product? (START)**	Patient Friend HCP	WidgetType: Date picker + Radio button Options: unknown	report.patient.products[].dosages[].administration_dates.start	n/a	n/a	No	No	G.k.4.r.4 Date and Time of Start of Drug (Date)	n/a	1. When more than two values in the following data elements appear 1) G.k.4.r.2、G.k.4.r.3 2) G.k.4.r.4 3) G.k.4.r.5 4) G.k.4.r.6a、G.k.4.r.6b The first comp element with data type SXPR Parenthetic Set Expression of Time (SXPR_TS) [Intervale of Point in Time (IVL_TS)]: /MCCI_IN200100UV01[@ITSVersion='XML_1.0'][@xsi:schemaLocation='urn:hl7-org:v3 MCCI_IN200100UV01.xsd']/PORR_IN049016UV[r]/controlActProcess[@classCode='CACT'][@moodCode='EVN']/subject[@typeCode='SUBJ'][1]/investigationEvent[@classCode='INVSTG'][@moodCode='EVN']/component[@typeCode='COMP'][adverseEventAssessment][1]/adverseEventAssessment[@classCode='INVSTG'][@moodCode='EVN']/subject1[@typeCode='SBJ'][1]/primaryRole[@classCode='INVSBJ']/subjectOf2[@typeCode='SBJ'][organizer/code[@code='4'][@codeSystem='2.16.840.1.113883.3.989.2.1.1.20']][1]/organizer[@classCode='CATEGORY'][@moodCode='EVN']/component[@typeCode='COMP'][substanceAdministration/id][k]/substanceAdministration[@classCode='SBADM'][@moodCode='EVN']/outboundRelationship2[@typeCode='COMP'][substanceAdministration][r]/substanceAdministration[@classCode='SBADM'][@moodCode='EVN']/effectiveTime[@xsi:type='SXPR_TS']/comp[@xsi:type='IVL_TS']/low/@value NullFlavor : /MCCI_IN200100UV01[@ITSVersion='XML_1.0'][@xsi:schemaLocation='urn:hl7-org:v3 MCCI_IN200100UV01.xsd']/PORR_IN049016UV[r]/controlActProcess[@classCode='CACT'][@moodCode='EVN']/subject[@typeCode='SUBJ'][1]/investigationEvent[@classCode='INVSTG'][@moodCode='EVN']/component[@typeCode='COMP'][adverseEventAssessment][1]/adverseE	Yes	G.k.4.r.4 = Data will be outputted to the structured field. Minimum precision required is the year (i.e. 'CCYY'). If Unknown selected: then nullFlavor: ASKU If Blank: then No output Cannot be a future date See Stop date below for various output examples to case narrative.
ADDITIONAL	**When did you start/stop using this product? (STOP)**	Patient Friend HCP	WidgetType: Date picker + Radio button Options: unknown Ongoing	report.patient.products[].dosages[].administration_dates.end	n/a	n/a	No	No	G.k.4.r.5 Date and Time of Last Administration (Date)	n/a	1. When more than two values in the following data elements appear 1) G.k.4.r.2、G.k.4.r.3 2) G.k.4.r.4 3) G.k.4.r.5 4) G.k.4.r.6a、G.k.4.r.6b The first comp element with data type SXPR Parenthetic Set Expression of Time (SXPR_TS) [Intervale of Point in Time (IVL_TS)] : /MCCI_IN200100UV01[@ITSVersion='XML_1.0'][@xsi:schemaLocation='urn:hl7-org:v3 MCCI_IN200100UV01.xsd']/PORR_IN049016UV[r]/controlActProcess[@classCode='CACT'][@moodCode='EVN']/subject[@typeCode='SUBJ'][1]/investigationEvent[@classCode='INVSTG'][@moodCode='EVN']/component[@typeCode='COMP'][adverseEventAssessment][1]/adverseEventAssessment[@classCode='INVSTG'][@moodCode='EVN']/subject1[@typeCode='SBJ'][1]/primaryRole[@classCode='INVSBJ']/subjectOf2[@typeCode='SBJ'][organizer/code[@code='4'][@codeSystem='2.16.840.1.113883.3.989.2.1.1.20']][1]/organizer[@classCode='CATEGORY'][@moodCode='EVN']/component[@typeCode='COMP'][substanceAdministration/id][k]/substanceAdministration[@classCode='SBADM'][@moodCode='EVN']/outboundRelationship2[@typeCode='COMP'][substanceAdministration][r]/substanceAdministration[@classCode='SBADM'][@moodCode='EVN']/effectiveTime[@xsi:type='SXPR_TS']/comp[@xsi:type='IVL_TS']/high/@value NullFlavor : /MCCI_IN200100UV01[@ITSVersion='XML_1.0'][@xsi:schemaLocation='urn:hl7-org:v3 MCCI_IN200100UV01.xsd']/PORR_IN049016UV[r]/controlActProcess[@classCode='CACT'][@moodCode='EVN']/subject[@typeCode='SUBJ'][1]/investigationEvent[@classCode='INVSTG'][@moodCode='EVN']/component[@typeCode='COMP'][adverseEventAssessment][1]/adverseE	Yes	G.k.4.r.5 Date and Time of Last Administration (Date) Minimum precision required is the year (i.e. 'CCYY'). If Unknown selected: then nullFlavor: ASKU If Blank, Ongoing: then No output If ONGOING Then H.1 Case Narrative Output: - Start date is left blank and Stop Date is Ongoing: Dates for <suspect product>: (Start: Unspecified Stop: Ongoing) - Start date is Unknown and Stop Date is Ongoing: Dates for <suspect product>: (Start: Unknown Stop: Ongoing) - Start date is populated and Stop Date is Ongoing: Dates for <suspect product>: (Start: DD MMM YYYY Stop: Ongoing)
ADDITIONAL	**Is there any relevant medical history about the patient you would like to share?**	Patient Friend HCP	Widget Type: Radio buttons Options: 1. Yes 2. No	report.additional_context_options[]	n/a	n/a	No	No	H.1 Case narrative - (100000AN)	n/a	/MCCI_IN200100UV01[@ITSVersion='XML_1.0'][@xsi:schemaLocation='urn:hl7-org:v3 MCCI_IN200100UV01.xsd']/PORR_IN049016UV[r]/controlActProcess[@classCode='CACT'][@moodCode='EVN']/subject[@typeCode='SUBJ'][1]/investigationEvent[@classCode='INVSTG'][@moodCode='EVN']/text/text()	No	H.1=Data will be outputted to the narrative section. <form_label> : <value entered>

© Qinecsa Solutions 2026 | Confidential. Do not copy without permission.

Field descriptions (Configured in Journey) (field labels, triggering logic and options available per reporter/report categories may differ; please refer to REQ_157 A11a for the full logic)				DIF Schema (Mapping configured in Journey)			Export Profile and Redaction (Configurable)		E2B-R3 Related Output Logic (Hard coded in product/ non-configurable)				
Page	**FIELD DESCRIPTION (labels subject to configuration accurate at time of writing)**	**Branch Applicable**	**FIELD TYPE**	**DIF Path**	**Associated DIF Path**	**DIF Enums Applicable**	**Export Profile Setting Associated**	**Redaction Possible**	**E2B Group / Element**	**Associated E2B Element(s)**	**E2B Xpaths**	**Null Flavour Supported**	**Business Logic**
ADDITIONAL	**Enter name of medical condition**	Patient Friend HCP	WidgetType: Lookup - Adverse event	report.patient.medical_history[].event.meddra_term	report.patient.medical_history[].event.meddra_code report.patient.medical_history[].event.meddra_version	n/a	No	No	D.7.1.r - Structured Information on Relevant Medical History	D.7.1.r.5 Comments (2000AN)(4AN) D.7.1.r.1b Medical History (disease / surgical procedure / etc.) (MedDRA code)(8N) D.7.1.r.1a MedDRA Version for Medical History	/MCCI_IN200100UV01[@ITSVersion='XML_1.0'][@xsi:schemaLocation='urn:hl7-org:v3 MCCI_IN200100UV01.xsd']/PORR_IN049016UV[r]/controlActProcess[@classCode='CACT'][@moodCode='EVN']/subject[@typeCode='SUBJ'][1]/investigationEvent[@classCode='INVSTG'][@moodCode='EVN']/component[@typeCode='COMP'][adverseEventAssessment[1]/adverseEventAssessment[@classCode='INVSTG'][@moodCode='EVN']/subject1[@typeCode='SBJ'][1]/primaryRole[@classCode='INVSBJ']/subjectOf2[@typeCode='SBJ'][organizer/code[@code='1'][@codeSystem='2.16.840.1.113883.3.989.2.1.1.20']][1]/organizer[@classCode='CATEGORY'][@moodCode='EVN']/component[@typeCode='COMP'][observation/code[@codeSystem='2.16.840.1.113883.6.163']][r]/observation[@classCode='OBS'][@moodCode='EVN']/outboundRelationship2[@typeCode='COMP'][observation/code[@code='10'][@codeSystem='2.16.840.1.113883.3.989.2.1.1.19']][1]/observation[@classCode='OBS'][@moodCode='EVN']/value[@xsi:type='ED'][1]/text() /MCCI_IN200100UV01[@ITSVersion='XML_1.0'][@xsi:schemaLocation='urn:hl7-org:v3 MCCI_IN200100UV01.xsd']/PORR_IN049016UV[r]/controlActProcess[@classCode='CACT'][@moodCode='EVN']/subject[@typeCode='SUBJ'][1]/investigationEvent[@classCode='INVSTG'][@moodCode='EVN']/component[@typeCode='COMP'][adverseEventAssessment[1]/adverseEventAssessment[@classCode='INVSTG'][@moodCode='EVN']/subject1[@typeCode='SBJ'][1]/primaryRole[@classCode='INVSBJ']/subjectOf2[@typeCode='SBJ'][organizer/code[@code='1'][@codeSystem='2.16.840.1.113883.3.989.2.1.1.20']][1]/organizer[@classCode='CATEGORY'][@moodCode='EVN']/component[@typeCode='COMP'][observation/co	N/A	If the event is encoded, D.7.1.r.1a = Data will be outputted to the structured field. Only 1 MedDRA version is allowed per ICSR. Example For MedDRA version 15.1 value allowed is '15.1'.(Application should always consider the highest MedDRA vesion available on the system to encode and same version number should be the output for the tag.) D.7.1.r.1b = LLT Code for the term D.7.1.r.1a will be outputted to the structured field. D.7.1.r.5 = <Event Name>." will be appended in the begining of the tag element if available, until the length of the D.7.1.r.5 is upto 2000AN. If the length exceeds 2000AN, then the data will be truncated to hold upto 2000AN If the event is not encoded, D.7.1.r.1a = No Output` D.7.1.r.1b = No Output D.7.1.r.5 = <Event Name>." will be appended in the begining of the tag element if available, until the length of the D.7.1.r.5 is upto 2000AN. If the length exceeds 2000AN, then the data will be truncated to hold upto 2000AN
ADDITIONAL	**Start and end date of medical condition (START)**	Patient Friend HCP	WidgetType: Date picker + Radio button Options: unknown	report.patient.medical_history[].dates.start	n/a	n/a	No	No	D.7.1.r.2 Start Date (Date)	n/a	/MCCI_IN200100UV01[@ITSVersion='XML_1.0'][@xsi:schemaLocation='urn:hl7-org:v3 MCCI_IN200100UV01.xsd']/PORR_IN049016UV[r]/controlActProcess[@classCode='CACT'][@moodCode='EVN']/subject[@typeCode='SUBJ'][1]/investigationEvent[@classCode='INVSTG'][@moodCode='EVN']/component[@typeCode='COMP'][adverseEventAssessment[1]/adverseEventAssessment[@classCode='INVSTG'][@moodCode='EVN']/subject1[@typeCode='SBJ'][1]/primaryRole[@classCode='INVSBJ']/subjectOf2[@typeCode='SBJ'][organizer/code[@code='1'][@codeSystem='2.16.840.1.113883.3.989.2.1.1.20']][1]/organizer[@classCode='CATEGORY'][@moodCode='EVN']/component[@typeCode='COMP'][observation/code[@codeSystem='2.16.840.1.113883.6.163']][r]/observation[@classCode='OBS'][@moodCode='EVN']/effectiveTime[@xsi:type='IVL_TS']/low/@value /MCCI_IN200100UV01[@ITSVersion='XML_1.0'][@xsi:schemaLocation='urn:hl7-org:v3 MCCI_IN200100UV01.xsd']/PORR_IN049016UV[r]/controlActProcess[@classCode='CACT'][@moodCode='EVN']/subject[@typeCode='SUBJ'][1]/investigationEvent[@classCode='INVSTG'][@moodCode='EVN']/component[@typeCode='COMP'][adverseEventAssessment[1]/adverseEventAssessment[@classCode='INVSTG'][@moodCode='EVN']/subject1[@typeCode='SBJ'][1]/primaryRole[@classCode='INVSBJ']/subjectOf2[@typeCode='SBJ'][organizer/code[@code='1'][@codeSystem='2.16.840.1.113883.3.989.2.1.1.20']][1]/organizer[@classCode='CATEGORY'][@moodCode='EVN']/component[@typeCode='COMP'][observation/code[@codeSystem='2.16.840.1.113883.6.163']][r]/observation[@classCode='OBS'][@moodCode='EVN']/effectiveTime[@xsi:type='IVL_TS']/lo	ASKU	D.7.1.r.2 = Data will be outputted to the structured field. Minimum precision required is the year (i.e. 'CCYY'). If "unknown" then nullFlavor: ASKU If Blank then No output Future Date is not allowed

Field descriptions (Configured in Journey) (field labels, triggering logic and options available per reporter/report categories may differ; please refer to REQ_157 A11a for the full logic)				DIF Schema (Mapping configured in Journey)			Export Profile and Redaction (Configurable)		E2B-R3 Related Output Logic (Hard coded in product/ non-configurable)				
Page	**FIELD DESCRIPTION (labels subject to configuration accurate at time of writing)**	**Branch Applicable**	**FIELD TYPE**	**DIF Path**	**Associated DIF Path**	**DIF Enums Applicable**	**Export Profile Setting Associated**	**Redaction Possible**	**E2B Group / Element**	**Associated E2B Element(s)**	**E2B Xpaths**	**Null Flavour Supported**	**Business Logic**
ADDITIONAL	**Start and end date of medical condition (END)**	Patient Friend HCP	WidgetType: Date picker + Radio button Options: unknown Ongoing	report.patient.medical_history[].dates.end	n/a	n/a	No	No	D.7.1.r.4 End Date (Date)	D.7.1.r.3 Continuing	/MCCI_IN200100UV01[@ITSVersion='XML_1.0'][@xsi:schemaLocation='urn:hl7-org:v3 MCCI_IN200100UV01.xsd']/PORR_IN049016UV[r]/controlActProcess[@classCode='CACT'][@moodCode='EVN']/subject[@typeCode='SUBJ'][1]/investigationEvent[@classCode='INVSTG'][@moodCode='EVN']/component[@typeCode='COMP'][adverseEventAssessment[1]/adverseEventAssessment[@classCode='INVSTG'][@moodCode='EVN']/subject1[@typeCode='SBJ'][1]/primaryRole[@classCode='INVSBJ']/subjectOf2[@typeCode='SBJ'][organizer/code[@code='1'][@codeSystem='2.16.840.1.113883.3.989.2.1.1.20'][1]/organizer[@classCode='CATEGORY'][@moodCode='EVN']/component[@typeCode='COMP'][observation/code[@codeSystem='2.16.840.1.113883.6.163']][r]/observation[@classCode='OBS'][@moodCode='EVN']/effectiveTime[@xsi:type='IVL_TS']/high/@value /MCCI_IN200100UV01[@ITSVersion='XML_1.0'][@xsi:schemaLocation='urn:hl7-org:v3 MCCI_IN200100UV01.xsd']/PORR_IN049016UV[r]/controlActProcess[@classCode='CACT'][@moodCode='EVN']/subject[@typeCode='SUBJ'][1]/investigationEvent[@classCode='INVSTG'][@moodCode='EVN']/component[@typeCode='COMP'][adverseEventAssessment[1]/adverseEventAssessment[@classCode='INVSTG'][@moodCode='EVN']/subject1[@typeCode='SBJ'][1]/primaryRole[@classCode='INVSBJ']/subjectOf2[@typeCode='SBJ'][organizer/code[@code='1'][@codeSystem='2.16.840.1.113883.3.989.2.1.1.20'][1]/organizer[@classCode='CATEGORY'][@moodCode='EVN']/component[@typeCode='COMP'][observation/code[@codeSystem='2.16.840.1.113883.6.163']][r]/observation[@classCode='OBS'][@moodCode='EVN']/effectiveTime[@xsi:type='IVL_TS']/hi	ASKU	Minimum precision required is the year (i.e. 'CCYY') If "unknown" selected: then nullFlavor: ASKU If Blank: then No output Future Date is not allowed If Ongoing: D.7.1.r.3 = 'true'
ADDITIONAL	**Additional information on the medical condition**	Patient Friend HCP	Widget Type: Area, Free text entry	report.patient.medical_history[].additional_info	n/a	n/a	No	No	D.7.1.r.5 Comments (2000AN)	n/a	/MCCI_IN200100UV01[@ITSVersion='XML_1.0'][@xsi:schemaLocation='urn:hl7-org:v3 MCCI_IN200100UV01.xsd']/PORR_IN049016UV[r]/controlActProcess[@classCode='CACT'][@moodCode='EVN']/subject[@typeCode='SUBJ'][1]/investigationEvent[@classCode='INVSTG'][@moodCode='EVN']/component[@typeCode='COMP'][adverseEventAssessment[1]/adverseEventAssessment[@classCode='INVSTG'][@moodCode='EVN']/subject1[@typeCode='SBJ'][1]/primaryRole[@classCode='INVSBJ']/subjectOf2[@typeCode='SBJ'][organizer/code[@code='1'][@codeSystem='2.16.840.1.113883.3.989.2.1.1.20'][1]/organizer[@classCode='CATEGORY'][@moodCode='EVN']/component[@typeCode='COMP'][observation/code[@codeSystem='2.16.840.1.113883.6.163']][r]/observation[@classCode='OBS'][@moodCode='EVN']/outboundRelationship2[@typeCode='COMP'][observation/code[@code='10'][@codeSystem='2.16.840.1.113883.3.989.2.1.1.19']][1]/observation[@classCode='OBS'][@moodCode='EVN']/value[@xsi:type='ED'][1]/text()	N/A	D.7.1.r.5 = Data will be appended to the structured field.
ADDITIONAL	**Were any laboratory or diagnostic tests performed?**	Patient Friend HCP	Widget Type: Radio buttons Options: 1. Yes 2. No	report.additional_context_options[]	n/a	n/a	No	No	H.1 Case narrative - (100000AN)	n/a	/MCCI_IN200100UV01[@ITSVersion='XML_1.0'][@xsi:schemaLocation='urn:hl7-org:v3 MCCI_IN200100UV01.xsd']/PORR_IN049016UV[r]/controlActProcess[@classCode='CACT'][@moodCode='EVN']/subject[@typeCode='SUBJ'][1]/investigationEvent[@classCode='INVSTG'][@moodCode='EVN']/text/text()	No	H.1=Data will be outputted to the narrative section. <form_label> : < value entered>
ADDITIONAL	**Name of test**	Patient Friend HCP	Widget Type: MedDRA + Free text entry	report.patient.test_results[].event.meddra_term	n/a	n/a	No	No	F.r.2.1 Test Name (free text) - 250AN	n/a	/MCCI_IN200100UV01[@ITSVersion='XML_1.0'][@xsi:schemaLocation='urn:hl7-org:v3 MCCI_IN200100UV01.xsd']/PORR_IN049016UV[r]/controlActProcess[@classCode='CACT'][@moodCode='EVN']/subject[@typeCode='SUBJ'][1]/investigationEvent[@classCode='INVSTG'][@moodCode='EVN']/component[@typeCode='COMP'][adverseEventAssessment[1]/adverseEventAssessment[@classCode='INVSTG'][@moodCode='EVN']/subject1[@typeCode='SBJ'][1]/primaryRole[@classCode='INVSBJ']/subjectOf2[@typeCode='SBJ'][organizer/code[@code='3'][@codeSystem='2.16.840.1.113883.3.989.2.1.1.20'][1]/organizer[@classCode='CATEGORY'][@moodCode='EVN']/component[@typeCode='COMP'][observation/code[@codeSystem='2.16.840.1.113883.6.163']][r]/observation[@classCode='OBS'][@moodCode='EVN']/code/originalText/text()	N/A	F.r.2.1 = Data should be outputted to the structured field as verbatim entered by the user or the Term encoded from the MedDRA Dictionary. -If element passed is not coded (auto code is disable). Test Name tag should capture Output as entered (Verbatim) by the User Test Name tag must be present if (Date is available or date is UNK). -If element passed is coded (auto code is enable). Test Name tag should capture the Term encoded from the MedDRA Dictionary or the verbatim entered by the user. Test Name tag must be present if (Date is available or date is UNK) or MedDRA code is missing.

© Qinecsa Solutions 2026 | Confidential. Do not copy without permission.

Field descriptions (Configured in Journey) (field labels, triggering logic and options available per reporter/report categories may differ; please refer to REQ_157 A11a for the full logic)				DIF Schema (Mapping configured in Journey)			Export Profile and Redaction (Configurable)		E2B-R3 Related Output Logic (Hard coded in product/ non-configurable)				
Page	**FIELD DESCRIPTION (labels subject to configuration accurate at time of writing)**	**Branch Applicable**	**FIELD TYPE**	**DIF Path**	**Associated DIF Path**	**DIF Enums Applicable**	**Export Profile Setting Associated**	**Redaction Possible**	**E2B Group / Element**	**Associated E2B Element(s)**	**E2B Xpaths**	**Null Flavour Supported**	**Business Logic**
ADDITIONAL	**Test date**	Patient Friend HCP	WidgetType: Date picker + Radio button Options: unknown	report.patient.test_results[].date	n/a	n/a	No	No	F.r.1 Test Date - Date	n/a	Value = /MCCI_IN200100UV01[@ITSVersion='XML_1.0'][@xsi:schemaLocation='urn:hl7-org:v3 MCCI_IN200100UV01.xsd']/PORR_IN049016UV[r]/controlActProcess[@classCode='CACT'][@moodCode='EVN']/subject[@typeCode='SUBJ'][1]/investigationEvent[@classCode='INVSTG'][@moodCode='EVN']/component[@typeCode='COMP'][adverseEventAssessment][1]/adverseEventAssessment[@classCode='INVSTG'][@moodCode='EVN']/subject1[@typeCode='SBJ'][1]/primaryRole[@classCode='INVSBJ']/subjectOf2[@typeCode='SBJ'][organizer/code[@code='3'][@codeSystem='2.16.840.1.113883.3.989.2.1.1.20'][1]/organizer[@classCode='CATEGORY'][@moodCode='EVN']/component[@typeCode='COMP'][observation/code[@codeSystem='2.16.840.1.113883.6.163']][r]/observation[@classCode='OBS'][@moodCode='EVN']/effectiveTime/@value NullFlavor = /MCCI_IN200100UV01[@ITSVersion='XML_1.0'][@xsi:schemaLocation='urn:hl7-org:v3 MCCI_IN200100UV01.xsd']/PORR_IN049016UV[r]/controlActProcess[@classCode='CACT'][@moodCode='EVN']/subject[@typeCode='SUBJ'][1]/investigationEvent[@classCode='INVSTG'][@moodCode='EVN']/component[@typeCode='COMP'][adverseEventAssessment][1]/adverseEventAssessment[@classCode='INVSTG'][@moodCode='EVN']/subject1[@typeCode='SBJ'][1]/primaryRole[@classCode='INVSBJ']/subjectOf2[@typeCode='SBJ'][organizer/code[@code='3'][@codeSystem='2.16.840.1.113883.3.989.2.1.1.20'][1]/organizer[@classCode='CATEGORY'][@moodCode='EVN']/component[@typeCode='COMP'][observation/co	N/A	F.r.1 tag should support minimum precision date format. (i.e. 'CCYY', example ""2023""). Example of other valid date format are 'CCYYMM' and 'CCYYMMDD' F.r.1= data should be outputted to the structured field. -Test Date must be present if the Test Name is present. -if date is unknown, then set nullflavor = unk -if date is left blank, then set nullflavor = unk and add a comments into F.r.3.4 : ""Date Not Provided"
ADDITIONAL	**Test result (qualifier/value)**	Patient Friend HCP	Widget Type: dropdown + Free text entry	report.patient.test_results[].result.qualifier	report.patient.test_results[].result.value report.patient.test_results[].result.unit	Label: >\ Value: greater_than Label: ≥ Value: greater_than_or_equal_to Label: < Value: less_than Label: ≤ Value: less_than_or_equal_to Label: = Value: equal_to Label: Unknown Value: unknown	No	No	F.r.3.2 Test Result (value / qualifier) - 50N	F.r.3.2 Test Result (value / qualifier) - 50N F.r.3.3 Test Result (unit) - 50AN	1.EQ center=Physical Quantity (PQ) MCCI_IN200100UV01[@ITSVersion='XML_1.0'][@xsi:schemaLocation='urn:hl7-org:v3 MCCI_IN200100UV01.xsd']/PORR_IN049016UV[r]/controlActProcess[@classCode='CACT'][@moodCode='EVN']/subject[@typeCode='SUBJ'][1]/investigationEvent[@classCode='INVSTG'][@moodCode='EVN']/component[@typeCode='COMP'][adverseEventAssessment][1]/adverseEventAssessment[@classCode='INVSTG'][@moodCode='EVN']/subject1[@typeCode='SBJ'][1]/primaryRole[@classCode='INVSBJ']/subjectOf2[@typeCode='SBJ'][organizer/code[@code='3'][@codeSystem='2.16.840.1.113883.3.989.2.1.1.20'][1]/organizer[@classCode='CATEGORY'][@moodCode='EVN']/component[@typeCode='COMP'][observation/code[@codeSystem='2.16.840.1.113883.6.163']][r]/observation[@classCode='OBS'][@moodCode='EVN']/value[@xsi:type='IVL_PQ'][1]/center/@value 2. GT low=Interval Boundary (IVXB) /MCCI_IN200100UV01[@ITSVersion='XML_1.0'][@xsi:schemaLocation='urn:hl7-org:v3 MCCI_IN200100UV01.xsd']/PORR_IN049016UV[r]/controlActProcess[@classCode='CACT'][@moodCode='EVN']/subject[@typeCode='SUBJ'][1]/investigationEvent[@classCode='INVSTG'][@moodCode='EVN']/component[@typeCode='COMP'][adverseEventAssessment][1]/adverseEventAssessment[@classCode='INVSTG'][@moodCode='EVN']/subject1[@typeCode='SBJ'][1]/primaryRole[@classCode='INVSBJ']/subjectOf2[@typeCode='SBJ'][organizer/code[@code='3'][@codeSystem='2.16.840.1.113883.3.989.2.1.1.20'][1]/organizer[@classCode='CATEGORY'][@moodCode='EVN']/component[@typeCode='COMP'][observation/co	NINF, PINF	if value is present and F.r.3.3 (unit) is present, then set Center value and set Unit if greater_than, set Low value and set "inclusive" to "false" and set high nullflavour to "PINF" and set Unit if less_than, set high value and set "inclusive" to "false" and set low nullflavour to "NINF" and set Unit if greater_than_or_equal_to set Low value and set "inclusive" to "true" and set high nullflavour to "PINF" and Set Unit if less_than_or_equal_to set high value and set "inclusive" to "true" and set low nullflavour to "NINF" and Set Unit
ADDITIONAL	**Test result (qualifier/value)**	Patient Friend HCP	Widget Type: dropdown + Free text entry	report.patient.test_results[].result.value									
ADDITIONAL	**Test result (qualifier/value) (unit)**	Patient Friend HCP	Widget Type: lab test lookup + Free text entry	report.patient.test_results[].result.unit		n/a							
ADDITIONAL	**Outcome of test**	Patient Friend HCP	WidgetType: Radio button Options: 1.Positive 2.Negative 3.Borderline 4.Inconclusive	report.patient.test_results[].result_code	n/a	Options: 1: positive 2: negative 3: borderline 4: inconclusive	No	No	F.r.3.1 Test Result (code) - 1N	n/a	/MCCI_IN200100UV01[@ITSVersion='XML_1.0'][@xsi:schemaLocation='urn:hl7-org:v3 MCCI_IN200100UV01.xsd']/PORR_IN049016UV[r]/controlActProcess[@classCode='CACT'][@moodCode='EVN']/subject[@typeCode='SUBJ'][1]/investigationEvent[@classCode='INVSTG'][@moodCode='EVN']/component[@typeCode='COMP'][adverseEventAssessment][1]/adverseEventAssessment[@classCode='INVSTG'][@moodCode='EVN']/subject1[@typeCode='SBJ'][1]/primaryRole[@classCode='INVSBJ']/subjectOf2[@typeCode='SBJ'][organizer/code[@code='3'][@codeSystem='2.16.840.1.113883.3.989.2.1.1.20'][1]/organizer[@classCode='CATEGORY'][@moodCode='EVN']/component[@typeCode='COMP'][observation/code[@codeSystem='2.16.840.1.113883.6.163']][r]/observation[@classCode='OBS'][@moodCode='EVN']/interpretationCode[@codeSystem='2.16.840.1.113883.3.989.2.1.1.12'][1]/@code	N/A	F.r.3.1 = Data should be outputted to the structured field if "Positive", then set 1 if "Negative", then set 2 if "Borderline", then set 3 if "Inconclusive", then set 4

© Qinecsa Solutions 2026 | Confidential. Do not copy without permission.

Field descriptions (Configured in Journey) (field labels, triggering logic and options available per reporter/report categories may differ; please refer to REQ_157 A11a for the full logic)				DIF Schema (Mapping configured in Journey)			Export Profile and Redaction (Configurable)		E2B-R3 Related Output Logic (Hard coded in product/ non-configurable)				
Page	**FIELD DESCRIPTION (labels subject to configuration accurate at time of writing)**	**Branch Applicable**	**FIELD TYPE**	**DIF Path**	**Associated DIF Path**	**DIF Enums Applicable**	**Export Profile Setting Associated**	**Redaction Possible**	**E2B Group / Element**	**Associated E2B Element(s)**	**E2B Xpaths**	**Null Flavour Supported**	**Business Logic**
ADDITIONAL	**Test results comments**	Patient Friend HCP	Widget Type: Area, Free text entry	report.patient.test_results[].description	n/a	n/a	No	No	F.r.3.4 Result Unstructured Data (free text) - 2000AN	n/a	/MCCI_IN200100UV01[@ITSVersion='XML_1.0'][@xsi:schemaLocation='urn:hl7-org:v3 MCCI_IN200100UV01.xsd']/PORR_IN049016UV[r]/controlActProcess[@classCode='CACT'][@moodCode='EVN']/subject[@typeCode='SUBJ'][1]/investigationEvent[@classCode='INVSTG'][@moodCode='EVN']/component[@typeCode='COMP'][adverseEventAssessment][1]/adverseEventAssessment[@classCode='INVSTG'][@moodCode='EVN']/subject1[@typeCode='SBJ'][1]/primaryRole[@classCode='INVSBJ']/subjectOf2[@typeCode='SBJ'][organizer/code[@code='3'][@codeSystem='2.16.840.1.113883.3.989.2.1.1.20']][1]/organizer[@classCode='CATEGORY'][@moodCode='EVN']/component[@typeCode='COMP'][observation/code[@codeSystem='2.16.840.1.113883.6.163']][r]/observation[@classCode='OBS'][@moodCode='EVN']/value[@xsi:type='ED'][1]/text()	N/A	F.r.3.4 = Data should be outputted to the structured field. Add Text "Date Not Provided" when Test Date (F.r.1) is left blank.
ADDITIONAL	**Is there anything else you would like to share**	Patient Friend HCP	Widget Type: Area, Free text entry	report.additional_info	n/a	n/a	No	No	H.1 Case narrative - (100000AN)	n/a	/MCCI_IN200100UV01[@ITSVersion='XML_1.0'][@xsi:schemaLocation='urn:hl7-org:v3 MCCI_IN200100UV01.xsd']/PORR_IN049016UV[r]/controlActProcess[@classCode='CACT'][@moodCode='EVN']/subject[@typeCode='SUBJ'][1]/investigationEvent[@classCode='INVSTG'][@moodCode='EVN']/text/text()	No	H.1=Data will be outputted to the narrative section. <form_label> : <value entered> Example: Additional information : Verified Information

E2B (R3) data elements Id/Name	E2B (R3) MMM Mapping Rules
/MCCI_IN200100UV01/@xsi:schemaLocation	The URL of the XSD for validation is defined in the export profile. Note: See CCS A09 for the exact value.
N.2.r.1 Message Identifier C.1.1 Sender's (case) Safety Report Unique Identifier C.1.8.1 Worldwide Unique Case Identification Number	Constructed from the country code of the primary source of the report + 'MMM' + report reference. Segments are separated by '-' (dash/hyphen). Follow up messages regarding the same report will have the same value as the initial report. Note: See CCS A09 for the exact value.
C.1.8.2 First Sender of This Case	Set to 2 (Other)
N.2.r.2 Message Sender Identifier N.1.3 Batch Sender Identifier	This value is configured in the export profile. Note: See CCS A09 for the exact value.
N.2.r.3 Message Receiver Identifier N.1.4 Batch Receiver Identifier	This value is configured in the export profile. Note: See CCS A09 for the exact value.
N.2.r.4 Date of Message Creation	Date/Time of Message Creation in CCYYMMDDhhmmss format.
C.1.2 Date of creation	Submitted At date/time for the current report version being generated to XML (to second accuracy with timezone suffix +00) e.g. "20200622123430+00" (there is no report version structured field in R3, therefore C.1.2 is used to match at the report Submitted At field in order to identify report version)
N.2.r.4 Date of Message Creation	Date/Time of Message Creation in CCYYMMDDhhmmss format.
C.3.1 - Sender Type C.3.2 - Sender's Organisation C.3.3.1 - Sender's Department C.3.4.1 - Sender's Street Address C.3.4.2 - Sender's City C.3.4.3 - Sender's State C.3.4.4 - Sender's Postcode C.3.4.5 - Sender's Country Code C.3.4.6 - Sender's Telephone (sender tel countrycode incorporated) C.3.4.8 - Sender's E-mail Address	These values are configured within the export profile. Note: See CCS A09 for the exact value.
N.1.1 Type of Messages in Batch	Set to 1=ichicsr
N.1.2 Batch Number	Unique tracking number constructed from 'MMM' + report reference + an 8 digit random number. Segments are separated by '-' (dash/hyphen). Follow up messages regarding the same report will have a unique Batch Number.
N.1.5 Date of Batch Transmission	Current system date/time when XML file is being created (to second accuracy with timezone suffix +00).

© Qinecsa Solutions 2026 | Confidential. Do not copy without permission.