UDISE+

Welcome BASAVARAJA | Login IP: 106.206.15.100 | Mobile no.: 9738639993 | CLUSTER ENTRY USER ARAKERE | Login time: 20-05-2021 15:19:29 | Logout

Change Password | My Profile

Home | Data Capture 2020-2

IMPORTANT NOTE: Be Sure that you have filled up all CORRECT information in all Forms of DCF. After CERTIFY DATA, all forms of the DCF will be Disabled / Frozen. User can not Alter / Edit any information after certify data.

Data Comparison and Critical Indicators

* NA = School was Not Operational last year i.e. 2019-20
* Data for 2020-21 shown below as on 20 May 2021 03:00:00 AM , for update click on **Refresh**

Bld. Blocks	1	1	Classrooms	3	3
Other Rooms	2	2	Major Repair	0	0
Boys Toilet	3	3	Drinking water	Yes	Yes
Girls Toilet	2	2	Electricity	Yes	Yes
Boys Functional Toilet	3	3	Library	Yes	Yes
Girls Functional Toilet	2	2	Students Having Furniture	120	120
Functional Desktop	3	3	Functional Laptop	8 .	8

Total Teachers	8	8
Male	7	7	Regular	8	8
Female	1	1	Non Regular	0	0
Transgender	0	0	Teachers Having Aadhaar	8	8

Total Enrolment(1 - 12)	112	111	Pre-Primary Enrolment	0	0
Boys(1 - 12)	52	50	Girls(1 - 12)	60	61
Repeaters	0	0	CWSN	21	15

Critical Indicators

Student Teacher Ratio — 13.88
- 🟢 >15 to <=50
- 🟠 >0 to <=15 or >50 to <=120
- 🔴 >120

Student Classroom Ratio — 37.0
- 🟢 >0 to <=60
- 🟠 >60 to <=150
- 🔴 >150

Student Toilet Ratio — 22.2
- 🟢 >0 to <=200
- 🟠 >200 to <=500
- 🔴 >500

Student's Deviation — -1
- 🟢 -500 to 500
- 🟠 <-500 or >500

Teacher's Deviation — 0
- 🟢 -30 to 30
- 🟠 <-30 or >30

🟢 - Good to Certify   🟠 - Please Verify   🔴 - Can be Certified by Remarks

In case of any issue faced while certification please send mail in udiseplus-mhrd@nic.in or cor

Certification Module

Certification is Not Yet Active. Come Back After Some days to Certify Data