

Create a dockerfile, docker-compose file which when executed must display your basic details in the website.

Installed docker compose

```
ubuntu@ip-172-31-3-194:~$ docker-compose --version
docker-compose version 1.29.2, build unknown
ubuntu@ip-172-31-3-194:~$
```

i-07b5060c240406899 (Docker sys1)

PublicIPs: 13.200.237.69 PrivateIPs: 172.31.3.194

Docker file created

```
ubuntu@ip-172-31-3-194:~$ docker-compose --version
docker-compose version 1.29.2, build unknown
ubuntu@ip-172-31-3-194:~$ ls
docker-compose.yml  dockerfile  html  nginx.conf  website
ubuntu@ip-172-31-3-194:~$
```

i-07b5060c240406899 (Docker sys1)

PublicIPs: 13.200.237.69 PrivateIPs: 172.31.3.194

Docker compose build executed

```
Building web
DEPRECATED: The legacy builder is deprecated and will be removed in a future release
            Install the buildx component to build images with BuildKit:
            https://docs.docker.com/go/buildx/

Sending build context to Docker daemon 26.62kB
Step 1/4 : FROM nginx:alpine
--> d4918ca78576
Step 2/4 : RUN rm -rf /usr/share/nginx/html/*
--> Using cache
--> 8b1f59cfdbb7
Step 3/4 : COPY ./html /usr/share/nginx/html
--> Using cache
--> 494acb416485
Step 4/4 : EXPOSE 80
--> Using cache
--> 605ead9e2e52
Successfully built 605ead9e2e52
Successfully tagged ubuntu_web:latest
ubuntu_web_1 is up-to-date
ubuntu@ip-172-31-3-194:~$
```

i-07b5060c240406899 (Docker sys1)

PublicIPs: 13.200.237.69 PrivateIPs: 172.31.3.194

```
Successfully built 605ead9e2e52
Successfully tagged ubuntu_web:latest
Creating ubuntu_web_1 ... done
ubuntu@ip-172-31-3-194:~$ sudo docker-compose ps

```

Name	Command	State	Ports
ubuntu_web_1	/docker-entrypoint.sh nginx ...	Up	0.0.0.0:80->80/tcp, :::80->80/tcp

```
ubuntu@ip-172-31-3-194:~$
```

i-07b5060c240406899 (Docker sys1)
PublicIPs: 13.200.237.69 PrivateIPs: 172.31.3.194

Output website

 Not secure 13.200.237.69

Create a HTML File :

Vignesh

Profession: Associate consultant
Email: vignesh@guvi.com | **Phone:** +91 9629291212

Skills

- Citrix
- AWS
- Devops

Exp

Citrix