


GenAI_Moderation_Guardrail_Implementation_Architecture




Phase 2



Phase 02 - Authentication > Valid user token - expect 200
POST
{{baseUrl}} /api/v1/moderate
Docs
Params
Authorization
Headers 11
Body
Scripts
Settings
Auth type
Bearer Token
The authorization header will be automatically generated when you send the request. Learn more about authorization
Bearer Token
Token
{{moderationUserToken}}
Body
Cookies
Headers 13
Test Results
200 OK
60 ms
788 B
Load
JSON
Preview
Visualize
{
"requestId": "f7ba2939-f1ec-4934-b2a1-5bd7fdcc47ed",
"policyVersion": "1.0.0",
"decision": "ALLOW",
"findings": [],
"normalization": {
"unicodeNormalized": false,
"zeroWidthRemoved": 0,
"suspiciousEncodingDetected": false
}
}


variable named testsco, and set its value to the generated token.
Keep the request as POST http://127.0.0.1:3000/api/v1/moderate with raw JSON body:
{}
I verified that /health returns 200 and the same request with a generated token passes authentication. A valid token currently returns 501 Not Implemented—that is expected in Phase 02 and confirms authentication succeeded.
12:03 PM
17 Files +585 -0
1 Background Shell


Phase -3


Phase 03 - Authorization and Roles > Admin policy access - expect 200
GET
{{baseUrl}} /api/v1/admin/policy
Docs
Params
Authorization
Headers 8
Body
Scripts
Settings
Auth type
Bearer Token
The authorization header will be automatically generated when you send the request. Learn more about authorization
Bearer Token
Token
{{moderationAdminToken}}
Body
Cookies
Headers 7
Test Results
200 OK
5 ms
291 B
JSON
Preview
Visualize
1 {
2 "policyVersion": "1.0.0"
3 }


Phase-4



Phase 04 - API Key and Secret Detection > Detect API key assignment
Save
Sha
POST
{{baseUrl}} /api/v1/detect/secrets
Send
Docs
Params
Authorization
Headers 11
Body
Scripts
Settings
Auth type
Bearer Token
The authorization header will be automatically generated when you send the request. Learn more about authorization
Bearer Token
Token
{{moderationTesterToken}}
Body
Cookies
Headers 13
Test Results
200 OK
5 ms
672 B
Load test
Save Respor
JSON
Preview
Visualize
{
"matched": true,
"category": "API_KEY",
"recommendedAction": "BLOCK",
"ruleId": "SECRET-APIKEY-001"
}

Console
Terminal
Issues
3 Errors
All Logs
Clear
Cache-Control: "no-cache"
Postman-Token: "3ffa8b63-6a20-45db-8337-854c6ed10484"
Content-Type: "application/json"
Content-Length: "24"
Host: "127.0.0.1:3000"
User-Agent: "PostmanRuntime/2.12.2"
Accept: "*/*"
Accept-Encoding: "gzip, deflate, br"



Phase 04 - API Key and Secret Detection > Ordinary key usage - allow
Save
Share
POST
{{baseUrl}} /api/v1/detect/secrets
Send
Docs
Params
Authorization
Headers 11
Body
Scripts
Settings
Cookies
Auth type
Bearer Token
The authorization header will be automatically generated when you send the request. Learn more about authorization
Bearer Token
Token
{{moderationTesterToken}}
Body
Cookies
Headers 13
Test Results
200 OK
10 ms
653 B
Load test
Save Response
JSON
Preview
Visualize
{
"matched": false,
"category": null,
"recommendedAction": "ALLOW",
"ruleId": null
}

Phase 5



Phase 05 - Request and Schema Validation > Valid request - expect 501 after validation
POST
{{baseUrl}} /api/v1/moderate
Docs
Params
Authorization
Headers 11
Body
Scripts
Settings
Auth type
Bearer Token
The authorization header will be automatically generated when you send the request. Learn more about authorization
Bearer Token
Token
{{moderationUserToken}}
Body
Cookies
Headers 13
Test Results
200 OK
11 ms
805 B
JSON
Preview
Visualize
{
"requestId": "e77d3156-3ba8-49ba-abf7-e0e89b292721",
"policyVersion": "1.0.0",
"decision": "ALLOW",
"findings": [],
"normalization": {
"unicodeNormalized": false,
"zeroWidthRemoved": 0,
"suspiciousEncodingDetected": false
},
"locale": "en-GB"
}
Need help with the next steps?


POST
http://127.0.0.1:3000/api/v1/moderate
Send
Docs
Params
Authorization
Headers 10
Body
Scripts
Settings
Cookies
none
form-data
x-www-form-urlencoded
raw
binary
GraphQL
JSON
Schema
Beautify
{
"content": "Please summarize the approved product document.",
"applicationId": "demo-rag-app",
"conversationId": "conv-001",
"metadata": {
"channel": "postman",
"locale": "en-GB"
}
}


Body
Cookies
Headers 7
Test Results
501 Not Implemented
6 ms
416 B
Load test
Feature not implemented
Diagnose
Decline
JSON
Preview
Debug with AI
{
"requestId": "5d54107a-627d-4ff6-9518-e81a83864293",
"error": "NOT_IMPLEMENTED",
"message": "Moderation processing is not implemented yet."
}


Chat
Copilot · Phase-wise implementation pr...
implement next phase
Phase 05 — Request and schema validation implemented
The updated API is running at http://127.0.0.1:3000. For these checks, use POST http://127.0.0.1:3000/api/v1/moderate, select Authorization → Bearer Token, and paste a token generated with:
npm run create:dev-token -- mod
Set Content-Type: application/json.
Valid request
Body → raw → JSON:
24 Files +1247 -3
1 Background Shell
Chat with Copilot
Agent
Auto
Balance
Interactive
Manual permissions
VudCIsInJv
wMTA4MiwiY
Z2F0ZXdheS


Phase-6




Phase 7




Phase-8



Phase 08 - PII Detection > Mask email address
POST
{{baseUrl}} /api/v1/detect/pii
Docs
Params
Authorization
Headers 11
Body
Scripts
Settings
Auth type
Bearer Token
The authorization header will be automatically generated when you send the request. Learn more about authorization
Bearer Token
Token
{{moderationTesterToken}}
Body
Cookies
Headers 13
Test Results
200 OK
20 ms
766 B
Load t
JSON
Preview
Visualize
{
"matched": true,
"category": "EMAIL_ADDRESS",
"recommendedAction": "MASK",
"sanitizedContent": "Email me at <EMAIL_MASKED>",
"findings": [
{
"category": "EMAIL_ADDRESS",
"recommendedAction": "MASK"
}
]
}


Phase-9


Phase 09 - Confidential Business Data > Public marker - allow
Save
POST
{{baseUrl}} /api/v1/detect/confidential
Docs
Params
Authorization
Headers 11
Body
Scripts
Settings
Auth type
Bearer Token
The authorization header will be automatically generated when you send the request. Learn more about authorization
Bearer Token
Token
{{moderationTesterToken}}
Body
Cookies
Headers 13
Test Results
200 OK
5 ms
772 B
Load test
Save Res
JSON
Preview
Visualize
{
"matched": true,
"classification": "PUBLIC",
"recommendedAction": "ALLOW",
"ruleId": "CONF-PUBLIC-001",
"findings": [
{
"classification": "PUBLIC",
"recommendedAction": "ALLOW",
"ruleId": "CONF-PUBLIC-001"
}
]
}
Need help with the next steps?
Globals
Vault



Phase 09 - Confidential Business Data > Restricted marker without reviewer role - block
POST
{{baseUrl}} /api/v1/detect/confidential
Docs
Params
Authorization
Headers 11
Body
Scripts
Settings
Auth type
Bearer Token
The authorization header will be automatically generated when you send the request. Learn more about authorization
Bearer Token
Token
{{moderationTesterToken}}
Body
Cookies
Headers 13
Test Results
200 OK
JSON
Preview
Visualize
{
"matched": true,
"classification": "RESTRICTED",
"recommendedAction": "BLOCK",
"ruleId": "CONF-RESTRICTED-001",
"findings": [
{
"classification": "RESTRICTED",
"recommendedAction": "BLOCK",
"ruleId": "CONF-RESTRICTED-001"
}
]
}

Phase-10



Phase 10 - Prompt Injection Detection > Obvious injection - expect BLOCK score 85
POST
{{baseUrl}} /api/v1/detect/injection
Docs
Params
Authorization
Headers 11
Body
Scripts
Settings
Query Params
Key
Value
Description
Key
Value
Description


Body
Cookies
Headers 13
Test Results
200 OK
7 ms
720 B
Load test
{ } JSON
Preview
Visualize
{
"matched": true,
"riskScore": 85,
"warnThreshold": 40,
"threshold": 70,
"recommendedAction": "BLOCK",
"ruleIds": [
"INJ-OVERRIDE-001",
"INJ-REVEAL-001"
]
}


Phase-11


Phase 11 - Jailbreak Detection > Instruction bypass and hidden prompt request - expect BLOCK
Save
Share
POST
{{baseUrl}} /api/v1/detect/jailbreak
Send
Docs
Params
Authorization
Headers 11
Body
Scripts
Settings
Cookies
Query Params
Key
Value
Description
Bulk Edit
Key
Value
Description
Body
Cookies
Headers 13
Test Results
200 OK
5 ms
686 B
Load test
Save Response
{ } JSON
Preview
Visualize
{
"matched": true,
"riskScore": 85,
"recommendedAction": "BLOCK",
"ruleIds": [
"INJ-OVERRIDE-001",
"INJ-REVEAL-001"
]
}


Phase-12




Phase-13




Phase-14




Phase-15




Phase-16




Phase-17




Phase-18


Phase 18 - Output Moderation > Safe output - expect ALLOW
POST
{{baseUrl}} /api/v1/moderate/output
Docs
Params
Authorization
Headers 11
Body
Scripts
Settings
Auth type
Bearer Token
The authorization header will be automatically generated when you send the request. Learn more about authorization
Bearer Token
Token
{{moderationUserToken}}
Body
Cookies
Headers 13
Test Results 1/1
200 OK
15 ms
JSON
Preview
Visualize
{
"requestId": "dcb6fc2a-d0ba-4477-ab8e-e195486c908d",
"originalRequestId": "req_500",
"decision": "ALLOW",
"safe": true,
"findings": []
}

Phase-19



Phase 19 - Output Validation > Validate schema-conforming JSON output
POST
{{baseUrl}} /api/v1/validate/output
Docs
Params
Authorization
Headers 11
Body
Scripts
Settings
Auth type
Bearer Token
The authorization header will be automatically generated when you send the request. Learn more about authorization
Bearer Token
Inherited
Auth type
Bearer Token
Token
{{moderationTesterToken}}
Body
Cookies
Headers 13
Test Results 1/1
200 OK
40 ms
JSON
Preview
Visualize
{
"valid": true,
"decision": "ALLOW",
"errors": [],
"prototypeMode": true
}

Phase-20



Phase 20 - Review and Escalation > 1 - Create pending review
POST
{{baseUrl}} /api/v1/reviews
Docs
Params
Authorization
Headers 11
Body
Scripts
Settings
Query Params
Key
Value
Descriptio
Key
Value
Descriptio

Body
Cookies
Headers 13
Test Results 1/1
200 OK
13 ms
JSON
Preview
Visualize
{
"reviewId": "REV-c86e9c0c-d537-437c-9a98-37c53b14e4f0",
"status": "PENDING",
"decision": "ESCALATE"
}

Phase-21


Phase 21 - Content Safety Fixture > Classify synthetic harassment fixture
POST
{{baseUrl}} /api/v1/detect/content-safety
Docs
Params
Authorization
Headers 11
Body
Scripts
Settings
Auth type
Bearer Token
The authorization header will be automatically generated when you send the request. Learn more about authorization
Bearer Token
Inherited
Auth type
Bearer Token
Token
{{moderationTesterToken}}
Body
Cookies
Headers 13
Test Results 1/1
200 OK
7 ms
785 B
JSON
Preview
Visualize
{
"categories": [
{
"name": "HARASSMENT",
"severity": "MEDIUM"
}
],
"recommendedAction": "SAFE_RESPONSE",
"decision": "SAFE_RESPONSE",
"safe": true,
"classifierStatus": "FIXTURE_ONLY",
"classified": true,
"prototypeMode": true
}
Fix the status code assertion

Phase-22


Phase 22 - Cyber Safety Fixtures > Defensive fixture
POST
{{baseUrl}} /api/v1/detect/content-safety
Docs Params Authorization Headers 11 Body Scripts Settings
Auth type
Bearer Token
The authorization header will be automatically generated when you send the request. Learn more about authorization
Bearer Token Inherited
Auth type
Bearer Token
Token
{{moderationTesterToken}}
Body Cookies Headers 13 Test Results 1/1
200 OK 5 ms 768 B
Load test
JSON Preview Visualize
{
"categories": [
{
"name": "CYBER_SAFETY",
"severity": "LOW"
}
],
"recommendedAction": "ALLOW",
"decision": "ALLOW",
"safe": true,
"classifierStatus": "FIXTURE_ONLY",
"classified": true,
"prototypeMode": true
}

Phase-23

Phase 23 - Dangerous Activity Fixture > **Evaluate synthetic dangerous activity fixture**

POST {{baseUrl}} /api/v1/detect/content-safety

Docs Params Authorization Headers 11 Body Scripts Settings

Query Params


Key	Value	Des
Key	Value	Des

Body Cookies Headers 13 Test Results 1/1 200 OK 16 ms


{} JSON Preview Visualize


```
{
    "categories": [
        {
            "name": "DANGEROUS_ACTIVITY",
            "severity": "HIGH"
        }
    ],
    "recommendedAction": "SAFE_RESPONSE",
    "decision": "SAFE_RESPONSE",
    "safe": true,
    "classifierStatus": "FIXTURE_ONLY",
    "classified": true,
    "prototypeMode": true
}
```

Phase-24


Phase 24 - Threat Safety Fixture > Escalate synthetic threat fixture
POST
{{baseUrl}} /api/v1/detect/content-safety
Docs
Params
Authorization
Headers 11
Body
Scripts
Settings
Query Params
Key
Value
Description
Key
Value
Description
Body
Cookies
Headers 13
Test Results 1/1
200 OK
9 ms
862 B
Load tes
{ } JSON
Preview
Visualize
{
"categories": [
{
"name": "CREDIBLE_THREAT",
"severity": "HIGH"
}
],
"recommendedAction": "ESCALATE",
"decision": "ESCALATE",
"safe": false,
"classifierStatus": "FIXTURE_ONLY",
"classified": true,
"reviewId": "REV-4671dd21-f260-4af9-9d26-8f60140b0f5e",
"securityEventCreated": true,
Need help with the next steps?

Phase-25


Phase 25 - Child Safety Synthetic Fixture > Block synthetic child-safety category fixture
POST
{{baseUrl}} /api/v1/detect/content-safety
Docs
Params
Authorization
Headers 11
Body
Scripts
Settings
Query Params
Key
Value
Description
Key
Value
Description


Body
Cookies
Headers 13
Test Results 1/1
200 OK
23 ms
857 B
{ } JSON
Preview
Visualize
{
"categories": [
{
"name": "CHILD_SAFETY",
"severity": "CRITICAL"
}
],
"recommendedAction": "BLOCK",
"decision": "BLOCK",
"safe": false,
"classifierStatus": "FIXTURE_ONLY",
"classified": true,
"reviewId": "REV-af056c24-5285-4175-8b77-78bb68ab06bb",
"securityEventCreated": true,
Need help with the next steps?

Phase-26

Phase 26 - Crisis Handling Fixture › **Return crisis support template identifier**

POST {{baseUrl}} /api/v1/detect/content-safety

Docs | Params | Authorization | Headers 11 | Body | Scripts | Settings

Query Params


Key	Value	Description
Key	Value	Description

Body | Cookies | Headers 13 | Test Results 1/1 | 200 OK • 9 ms • 824 B

{} JSON | Preview | Visualize



```
{
    "categories": [
        {
            "name": "SELF_HARM",
            "severity": "HIGH"
        }
    ],
    "recommendedAction": "SAFE_RESPONSE",
    "decision": "SAFE_RESPONSE",
    "safe": true,
    "classifierStatus": "FIXTURE_ONLY",
    "classified": true,
    "responseTemplate": "SELF_HARM_SUPPORT_V1",
    "prototypeMode": true
```


Phase-27




Phase-28


Implementation of RAG


guardrail.js
D: > rag-mongo-demo_E2E > server > guardrail.js > NUMERIC_METADATA_FIELDS
1 const MODERATION_LIMIT = 10_000;
2 const MAX_CONTEXT_DOCUMENTS = 20;
3 const SAFE_METADATA_FIELDS = new Set([
4 "id",
5 "testCaseId",
6 "storyId",
7 "key",
8]);
9 const NUMERIC_METADATA_FIELDS = new Set([
10 "score",
11 "fusedScore",
12 "bm25Score",
13 "vectorScore",
14 "originalRank",
15 "bm25Rank",
Problems
Output
Terminal
powershell
PS D:\AI Moderation layer> npm run create:dev-token -- moderation.user
PS D:\AI Moderation layer> npm run create:dev-token -- moderation.tester
>>
> genai-guardrail-gateway@1.0.0 create:dev-token
> tsx src/scripts/create-dev-token.ts moderation.tester
Chat
Copilot · npm run dev issue fix
implement phase 28 with RAG implementation .check if any error...
Key changes are in guardrail.js, server/index.js, and PromptSchemaManager.js. I added guardrail tests, documented the settings in .env.example, and updated the Phase 28 README.
Validation passed: RAG tests (11/11), frontend production build, server syntax checks, and moderation-project tests and typecheck. A live local smoke test confirmed input moderation and email masking. The frontend build succeeds with a bundle-size warning. I did not run retrieval or generat
against MongoDB/LLM.
1 File +3 -1



Explorer
Open Editors
guardrail.test.js test
rag-mongo-demo_E2E
client
src
index.js
index.jsx
index.html
package-lock.json
package.json
vite.config.js
node_modules
postman
releases
server
guardrail.js
index.js
searchHistoryMiddleware.js
src
test
generationMemory.test.js
guardrail.test.js
uploads
.env
.env.example
.gitignore
package-lock.json
package.json
Outline
Timeline
guardrail.test.js
test > guardrail.test.js
1 import assert from "node:assert/strict";
2 import test from "node:test";
3 import { getGuardrailClient, GuardrailError, RagGuardrailClient } from "../server/guardrail.j
4
5 function createClient(responses) {
6 const calls = [];
7 const client = new RagGuardrailClient({
8 baseUrl: "http://127.0.0.1:3000",
9 token: "local-test-token",
10 fetchImpl: async (url, init) => {
11 calls.push({ url: new URL(url), init });
12 const response = responses.shift();
13 return new Response(JSON.stringify(response.body), {
14 status: response.status ?? 200,
15 headers: { "content-type": "application/json" },
16 });
17 },
18 });
19 return { client, calls };
20 }
21
22 test("input moderation returns sanitized content and uses the configured bearer token", async
Problems
Output
Debug Console
Terminal
Ports
powershell - src
PS D:\rag-mongo-demo_E2E\src>
Update
Chat
guardrail.test.js
Agent
Auto
Balance
Copilot
Default permissions




RAG INTEGRATION



Phase 28 - Local RAG Guardrail Integration > 2 - Moderate safe RAG input
Save
Share
POST
{{ragBaseUrl}} /api/guardrail/moderate-input
Send
Docs
Params
Authorization
Headers 10
Body
Scripts
Settings
Cookies
Auth type
No Auth
No Auth
This request does not use any authorization.



Body
Cookies
Headers 8
Test Results 1/1
200 OK
22 ms
394 B
Load test
Save Response
JSON
Preview
Visualize
{
"requestId": "9dfae29d-52be-43fc-9bf3-609c2371abde",
"decision": "ALLOW",
"content": "Summarize the approved product document."
}


Phase 28 - Local RAG Guardrail Integration > 3 - Mask PII before RAG retrieval
Save
Share
POST
{{ragBaseUrl}} /api/guardrail/moderate-input
Send
Docs
Params
Authorization
Headers 10
Body
Scripts
Settings
Cookies
none
form-data
x-www-form-urlencoded
raw
binary
GraphQL
JSON
Schema
Beautify
{"content":"Contact phase28-user@example.com about the approved report."}


Body
Cookies
Headers 8
Test Results 1/1
200 OK
13 ms
402 B
Load test
Save Response
JSON
Preview
Visualize
{
"requestId": "649c7604-4eaa-4e07-8224-7db6729f58e4",
"decision": "MASK",
"content": "Contact <EMAIL_MASKED> about the approved report."
}


COLLECTIONS
Phase 16 - Tool Action Validation
Phase 17 - Combined Decision
Phase 18 - Output Moderation
Phase 19 - Output Validation
Phase 20 - Review and Escalation
Phase 21 - Content Safety Fixture
Phase 22 - Cyber Safety Fixtures
Phase 23 - Dangerous Activity Fixture
Phase 24 - Threat Safety Fixture
Phase 25 - Child Safety Synthetic Fixture
Phase 26 - Crisis Handling Fixture
Phase 27 - Standalone End-to-End Checks
Phase 28 - Local RAG Guardrail Integration
GET 1 - RAG API health
POST 2 - Moderate safe RAG input
POST 3 - Mask PII before RAG retrieval
POST 4 - Moderate search query before preprocessing
POST 5 - Allow safe generated output
POST 6 - Block generated output containing a secret
QA Bot TS - LangChain API Copy 2
ENVIRONMENTS
DOCUMENTS
SPECS
MOCKS
DATASETS
TOOLSETS
FLOWS
Phase 28 - Local RAG Guardrail Integration > 4 - Moderate search query before preprocessing
Save
Share
POST
{{ragBaseUrl}} /api/search/preprocess
Send
Docs
Params
Authorization
Headers 10
Body
Scripts
Settings
Cookies
Query Params
Key
Value
Description
Bulk Edit
Body
Cookies
Headers 8
Test Results 1/1
200 OK
26 ms
792 B
Load test
Save Response
JSON
Preview
Visualize
{
"original": "Contact <EMAIL_MASKED> about the approved report.",
"normalized": "contact email masked about the approved report",
"abbreviationExpanded": "contact email masked about the approved report",
"synonymExpanded": [
"contact email masked about the approved report"
],
"metadata": {
"testCaseIds": [],
"abbreviationMappings": [],
"synonymMappings": [],
"tokens": [
"contact",
"email",
"masked",
"about",
"the",
"approved",
"report"
],
"processingTime": 1,
"steps": {
"normalization": true,
"abbreviationExpansion": false,
"synonymExpansion": false
}
}
}


vignesh's Workspace
Search
Invite
Upgrade
GenAI Guardrail Gateway - Local
COLLECTIONS
Phase 16 - Tool Action Validation
Phase 17 - Combined Decision
Phase 18 - Output Moderation
Phase 19 - Output Validation
Phase 20 - Review and Escalation
Phase 21 - Content Safety Fixture
Phase 22 - Cyber Safety Fixtures
Phase 23 - Dangerous Activity Fixture
Phase 24 - Threat Safety Fixture
Phase 25 - Child Safety Synthetic Fixture
Phase 26 - Crisis Handling Fixture
Phase 27 - Standalone End-to-End Checks
Phase 28 - Local RAG Guardrail Integration
GET 1 - RAG API health
POST 2 - Moderate safe RAG input
POST 3 - Mask PII before RAG retrieval
POST 4 - Moderate search query before preprocessing
POST 5 - Allow safe generated output
POST 6 - Block generated output containing a secret
QA Bot TS - LangChain API Copy 2
ENVIRONMENTS
DOCUMENTS
SPECS
MOCKS
DATASETS
TOOLSETS
FLOWS
Phase 28 - Local RAG Guardrail Integration > 5 - Allow safe generated output
Save
Share
POST
{{ragBaseUrl}} /api/guardrail/moderate-output
Send
Docs
Params
Authorization
Headers 10
Body
Scripts
Settings
Cookies
Query Params
Key
Value
Description
Bulk Edit
Body
Cookies
Headers 8
Test Results 1/1
200 OK
12 ms
344 B
Load test
Save Response
JSON
Preview
Visualize
{
"originalRequestId": "phase28-postman-safe",
"decision": "ALLOW",
"safe": true
}


vignesh's Workspace
Search
Invite
Upgrade
GenAI Guardrail Gateway - Local
COLLECTIONS
Phase 16 - Tool Action Validation
Phase 17 - Combined Decision
Phase 18 - Output Moderation
Phase 19 - Output Validation
Phase 20 - Review and Escalation
Phase 21 - Content Safety Fixture
Phase 22 - Cyber Safety Fixtures
Phase 23 - Dangerous Activity Fixture
Phase 24 - Threat Safety Fixture
Phase 25 - Child Safety Synthetic Fixture
Phase 26 - Crisis Handling Fixture
Phase 27 - Standalone End-to-End Checks
Phase 28 - Local RAG Guardrail Integration
GET 1 - RAG API health
POST 2 - Moderate safe RAG input
POST 3 - Mask PII before RAG retrieval
POST 4 - Moderate search query before preprocessing
POST 5 - Allow safe generated output
POST 6 - Block generated output containing a secret
QA Bot TS - LangChain API Copy 2
ENVIRONMENTS
DOCUMENTS
SPECS
MOCKS
DATASETS
TOOLSETS
Phase 28 - Local RAG Guardrail Integration > 6 - Block generated output containing a secret
Save
Share
POST
{{ragBaseUrl}} /api/guardrail/moderate-output
Send
Docs
Params
Authorization
Headers 10
Body
Scripts
Settings
Cookies
none
form-data
x-www-form-urlencoded
raw
binary
GraphQL
JSON
Schema
Beautify
{"originalRequestId":"phase28-postman-block","content":"api_key=phase28-synthetic-secret-value"}
Body
Cookies
Headers 8
Test Results 1/1
422 Unprocessable Entity (WebDAV) (RFC 4918)
15 ms
353 B
Load test
Save Response
Think..
Cancel
JSON
Preview
Debug with AI
{
"error": "GUARDRAIL_REJECTED",
"stage": "output",
"decision": "BLOCK"
}