```
public class Main
{
        public static void main(String[] args) {
                System.out.println("Hello, World!");
        }
public class Main
{
        public static void main(String[] args) {
                System.out.println("I need coffee too!!");
                System.out.println("I need coffee too!!");
                System.out.println("I need coffee too!!");
        }
import java.util.*;
public class Main
{
        public static void main(String[] args) {
          Scanner in = new Scanner(System.in);
          String x= in.nextLine();
          System.out.println("Weclome "+x);
import java.util.*;
public class Main
{
        public static void main(String[] args) {
          Scanner in = new Scanner(System.in);
          String x= in.nextLine();
```

```
int y= in.nextInt();
          float cg= in.nextFloat();
          char c= in.next().charAt(0);
          System.out.println("Name : "+x);
          System.out.println("Age : "+y );
          System.out.println("CGPA: "+cg);
          System.out.println("grade : "+c);
import java.util.*;
public class Main
{
        public static void main(String[] args) {
          Scanner in = new Scanner(System.in);
          String x= in.nextLine();
          int y= in.nextInt();
          System.out.println("Name : "+x);
          System.out.println("Age : "+y );
        }
import java.util.*;
public class Main
{
        public static void main(String[] args) {
          Scanner in = new Scanner(System.in);
          String x= in.nextLine();
          String y= in.nextLine();
          System.out.println("Member Name : "+x);
          System.out.println("Selected Membership: "+y);
```

```
}
import java.util.*;
public class Main
{
        public static void main(String[] args) {
          Scanner in = new Scanner(System.in);
          int x= in.nextInt(),y=in.nextInt();
          System.out.println("The requied length is "+(2*(x+y))+" m");
          System.out.println("The requied area of carpet : "+(x*y)+" sqm");
        }
import java.util.*;
public class Main
{
        public static void main(String[] args) {
          Scanner in = new Scanner(System.in);
          int x= in.nextInt(),y=in.nextInt();
          double a = 3.14*x*x*y;
          int v= (int) a;
          System.out.println(v);
}
import java.util.*;
public class Main
{
        public static void main(String[] args) {
```

```
Scanner in = new Scanner(System.in);
          int x= in.nextInt();
          System.out.println(60*x);
        }
import java.util.*;
public class Main
{
        public static void main(String[] args) {
          Scanner in = new Scanner(System.in);
          int x= in.nextInt(),y=in.nextInt();
          int m=x*y;
          if(m>12){
            System.out.println(m-12);
          }else if(m==0){
            System.out.println(12);
          }else{
            System.out.println(m);
          }
        }
```